



Regd. office:
Goldmedal Electricals Pvt. Ltd.
A/303, Kemp Plaza, Off Link Road,
Mindspace, Chincholi Bunder, Malad (W),
Mumbai-400064, Maharashtra, India

Web: www.goldmedalindia.com
Email: info@goldmedalindia.com
Customer care no.: 91-9711 09 09 09

Goldmedal, Curve, Nixon, Air, Ringo, 90 Degree,
Gifa & Cloud9 are registered trademarks
of Goldmedal Electricals Pvt. Ltd.
Copyright protected by Goldmedal. No part of this
pricelist & catalogue may be printed or duplicated
without consent of Goldmedal Electricals Pvt. Ltd.
Patent, Trademark & Designs protected.
Infringement is liable for prosecution. Imitation
of graphics is a punishable offence.
Brand identity, concept & design of
Goldmedal Electricals Pvt. Ltd.



Scan for the
AMAZING



JUNE 2K25 1ST EDITION

www.goldmedalindia.com



Switch to the amazing



EDITION - JUNE 2K25
PRODUCT & PRICING MANUAL



Endless possibilities for modern living

Nixon represents a new era in stylish living. Crafted in contemporary styles with minimalistic profiles in classical as well as revolutionary shades, Nixon introduces a variety of high quality lifestyle products that will change the way you look at modular switches and functions. All Nixon products are compatible with a variety of Goldmedal plates, including the Wega, making the possibilities for form, finish and colours, simply endless.



Wega Plate -
G-Dip Switch with Indicator



Wega Plate -
G-Click Switch with Indicator



Wega Plate -
i-Touch Wi-Fi Switches



Wega Plate -
i-Feel Fan Regulator



Wega Plate -
i-Sense Senso Switch



Wega Plate -
65W C Type Fast Charger




Wega Plate -
8 Step Full Rotary Fan Regulator



Wega Plate -
32A DP Operated by Key Tag

Comfort & reliability built
on high-performance material.



Polybutylene Terephthalate (PBT) Switches



Switches are superior quality electrical devices that are easy on the eye and extremely delightful to use. Making the smooth user experience possible is a combination of components that are precisely crafted from high-quality materials. The terminal contacts are supported by a casing of polybutylene terephthalate (PBT) within a PC base. With a high melting point above 200 degree Celsius, the PBT casing insulates every part of the switch from any electrical or thermal leakages. The thoughtful construction of the Goldmedal switches thus ensures greater reliability and increased durability over its long years of service.





Code	Item	MRP ₹		Pkg.
		White Jazz	Digital Chrome Voltage Grey	
10AX SWITCHES 240V~ (1 Module)				
101001	1 Way Switch	84.00	93.00	20/600
101002	1 Way Switch with Indicator (LED)	144.00	159.00	20/600
101003	2 Way Switch	166.00	182.00	20/600
101004	Bell Push Switch	169.00	188.00	20/600
101005	Bell Push Switch with Indicator (LED)	178.00	198.00	20/600
10AX SWITCHES 240V~ (2 Module)				
102010	1 Way Switch	143.00	155.00	10/300
102011	1 Way Switch with Indicator (LED)	154.00	171.00	10/300
102012	2 Way Switch	222.00	244.00	10/300
102013	Bell Push Switch	222.00	244.00	10/300
102014	Bell Push Switch with Indicator (LED)	248.00	271.00	10/300
6AMP BELL PUSH 240V~ (2 Module)				
102015	Bell Push with Luminous Name Plate 240V~ 50-60Hz LED circuit with diffuser	309.00	339.00	10/300
20AMP / 25 AMP SWITCHES 240V~ (1 Module)				
101020	20A 1 Way Switch	221.00	241.00	20/600
101021	20A 1 Way Switch with Indicator (LED)	238.00	262.00	20/600
101022	20A 2 Way Switch	244.00	269.00	20/600
101023	25A 1 Way Switch	265.00	292.00	20/600
20AMP / 25AMP SWITCHES 240V~ (2 Module)				
102025	20A 1 Way Switch	244.00	268.00	10/300
102026	20A 1 Way Switch with Indicator (LED)	268.00	294.00	10/300
102027	20A 2 Way Switch	283.00	311.00	10/300
102028	25A 1 Way Switch	308.00	338.00	10/300
32AMP DP SWITCHES 240V~				
102031	DP Switch with Indicator (LED) - 2M	416.00	458.00	10/300

Code	Item	MRP ₹		Pkg.
		White Jazz	Digital Chrome Voltage Grey	
6AMP SOCKETS 240V~				
102038	6A 3 Pin Socket (2M) with safety shutter	154.00	170.00	10/450
6&16AMP SOCKETS 240V~ (2 Module)				
102041	6&16A Universal Socket with safety shutter			



Code	Item	MRP ₹		Pkg.
		White Jazz	Digital Chrome Voltage Grey	

EDP SOCKET OUTLET RJ-45 WITH NAME PLATE (1 Module)

101072	EDP Socket Outlet - RJ 45 (Cat 5e) Category 5e, Universal wiring T568A, insulating-piercing terminal with shutter	271.00	297.00	20/600
101074	EDP Socket Outlet - RJ 45 (Cat 6e) Category 6e, Universal wiring T568A, insulating-piercing terminal with shutter	716.00	786.00	20/600

SINGLE POLE MCBS 240/450V~ (1 Module)

101077	C6 SP MCB	365.00	397.00	20/600
101078	C10 SP MCB	365.00	397.00	20/600
101079	C16 SP MCB	365.00	397.00	20/600
101080	C20 SP MCB	365.00	397.00	20/600
101081	C25 SP MCB	365.00	397.00	20/600
101082	C32 SP MCB 240/450V~ 50-60Hz 3kA Breaking Capacity	365.00	397.00	20/600

DOUBLE POLE MCBS 240/450V~ (2 Module)

102083	C6 DP MCB	759.00	823.00	10/300
102084	C10 DP MCB	759.00	823.00	10/300
102085	C16 DP MCB	759.00	823.00	10/300
102086	C20 DP MCB	759.00	823.00	10/300
102087	C25 DP MCB	759.00	823.00	10/300
102088	C32 DP MCB 240/450V~ 50-60Hz 3kA Breaking Capacity	759.00	823.00	10/300

INDICATOR, FUSE UNITS (1 Module)

101093	Indicator with LED & Red Diffuser	140.00	156.00	20/600
101098	Fuse Carrier 10 / 16AMP with miniature fuse dia 6.3x28	200.00	220.00	20/600

STEP MARKER LAMP (2 Module)

102105	Step Marker Supply voltage 240V~ 50-60Hz with high-efficiency 1W LED & adjustable beam on three levels	626.00	688.00	5/120
--------	---	--------	--------	-------

FLOOR & STEP LIGHT 240~ (4 Module)

120405	G-Focus Light (Blue LED)	814.00	895.00	5/120
120405W	G-Focus Light (			



Code	Item	MRP ₹		Pkg.
		White Jazz	Digital Chrome Voltage Grey	

USB CHARGER 240V~

102170	65W C-Type Fast Charger - Single Port (2M) Supply voltage 160-240V~ 50-60Hz Output - PD USB Charger C type (Max 65W)	2200.00	2300.00	5/150
101172	USB Fast Charger - Single Port (1M) Supply voltage 160-240V~ 50-60Hz Output - 5V ≍1.50A / 9V ≍1.45A, A type (Max 14W)	1054.00	1158.00	10/300
102174	USB Charger - Double Port (2M) Supply voltage 160-240V~ 50-60Hz Output - 5V DC, 2000mA or 2A, A type	1019.00	1122.00	5/100
101175	18W C-Type Fast Charger - Single Port (1M) Supply voltage 160-240V~ 50-60Hz Output - 5V ≍2.5A / 9V ≍2A / 12V ≍1.5A USB Charger C type (Max 18W)	1469.00	1534.00	10/300
101176	30W C-Type Fast Charger - Single Port (1M) Supply voltage 160-240V~ 50-60Hz Output - 5V ≍3A, 9V ≍3A, 12V ≍2.5A, 15V ≍2A, 20V ≍1.5A USB Charger C type (Max 30W)	1650.00	1750.00	10/300

CRISTALLO SWITCH MEMORIO KNOB

101540	1 Module Switch Knob	12.00	-	50/2000
102541	2 Module Switch Knob	20.00	-	30/900
103542	3 Module Switch Knob (with support knob)	30.00	-	20/800

SMART PASSIVE INFRARED DETECTOR (2 Module)

102212#	Smart Passive Infrared Detector with infrared sensor, auto on/off, adjustable dusk/dawn sensor threshold and time delay cycle, supply voltage 240V~ 50-60Hz, 6A relay output	2001.00	2199.00	5/120
---------	--	---------	---------	-------

LPG / METANO GAS DETECTOR 240V~ (3 Module)

103225#	LPG / Metano Gas Detector Detector with acoustic and optical signaling and control on a solenoid valve, supply voltage 240V~50-60Hz	2859.00	3079.00	5/100
---------	---	---------	---------	-------

RF REMOTE (RADIO FREQUENCY)

103268#	RF Remote with Stand 2 Nos AAA 1.5V Battery Radio Frequency : 433.92 Mhz All scene setting can be done through the Remote. - Battery not included	-	2199.00	-/100
---------	---	---	---------	-------

Products will be supplied from CENTRAL WAREHOUSE



Wega Titanium Grey Plate
with Digital Silver Wi-Fi Router+Extender

Working from home calls for a reliable Wi-Fi network. Goldmedal's Wi-Fi Router + Extender is a smart solution for dead zone problems that



Code	Item	MRP ₹		Pkg.
		White Jazz	Digital Chrome Voltage Grey	

BLUETOOTH PLAYER (2 Module)

102273#	Bluetooth Player Supply voltage 240V~ Bluetooth player with transmitter & receiver. Multicolour LED to display different status Audio input - 3.5mm jack, Bluetooth (Rx mode) Audio output - Can be connected to bluetooth speaker or headphones in Tx mode (Input - Aux in) - Can be connected to any music system, home audio system, speakers i.e ceiling or inwall through amplifier via Line out Amplifier supplied separately - 101320	1243.00	1347.00	5/100
---------	--	---------	---------	-------

BLUETOOTH & FM PLAYER (8 Module)

108274#	Bluetooth & FM Player with Speaker Supply voltage 240V~ Mode selection -Aux (Line 1), Aux (Line 2), FM & Bluetooth. Audio input - 3.5 jack (Front), Line In (Back), Bluetooth Audio output - Inbuilt Stereophonic Speaker 3W x 2 - Can be connected to any music system, home audio system, speakers i.e ceiling or inwall through amplifier via Line out Amplifier supplied separately - 101320	5179.00	5697.00	5/50
---------	--	---------	---------	------

i - DOCK PLAYER (4 Module)

104281#	i-Dock Player Supply voltage 240V~ Inbuilt stereo amplifier : 2 x 4W, charging function for iPod and iPhone. Audio input - 3.5mm jack, i-pod, i-phone & via Bluetooth Receiver (101283) Audio output - Stereo Line out, 2 Speaker out 4W each - Can be connected to any music system, home audio system, speakers i.e ceiling or inwall through amplifier via Line out (Aux out) - Amplifier supplied separately - 101320 - Bluetooth Receiver supplied separately - 101283 Unit supplied with infrared Remote	3212.00	3419.00	5/50
---------	---	---------	---------	------

BLUETOOTH RECEIVER (PORTABLE)

101283#	Bluetooth Receiver (Portable) Made for iPod and iPhone docking Can be operated by any bluetooth device i.e. iPod, iPhone, iPad, Laptop, Mobile etc.	-	1140.00	5/50
---------	---	---	---------	------



Code	Item	MRP ₹		Pkg.
		White Jazz	Digital Chrome Voltage Grey	

STEREOPHONIC SPEAKER (2 Module)

102306#	Stereophonic Speaker - 2 piece set Stereophonic loud Speaker Load rating : 4W Impedance : 4 ohms	724.00	797.00	10/100
---------	---	--------	--------	--------

CURVE MODULAR COVER PLATE SUITCASE

101645	Curve Cover Plate Suitcase	-	2100.00	1/5
--------	----------------------------	---	---------	-----

i-Touch WiFi Panels

Feather Touch IoT/RF Enabled Home Automation



TOUCH



TAP



SWIPE



Smart living made
smarter.



i-World



iOT



Scene Setting



Timer



Remote

Presenting the next step in smart living. The i-Touch WiFi panels are the latest devices in Goldmedal's family of automation switches. Sleek and stylish in appearance, these backlit LED WiFi panels have a host of functions including switches, fan regulators, dimmers, USB sockets, and international sockets. Apart from manual operations, you can also control these panels using the RF Remote control and voice commands. You can even operate these panels from anywhere in the world using the i-World mobile app. There's no gateway required - the technology is built into the device. A complete system by itself, the module can be installed directly into a regular junction without the need for any new wiring.



Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
10AX SWITCHES 240V~ (1Module)				
101401	1 Way Switch	85.00	92.00	20/600
101402	1 Way Switch with Indicator (LED)	148.00	163.00	20/600
101403	2 Way Switch	168.00	185.00	20/600
101404	Bell Push Switch	171.00	186.00	20/600
101405	Bell Push Switch with Indicator (LED)	180.00	197.00	20/600
10AX SWITCHES 240V~ (2 Module)				
102410	1 Way Switch	149.00	164.00	10/300
102411	1 Way Switch with Indicator (LED)	162.00	176.00	10/300
102412	2 Way Switch	232.00	254.00	10/300
102413	Bell Push Switch	232.00	254.00	10/300
102414	Bell Push Switch with Indicator (LED)	258.00	283.00	10/300
102415	Bell Push Switch with Luminous Name Plate	321.00	354.00	10/300
20AMP / 25AMP SWITCHES 240V~ (1 Module)				
101420	20A 1 Way Switch	225.00	248.00	20/600
101421	20A 1 Way Switch with Indicator	243.00	270.00	20/600
101422	20A 2 Way Switch	251.00	277.00	20/600
101423	25A 1 Way Switch	268.00	296.00	20/600
20AMP / 25AMP SWITCHES 240V~ (2 Module)				
102425	20A 1 Way Switch	249.00	272.00	10/300
102426	20A 1 Way Switch with Ind. (LED)	277.00	305.00	10/300
102427	20A 2 Way Switch	297.00	329.00	10/300
102428	25A 1 Way Switch	316.00	348.00	10/300
32AMP DP SWITCHES 240V~ (2 Module)				
102431	32A DP Switch with Indicator (LED)	438.00	484.00	10/300

Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
G-Click 10AX SWITCHES 240V~ (1 Module)				
101751	1 Way Switch	92.00	100.00	20/600
101752	1 Way Switch with Indicator (LED)	154.00	172.00	20/600
101753	2 Way Switch	171.00	189.00	20/600
101754	Bell Push Switch	178.00		



Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	

G-Dip 10AX SWITCHES 240V~ (1 Module)


101801	1 Way Switch	85.00	92.00	20/600
101802	1 Way Switch with Indicator (LED)	148.00	163.00	20/600
101803	2 Way Switch	168.00	185.00	20/600
101804	Bell Push Switch	171.00	186.00	20/600
101805	Bell Push Switch with Indicator (LED)	180.00	197.00	20/600

G-Dip 10AX SWITCHES 240V~ (2 Module)


102810	1 Way Switch	149.00	164.00	10/300
102811	1 Way Switch with Indicator (LED)	162.00	176.00	10/300
102812	2 Way Switch	232.00	254.00	10/300
102813	Bell Push Switch	232.00	254.00	10/300
102814	Bell Push Switch with Indicator (LED)	258.00	283.00	10/300

G-Dip 20AMP / 25AMP SWITCHES 240V~ (1 Module)

101



Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
MOTOR STARTER (SP) 240V~ 50-60Hz (2 Module)				
102459	25A Motor Starter Switch	731.00	804.00	10/300
TV SOCKET / RJ-11 TELEPHONE JACKS / EDP SOCKET (1 Module)				
101462	TV Socket Coaxial 40-862 Mhz Socket	171.00	185.00	20/900
101468	Telephone Jack - RJ 11	179.00	197.00	20/600
101472	EDP Socket Outlet - RJ 45 (Cat 5e) Category 5e, Universal wiring T568A, insulating-piercing terminal	292.00	322.00	20/600
101474	EDP Socket Outlet - RJ 45 (Cat 6e) Category 6e, Universal wiring T568A, insulating-piercing terminal	744.00	818.00	20/600
SINGLE POLE MCBS 240/450V~ (1 Module)				
101477	C6 SP MCB	387.00	426.00	20/600
101478	C10 SP MCB	387.00	426.00	20/600
101479	C16 SP MCB	387.00	426.00	20/600
101480	C20 SP MCB	387.00	426.00	20/600
101481	C25 SP MCB	387.00	426.00	20/600
101482	C32 SP MCB 240/450V~ 50-60Hz 3kA Breaking Capacity	387.00	426.00	20/600
DOUBLE POLE MCBS 240/450V~ (2 Module)				
102483	C6 DP MCB	760.00	835.00	10/300
102484	C10 DP MCB	760.00		



Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	

i-TOUCH RF DIMMER/FAN REGULATOR/DRAPE CONTROLLER (2 M)

102553#	i-Touch Light Dimmer Supply voltage 160-240V~, Triac Technology with soft end & soft start function Operating load (LED) : 80W (Max) Incandescent Light: 40-450W Not suitable for Fan	3626.00	3937.00	5/100
102554#	i-Touch Fan Regulator Supply voltage 160-240V~ Variable Capacitance based 4 step regulator Operating load (Fan) : 100W	3626.00	3937.00	5/100
102556#	i-Touch Drape Controller Supply voltage 160-240V~ 2.5A relay output Electronic RF Drape Controller suitable for AC Motor Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	3937.00	4351.00	5/100

i-TOUCH DO NOT DISTURB/MAKE MY ROOM (2 Module)

102560#	i-Touch DND / Make My Room / Please Wait (Inside Room)	2176.00	2590.00	5/100
102561#	i-Touch DND / Make My Room / Please Wait with Bell Push Switch (Outside Room) Supply voltage 160-240V~ (Inside & outside unit are connected to each other)	2383.00	2797.00	5/100

32A MAIN SWITCH (3 Module)

103562	32A DP Operated by Key Tag 240V~, LED Supplied with Key Tag For key tag please refer Curve product 102164	592.00	650.00	5/150
--------	--	--------	--------	-------



32A MAIN SWITCH (2 Module)

102563	32A DP Operated by Key Tag 240V~, LED Supplied with Key Tag	704.00
--------	---	--------



Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
i-SENSE FM RADIO / BLUETOOTH PLAYER				
102603#	i-Sense FM Radio (2M) Feather touch FM radio with digital display 87-50 MHZ, 30 Station Memory with scanner	-	6320.00	5/100
103604#	i-Sense FM Radio / Bluetooth (3M) FM & Bluetooth player Mode selection : FM & Bluetooth. Audio output - Stereo Line out - Can be connected to any music system, home audio system, speakers i.e ceiling or inwall through amplifier via Line out, Supply voltage 240V- - Amplifier supplied separately - 101320	2590.00	-	5/100
i-FEEL RF SWITCHES / BELL PUSH SWITCH (2 Module)				
102626#	i-Feel 2 Switch Supply voltage 160-240V~, 6A relay output Operating load (CFL & LED): 100W Max (per switch) Radio Frequency : 433.92 Mhz - Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	3626.00	3989.00	5/100
102630#	i-Feel Bell Push Switch Supply voltage 160-240V~ 2A relay output	2072.00	2279.00	5/100
i-FEEL RF 20A SWITCH (2 Module)				
102632#	i-Feel 20A Switch Supply voltage 160-240V~, 20A relay output Operating load (CFL & LED): 200W Max Air Conditioner: 2 ton Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	3833.00	4217.00	5/100
i-FEEL RF DIMMER / FAN REGULATOR (2 Module)				
102634#	i-Feel Light Dimmer Supply voltage 160-240V~, Triac Technology with soft end & soft start function Operating load LED: 80W Incandescent Light: 40-450W Not suitable for Fan	3626.00	3989.00	5/100
102636#	i-Feel Fan Regulator Supply voltage 160-240V~ Variable Capacitance based 4 step regulator Operating load (Fan) : 100W Radio Frequency: 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	3626.00	3989.00	5/100
i-FEEL RF DRAPE CONTROLLER (2 Module)				
102638#	i-Feel Drape Controller Supply voltage 160-240V~ 2.5A relay output Electronic RF Drape Controller suitable for AC Motor Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	3730.00	4103.00	5/100
# Products will be supplied from CENTRAL WAREHOUSE				

Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
i-REMOTE CONTROL / ENOCEAN SWITCH				
101926#	i-Remote with Micro USB Cable Wifi-IR Remote Control Universal Infrared Remote Control Can operate TV, Set Top Box, AC and other IR Remotes Works with WiFi through iWorld App or Voice Command (Google Home / Amazon Alexa)	-	3107.00	1/1
ENS0001##	Enocean Switch - 2M 4 Button Controller for G-mesh (BLE)			



Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
i-TOUCH WI-FI PANEL 240V~ (2 & 4 Module)				
102920#	i-Touch - Wi-Fi 4 Switch (With Glass Plate) Supply voltage 160-240V~, 6A relay output Operating load (CFL & LED): 100W Max (per switch) Radio Frequency : 433.92 MHz	-	7850.00	5/-
104924#	i-Touch - Wi-Fi 4 Switch + Fan Reg. + 2 USB Port (With Glass Plate) Supply voltage 160-240V~, 6A relay output Operating load (CFL & LED): 100W Max (per switch) Radio Frequency : 433.92 MHz Variable Capacitance based 5 Step Fan Regulator USB Output: 5V 2A DC (Max) Can also be operated by RF Remote control-103268 or via Wi-Fi Internet (without Gateway)	-	11900.00	5/-
i-TOUCH WI-FI PANEL 240V~ (6 Module)				
106925#	i-Touch - Wi-Fi 6 Switch + Fan Reg. + 2 USB Port + Int. Socket (With Glass Plate) Supply voltage 160-240V~, 6A relay output Operating load (CFL & LED): 100W Max (per switch) Radio Frequency : 433.92 MHz Variable Capacitance based 5 Step Fan Regulator USB Output: 5V 2A DC (Max) Socket: 10A International Socket Can also be operated by RF Remote control-103268 or via Wi-Fi Internet (without Gateway)	-	14850.00	5/-
STEP MARKER 240V~ 50-60Hz - (3 Module)				
103648	Step Marker (LED) Supply voltage 240V~ 50-60Hz	583.00	654.00	5/100


Products will be supplied from CENTRAL WAREHOUSE

i-WORLDAutomation

Goldmedal presents the i-World app. The easiest, most convenient way to monitor, control, and customize all your electrical devices that are part of the i-Touch/i-Smart Wi-Fi ecosystem.

You can not only control devices, but also share this control with others by creating multiple users and setting up different usage rights. So, share control with your family, or restrict usage of certain rooms or devices with other users, or categorize devices by room, or assign administrator rights to someone – the possibilities are simply immense.


The i-World app can also be integrated with Amazon Alexa and Google Home Assistant. Just speak out your wish and the i-



i-TOUCH WI-FI / i-SMART WI-FI / i-TOUCH WI-FI PANEL

Installing i-Touch Wi-Fi/i-Smart Wi-Fi/i-Touch Wi-Fi panel does not require any drilling or additional wiring. Simply plug them into your existing wiring and it's done. These switches and panels are designed with Switched Mode Power Supply (SMPS) for improved reliability, over-current, and over-voltage protection. (For specific installation and technical details, please refer to the technical sheet provided within the product packaging).


i-Touch Wi-Fi 4 Switch with Master (Wiring Diagram)



Technical Specifications

- Rated Voltage: 160-240V~ 50-60Hz
- Rated Load per Switch :
- a) Capacitive Load - CFL & LED (PF>0.8) : 100W
- b) Resistive Load - Incandescent & Halogen Lights: 1000 W
- c) Inductive Load - Fan and Motor : 800W
- Service Life: 50,000 Operations


i-Touch Wi-Fi 2 Switch + 1 Fan Regulator with Master (Wiring Diagram)



Technical Specifications

- Rated Voltage: 160-240V~ 50Hz
- Rated Load per switch:
- a) Capacitive Load - CFL & LED (PF>0.8) : 100W
- b) Resistive Load - Incandescent & Halogen Lights: 1000 W
- c) Inductive Load - Fan and Motor - 800 W
- Rated Load: Fan Regulator - Max 100 W
- 4-Level Speed Selection with Indicator
- Service Life: 50,000 Operations


i-Smart Fan Regulator (Wiring Diagram)



Controllable Load:

- Rated Voltage : 160-240V – 50Hz
- Rated load : 100W Max
- Speed Level – 5 Steps

i-Touch Wi-Fi 4 Switch + Fan Regulator + 2 USB Port (With Glass Plate) (Wiring Diagram)



The circle of power and style.



Boomeroo
Pop-Up Multi Socket Cabinet
(Concealed - Table Mounted)



Boomeroo
Electrical Power Track
(Concealed)



The Boomeroo multiplug, smart pop-up socket revolutionizes workspace connectivity by integrating features such as a wireless charger, Bluetooth speaker, USB socket, and inductive touch switch. Meanwhile, the Boomeroo power track and movable sockets offer unparalleled flexibility that allows you to power or charge your devices conveniently. Both devices are perfect for enhancing functionality and convenience across various settings such as office tables, meeting tables, insular shelves, bar counters, kitchen worktops, desks, and exhibition rooms. They offer a seamless blend of technology and design, catering to the modern, dynamic workspace.

Code	Item	MRP ₹		Pkg.		
		Magnesium Grey	Outer/Master			
NEW						
BOOMEROO ELECTRICAL POWER TRACK CONCEALED						
105001#	Boomeroo Power Track 60cm Size: 8x1.9x60 (WxHxL)	- 7000.00	1/20			
105002#	Boomeroo Power Track 100cm Size: 8x1.9x100 (WxHxL)	- 9000.00	1/15			
105003#	Boomeroo Power Track 150cm Size: 8x1.9x150 (WxHxL)	- 13500.00	1/08			
	Supply Voltage : 110 -250V~ 50Hz Rated Current: 32A Rated Power:8000W (Max) -IP 20, Aluminum alloy, Integrated copper bar with safety shutter (Above size mentioned is in CM)					
NEW						
BOOMEROO ELECTRICAL POWER TRACK SURFACE WITH LED						
105006#	Boomeroo Power Track 50cm Size: 8.6x1.9x50 (WxHxL)	- 12000.00	1/20			
105007#	Boomeroo Power Track 80cm Size: 8.6x1.9x80 (WxHxL)	- 14000.00	1/15			
	Supply Voltage : 110 -250V AC 50Hz Rated Current: 32A Rated Power: 8000W (Max) Light Output: 8W (6500K) -IP 20, Aluminum alloy, Integrated copper bar with safety shutter (Above size mentioned is in CM)					
NEW						
BOOMEROO TABLE MOUNTED TRACK SOCKET						
105011#</						



Bella White Jazz Plate with Curve White Jazz Switches

bella

You are mesmerized by the smile of a newborn; you wonder at the precision of a perfectly drawn line. Part dreamer, part realist, you synchronize your lifestyle with the demands of your heart and mind. You'll find an expression of this rare combination in the bella range of cover panels. Choose from the natural opulence of Bellewood panels, the elegant simplicity of White Jazz, the passion and energy of Metalik, the exuberance of Antik, or the soft-to-touch feel of Bellesoft. The options on offer are simply a myriad.

Bella Spirit Gold Plate with Nixon Titanium Grey Switches



BELLA COVER PLATES WITH MOUNTING FRAMES														
PLATES ➡	1M	2M	3M	3M*	4M*	6M*	7M	8M(H)	8M*	8M*(V)	8M(V)**	12M*	16M*	18M*
COLOURS ↓	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹
White Jazz	99.00	99.00	123.00	123.00	143.00	193.00	235.00	243.00	283.00	243.00	243.00	304.00	334.00	395.00
Metalik	127.00	127.00	165.00	165.00	185.00	243.00	312.00	318.00	354.00	318.00	318.00	400.00	404.00	440.00
Belle Soft	138.00	138.00	180.00	180.00	211.00	272.00	344.00	348.00	386.00	348.00	348.00	440.00	451.00	483.00
Antik	167.00	167.00	208.00	208.00	242.00	322.00	427.00	434.00	473.00	434.00	434.00	486.00	557.00	615.00
Belle Wood	167.													



Glassio Black Glossy Plate with Digital Silver I-touch Bellpush

GLASSIO

The Glassio is without doubt a classical beauty – exhibiting a smooth, glossy frontage, with soft, rounded edges and a demeanour that’s sophisticated yet warm and welcoming. The elegantly flared corners reflect and absorb light in a manner that adds depth and character to the cover plate. This interplay of light and shadow also creates a sinuous effect that makes Glassio the definitive artefact on your wall.

Glassio Black Glossy Plate with Digital Silver RF I-touch Switches



GLASSIO COVER PLATES WITH MOUNTING FRAMES															
PLATES ➡	1M	2M	3M	4M	4M*	6M	6M*	8M	8M*	8M	9M*	12M	12M*	16M*	18M
					(H&V)**		(H&V)**		(H&V)**	(V)			(H&V)**		
COLOURS ↓	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹
Pure Glossy	125.00	125.00	154.00	188.00	188.00	269.00	269.00	342.00	342.00	342.00	366.00	391.00	391.00	439.00	515.00
Metallic	169.00	169.00	221.00	269.00	269.00	368.00	368.00	461.00	461.00	461.00	497.00	541.00	541.00	607.00	670.00
Metal Krome	253.00	253.00	352.00	428.00	428.00	574.00	574.00	771.00	771.00	771.00	785.00	793.00	793.00	869.00	948.00
Wood	229.00	229													

COLOURS OF COVER PLATES

PURE GLOSSY



01- Absolute White



02- Black Glossy



03- Ivory Gold

METALLIC



04- Digital Chrome*

METAL KROME



05- Hyper Chrome

WOOD



06- Black Walnut



07- Moughal Teak

grazia

PURE GLOSSY



01- Absolute White

METALLIC



02- Digital Silver

WOOD



03- Italian Espresso



04 - Zebra Wood

basic

premium

PURE GLOSSY



05- Absolute White

Note: The wood cover plates may differ in their shades as they reflect a natural look.

COLOURS OF COVER PLATES

Air

Flat. Flawless. Flamboyant.

Arcos

Add a new dimension to your interiors



The Arcos switch is the perfect blend of sophistication and minimalism. The subtly contoured body and the arched edges of the Arcos is what sets it apart from its contemporaries. It makes a distinctive style statement while adhering to Goldmedal's vision of crafting extraordinary, timeless, and truly amazing switches.

Artio

Simple, minimalistic and completely flat - at OFF position



Inspired by the immaculate perfection of a circle, the new Artio range of switches are beautiful yet minimalistic in appearance. The Artio switch range consists of either completely circular or a combination of straight and semi-circular switches embedded within a square frame. Once installed, these switches form perfectly flat, flawless, circles.

Aero


Completely flat - at OFF position

The Aero redefines flat switches. Styled to remain absolutely flush with the cover plate, the Aero emphasizes the minimalistic design of the Air range. Manufactured using the very best in raw materials and processes, the Aero is both functionally and aesthetically a class apart!



Aura

Perfect crisp lines that define the Air range



The Aura has a forceful presence that commands attention. With its perfect, crisp lines and distinct shape, the Aura highlights the precision and style that defines the Air range. The Aura is the perfect choice for interiors that are practical yet modern.

Arc

A symbol of elegant minimalism



The Arc switches by Air symbolizes minimalistic elegance. Easy on the eye as well as a pleasure to use, the Arc can be the perfect accessory in stylish homes with graceful settings. Crafted to perfection using the very best in technology and materials, the Arc adds a new dimension to your interiors.

Goldmedal
SWITCH TO THE AMAZING

Distinctly flat, slim and minimal

The AIR range of modular switches and systems breaks the mold with its classy, minimalistic, uniquely flat, and slim appearance. An example of meticulous craftsmanship, careful detailing, and unmatched excellence, the AIR range makes other ordinary switch ranges appear unwieldy and extravagant. Absolutely light and modern, the AIR range marks a new beginning in the world of standard fittings. Slim, stylish, minimal – the AIR devices shout quality, elegance, and finesse through every inch of their presence.



A7 Plate -
Arcos Switches with Indicator



A7 Plate -
Artio Switch with Indicator



A7 Plate -
Aero Switches with Indicator



A7 Plate -
USB Charger



A7 Plate -
Step Marker

A7 Plate -
i-Push Step Marker



A7 Plate -
Tri-Star 5 Step Regulator



A7 Plate -
Wi-Fi Switches



Code	Item	MRP ₹		Pkg.
		Absolute White	Carbon Grey	

AERO 10AX SWITCHES 240V~ (1 Module)



181001	1 Way Switch	70.00	76.00	20/600
181002	1 Way Switch with Ind. (LED)	118.00	130.00	20/600
181003	2 Way Switch	127.00	139.00	20/600
181004	Bell Push Switch	140.00	153.00	20/600
181005	Bell Push Switch with Ind. (LED)	157.00	173.00	20/600

AERO 10AX SWITCHES 240V~ (2 Module)

182010	1 Way Switch	116.00	127.00	10/300
182011	1 Way Switch with Ind. (LED)	133.00	145.00	10/300
182012	2 Way Switch	186.00	205.00	10/300
182014	Bell Push Switch with Ind. (LED)	202.00	222.00	10/300

AERO 20 / 25AMP SWITCHES 240V~ (1 Module)

181020	20A 1 Way Switch	161.00	176.00	20/600
181021	20A 1 Way Switch with Ind. (LED)	195.00	212.00	20/600
181022	20A 2 Way Switch	195.00	212.00	20/600
181023	25A			



Code	Item	MRP ₹		Pkg.
		Absolute White	Carbon Grey	
AURA 10AX SWITCHES 240V~ (1 Module)				
181501	1 Way Switch	65.00	71.00	20/600
181502	1 Way Switch with Ind. (LED)	111.00	121.00	20/600
181503	2 Way Switch	119.00	131.00	20/600
181504	Bell Push Switch	130.00	141.00	20/600
181505	Bell Push Switch with Ind. (LED)	145.00	160.00	20/600

AURA 10AX SWITCHES 240V~ (2 Module)				
182510	1 Way Switch	102.00	112.00	10/300
182511	1 Way Switch with Ind. (LED)	119.00	131.00	10/300
182512	2 Way Switch	168.00	184.00	10/300
182514	Bell Push Switch with Ind. (LED)	184.00	202.00	10/300

AURA 20 / 25AMP SWITCHES 240V~ (1 Module)				
181520	20A 1 Way Switch	146.00	161.00	20/600
181521	20A 1 Way Switch with Ind. (LED)	183.00	201.00	20/600
181522	20A 2 Way Switch	183.00	201.00	20/600
181523	25A 1 Way Switch	200.00	220.00	20/600

Air



Air A5 Absolute White Plate with Carbon Grey Arcos Switches

ARCOS

The Arcos switch is the perfect blend of sophistication and minimalism, thus encapsulating the signature design of the Air modular range. Like its contemporary Artio, the Arcos too fits seamlessly within the slot of the Air cover plates. The subtly contoured body and the arched edges of the Arcos separates it from the more austere shape of the Artio. Perfectly proportioned, the Arcos makes a distinctive style statement while adhering to Goldmedal's vision of crafting extraordinary, timeless, and truly amazing switches.

Air A5 Absolute White Plate with Carbon Grey Arcos Switch



Code	Item	MRP ₹		Pkg.
		Absolute White	Carbon Grey	Outer/ Master
ARCOS 10AX SWITCHES 240V~ (2 Module)				
182601	1 Way Switch (2 Switch)	103.00	113.00	10/300
182603	2 Way Switch (2 Switch)	170.00	187.00	10/300
182606	1 Way Switch (3 Switch)	140.00	154.00	10/300
182607	1 Way + 2 Way Switch (2 Switch)	137.00	151.00	10/300
ARCOS 10AX SWITCHES 240V~ (2 Module)				
182610	1 Way Switch (1 Switch)	93.00	102.00	10/300
182612	2 Way Switch (1 Switch)	149.00	164.00	10/300
182613	Bell Push Switch (1 Switch)	121.00	133.00	10/300
ARCOS 10AX/ 20AMP SWITCHES 240V~ (2 Module)				
182620	20A 1 Way Switch (2 Switch)	185.00	204.00	10/300
182621	20A 1 Way Switch with Indicator - LED (2 Switch)	235.00	259.00	10/300
182624	10AX + 20A 1 Way Switch with Indicator - LED (2 Switch)	194.00	213.00	10/300
ARCOS 20AMP SWITCHES 240V~ (2 Module)				
182625	20A 1 Way Switch (1 Switch)	160.00	176.00	10/300
182626	20A 1 Way Switch with Indicator - LED (1 Switch)	190.00		

