



See your world in a better light

CONSUMER LIGHTING

DESIGNED IN **INDIA.** APPLAUDED BY THE WORLD.

SOME COMPANIES DESIGN PRODUCTS.
WE DESIGN EXPERIENCES.

This commitment has earned Goldmedal global acclaim through honours such as the **Red Dot Design Award**, the **iF Design Award**, and **India's Best Design Project Award**. These recognitions span diverse product categories—from the tactile elegance of **Loom** to the striking aesthetics of **Hush Flo**, the sculptural form of **VOID**, and the thoughtful, nature-inspired modularity of **ROOTS**.

In 2026, our in-house design studio was also recognised among **India's Best Design Studios**—an acknowledgement that great design isn't an exception at Goldmedal; it's our culture.

Goldmedal. Designed to inspire.



reddot winner 2025
LOOM, Modular Switches



reddot winner 2026
VOID, BLDC Ceiling Fan



reddot winner 2026
ROOTS, Modular Lighting System



winner 2026
ROOTS, Modular Lighting System



WINNER OF
**INDIA'S
BEST
DESIGN
PROJECT
2025**
HUSH FLO, BLDC Ceiling Fan



WINNER OF
**INDIA'S
BEST
IN-HOUSE
DESIGN
STUDIO
2026**
Goldmedal Design Studio

Experience the amazing!

Simply amazing!

How amazing can LED lights be? Unbelievably so, if you consider the Goldmedal range of LEDs.

First of all, they are all so fashionable to look at. From their sleek lines to their gorgeous shapes and finishes, Goldmedal LEDs are a fashionista's dream come true. They can truly elevate any space with their stunning looks.

But it's not just about aesthetics..

Consider their functionality and you'll appreciate why they are so amazing! Like every Goldmedal product, their LEDs are also engineered for excellence, with Indian conditions, needs, and tastes in mind. The new range of Architectural Lights are the latest addition to their LED range. I'm particularly excited about these products as they are not only functionally superior, they also carry Goldmedal's DNA of being minimalistic and futuristic. So, like me, if you are particular about the tiniest detail, the slimness factor, and the integrity of design, then this is the range for you.

As someone who appreciates impeccable style and innovative designs, I'm absolutely thrilled to be associated with the Goldmedal brand. Their products complement my sense of fashion and it's exciting for me to showcase these products to you! I hope you'll find them equally amazing!

Jacqueline Fernandez

Brand Ambassador

Jacqueline



CONSUMER LIGHTS

LEDPRO

10-19 | LED Track Light

Airloop, Hyperloop, G-Track

20-37 | LED COB Module & Modular Rings

Yoda, G-Module, Quanto, Xenon, Onic, Gio-6, Gio-9

38-53 | LED COB Lights

Astro, Zura, Arion, Punto, Lexie, Oris, Oxylux, Nexo, Nebula, Oniz, Onil, Mystiq, Odin, Supremo, Orbix Plus

54-67 | LED Spot Light

Twix, Galaxia, Orchid, Comet, Ozean, Magic, Spark, Spark Pro, Ignis, Leo Recessed & Leo Surface, Pico, Nano, Starlite

68-79 | LED Down Light

Stylo, Aironix, Amora, Polo, Brio, Falcon, Apollo, Oziva, Orzo

80-87 | LED Panel Light

Iconic, troy, Hexo Panel, Quadro, Zion

88-105 | LED Surface Light

Stylo, Orbit, Galaxy, Pixo, Planet, Focal, Ivy, Bibo, Lobo, Hexo Surface, Moxo, Groove Neo, Eco, Velo

106-119 | LED Linear Light

Loofix, Linux, G-Brix, Linex, Morning Star Nuvoline

120-123 | LED Wall Light

Zone Zing, Zeni, Novus, Rover (all 3 models), Nuline, Shyne, Dittos

124-125 | LED Cabinet Light

Lineglow

126-127 | LED Step Light & Foot Light

Arco & Brix

128-133 | LED Table Lamp

Hugo, Flexo, Glowdesk 01, 02, 03, 04, 05, 06, 07

134-139 | Solar Lights & Rechargeable Torches & Lanterns

Solarnite, Blazer, Ranger, Solus, Trippo, Glowguard Space, Strom, Volt, Glowsky 10, 20, 30, 40, 50, 60, 70, 80, 90, Torcia 03, 01, 02, 04, 05, 06, 07, 08, 09, 10, 30, 40, 50

140-149 | Outdoor Wall Light

Arcos Series, Sonata, Sonata+, Ditto, Stella, Diva, Lava 01, Lava 02, Nova, Ceilo, Lyrre, Trinity, Loop, Cubox, Umi, Qubix, Qryon, Blok, Brella, Domo, Slyce, Dolo, Tubo, Swiv, Rivo, Oleo, Slit

150-151 | Bulkhead & Surface Light

Boro, Nitehawk, Loop

152-153 | Gate Light

Storme, Magnux, Lucia, Freedom, Heaven, Cubo, Flotus, Yonic, Baron

154-159 | Bollard Light & Post Top Lamp

Pylon, Loop, Cubox, Umi, Domo, Brella

LEDNX

160-175 | LED COB light

Evo, Ario, Ario+, Divine, Nexon, Orbix, G-Tilt, Jewel, Divo

176-179 | LED Spot Light

Ecostar, Ecostar Pro, Giostar, G-Cell, G-Spin, G-Spin Mini, Osio, Osio Swivel, Neos

180-193 | LED Down Light

Tron, Glazz, Glazz Plus, Wella, Plano, Enzo, Brillo

194-209 | LED Panel Light

Quorro, Torro, Geolite, Geolite Rings, Zolo, Todos, Twinos, Twilite, SkyGlow

210-215 | LED Surface Light

Todos, Frozen, Volt, Oyo, Cameo, Nora, Striker, Striker Neo, Striker Pro

98-99 | LED Track Light

Figio

216-217 | Outdoor Wall Light

Parkos 01, 02, 03, 04, 05, 06, 07, 08

218-219 | LED Bulkhead

GateX, Gateway Mini, Gateway 20, Gateway

220-221 | LED Batten

Gigaglow, Speedo

222-223 | Spike Light

Spider 101, Spider 202, Spider 301

224-227 | LED Flood Light & Highbay Light

Neo 9 in 1, Beacon, Luxo, Crystalline, Explora, Nexa, Insta, Lenstar, Zyron, Maxim

228-229 | Street Light

Corus, Blaze, Optimus, Torus, Torus Senso, Vector

230-234 | LED Strip & Rope Light

Crimson, Cipton, Champion, Citron, Citrine, Photon, Photon Neo, Ribbon, Ribbon Neo, Tiranga, Neutron

235 | Connector & CV Driver

Citron, Photon Connector, Ribbon 25Mtr, Neutron

236-237 | LED String Light

Jhilmil, Jagmag, Sitara, Diya, Twinkle

LED ECO

238-242 | LED Down Light

Coral, Droplet, Duos, Frozt, Miro, Prism, Orra

242-247 | LED Junction Box Down Light

Atom Neo, Attom Mini, G-Fix Duo, G-Fix, G-Fix W/c, Belo, Jugnoo, Vigo, Tango, Tango Plus, Toto, Minz, Tglo

248-249 | LED Batten

Magicline, Power Line, Magicline, Nxt, G-Sense, Lieline, Proline, Magicline Neo, Magicline Plus, Bullet

250-253 | LED Lamp

Wow, Thor, Inverto, Inverto Pro, Inverto 20, Candlyo, Flare 10, 20, 30, Genie, Alladin, Rangeela

LEDPROLUX

254-265 | LED Downlight

Amaze, Amaze Surface, Grace, Grace+, Dazzle, Radian

266-267 | LED COB Wall Washer

Zoom+

268-269 | LED COB Spot Light

Ayra

270-274 | LED Track Light

Helios, V vertigo, Vertigo Track, Vertigo Connectors

275 | LED Panel

Vision

276-277 | LED Batten

Kapsule, Aura

278-279 | LED Flood Light

Phantom

280-281 | LED Bollard Light & Post Top

Opal & Vista

282-283 | LED Highbay Light & Wellglass

Maxbay Pro, Cosmos

284-285 | LED Street Light

Citilite, Trozan

286-287 | LED Linear Light

Luxor 01, 02, Nuoline

288-297 | LED Drivers

LED PRO, LED NX, LED ECO, LED PROLUX

Contents

A MINIMALISTIC
AND
VERSATILE
INTERPLAY
OF LIGHT



AIRLOOP

Epitomizing innovation and versatility, the Airloop Magnetic Track Lighting series stands out as a premier lighting solution within the Goldmedal architectural range. The system's low voltage design enhances safety to enable hands-on installation and adjustments of light modules without the need for tools, even when the power is on. Amazingly flexible, the Airloop allows Standard Lighting LED products as well as Smart Lighting LED fixtures to be effortlessly attached and positioned to evolving lighting requirements. It caters to countless of configuration possibilities, due to its extensive options of profiles, connections, light modules, and control options. The Airloop series is a highly desirable option for dynamic spaces seeking both functional and aesthetic lighting solutions.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

AIRLOOP - DC48V LED SMD Downlight - (Black) #

GAMTDLAAS09L01WW	9W	3000K	>0.9	230x26x36	NA	>90	60lm/W	120°	2840.00	30
GAMTDLAAS09L01NW	9W	4000K	>0.9	230x26x36	NA	>90	60lm/W	120°	2840.00	30
GAMTDLAAS09L02CNW-\$	9W	CNW	>0.9	230x26x36	NA	>90	60lm/W	120°	-	30

AIRLOOP - DC48V LED COB Spot Light - (Black) #

GAMTSLAAS12L01WW	12W	3000K	>0.9	230x26x36	NA	>90	80lm/W	36°	3530.00	30
GAMTSLAAS12L01NW	12W	4000K	>0.9	230x26x36	NA	>90	80lm/W	36°	3530.00	30
GAMTSLAAS12L02CNW-\$	12W	CNW	>0.9	230x26x36	NA	>90	80lm/W	36°	-	30

AIRLOOP - DC48V LED Tiltable COB Spot Light - (Black) #

GAMTSLABS12L01WW	12W	3000K	>0.9	230x26x60	NA	>90	90lm/W	36°	6400.00	30
GAMTSLABS12L01NW	12W	4000K	>0.9	230x26x60	NA	>90	90lm/W	36°	6400.00	30
GAMTSLABS12L02CNW-\$	12W	CNW	>0.9	230x26x60	NA	>90	90lm/W	36°	-	30

AIRLOOP - DC48V LED COB Track Spot Light - (Black) #

GAMTSLACS05R01WW	6W	3000K	>0.5	ø35x100	NA	>90	75lm/W	36°	5190.00	30
GAMTSLACS05R01NW	6W	4000K	>0.5	ø35x100	NA	>90	75lm/W	36°	5190.00	30

AIRLOOP - DC48V LED COB Track Spot Light - (Black) #

GAMTSLACS07R01WW	9W	3000K	>0.5	ø40x110	NA	>90	75lm/W	36°	6650.00	30
GAMTSLACS07R01NW	9W	4000K	>0.5	ø40x110	NA	>90	75lm/W	36°	6650.00	30
GAMTSLACS07R02CNW-\$	7W	CNW	>0.5	ø40x110	NA	>90	75lm/W	36°	-	30

AIRLOOP - DC48V LED COB Track Spot Light - (Black) #

GAMTSLACS12R01WW	12W	3000K	>0.5	ø50x120	NA	>90	90lm/W	36°	7290.00	30
GAMTSLACS12R01NW	12W	4000K	>0.5	ø50x120	NA	>90	90lm/W	36°	7290.00	30
GAMTSLACS12R02CNW-\$	12W	CNW	>0.5	ø50x120	NA	>90	50lm/W	36°	-	30

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

G-WORLD |

All dimensions & cut outs are in mm



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

AIRLOOP - DC48V LED Suspended Cylinder - (Black) #

GAMTPSAAS05P01WW	6W	3000K	>0.5	ø35x257	NA	>90	50lm/W	24°	7050.00	9
GAMTPSAAS05P01NW	6W	4000K	>0.5	ø35x257	NA	>90	50lm/W	24°	7050.00	9
GAMTPSAAS05P02CNW-\$	5W	CNW	>0.5	ø35x257	NA	>90	50lm/W	24°	-	9

AIRLOOP - DC48V LED Bed Light - (Black) #

GAMTBDAAS03Z01WW	3W	3000K	>0.9	ø26x495	NA	>90	60lm/W	24°	6000.00	9
GAMTBDAAS03Z01NW	3W	4000K	>0.9	ø26x495	NA	>90	60lm/W	24°	6000.00	9

AIRLOOP - DC48V LED Suspended Sphere - (Black) #

GAMTPSABS05P01WW	6W	3000K	>0.5	ø80x76	NA	>90	80lm/W	120°	6570.00	9
GAMTPSABS05P01NW	6W	4000K	>0.5	ø80x76	NA	>90	80lm/W	120°	6570.00	9
GAMTPSABS05P02CNW-\$	5W	CNW	>0.5	ø80x76	NA	>90	80lm/W	120°	-	9

AIRLOOP - DC48V LED Tube Light - (White) #

GAMTTUAAS12L01WW	12W	3000K	>0.9	500x35x79	NA	>90	55lm/W	120°	7860.00	5
GAMTTUAAS12L01NW	12W	4000K	>0.9	500x35x79	NA	>90	55lm/W	120°	7860.00	5

AIRLOOP - DC48V LED Rope Light - (Black) #

GAMTSRAAS12L01WW	12W	3000K	>0.9	ø22x1000	NA	>90	50lm/W	360°	10700.00	5
GAMTSRAAS12L01NW	12W	4000K	>0.9	ø22x1000	NA	>90	50lm/W	360°	10700.00	5
GAMTSRAAS12L01RD	12W	RED	>0.9	ø22x1000	NA	>90	50lm/W	360°	10700.00	5
GAMTSRAAS12L01GN	12W	GREEN	>0.9	ø22x1000	NA	>90	50lm/W	360°	10700.00	5
GAMTSRAAS12L01BL	12W	BLUE	>0.9	ø22x1000	NA	>90	50lm/W	360°	10700.00	5

AIRLOOP - DC48V Magnetic Surface Track - (Black) #

GAMTAAS011M	1MTR	-	-	1000x18x7	NA	-	-	-	2000.00	12
GAMTAAS012M	2MTR	-	-	2000x18x7	NA	-	-	-	3970.00	12

AIRLOOP - DC48V Swing Connector - (Black) #

GAMTAAS01SC	-	-	-	100x44x55	NA	-	-	-	5810.00	9
-------------	---	---	---	-----------	----	---	---	---	---------	---

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

AIRLOOP - DC48V I Connector - (Black) #

GAMTAAS01IC	-	-	-	26x22x7	NA	-	-	-	450.00	240
-------------	---	---	---	---------	----	---	---	---	--------	-----

AIRLOOP - DC48V L Connector - (Black) #

GAMTAAS01LC	-	-	-	36x36x7	NA	-	-	-	650.00	120
-------------	---	---	---	---------	----	---	---	---	--------	-----

AIRLOOP - DC48V R Connector - (Black) #

GAMTAAS01RC	-	-	-	36x36x7	NA	-	-	-	670.00	120
-------------	---	---	---	---------	----	---	---	---	--------	-----

AIRLOOP - DC48V T Connector - (Black) #

GAMTAAS01TC	-	-	-	49x36x7	NA	-	-	-	900.00	120
-------------	---	---	---	---------	----	---	---	---	--------	-----

AIRLOOP - DC48V X Connector - (Black) #

GAMTAAS01XC	-	-	-	49x49x7	NA	-	-	-	1080.00	120
-------------	---	---	---	---------	----	---	---	---	---------	-----

AIRLOOP - DC48V Corner Connector- (Black) #

GAMTAAS01CC	-	-	-	26x26x22	NA	-	-	-	680.00	240
-------------	---	---	---	----------	----	---	---	---	--------	-----

AIRLOOP 01 - DC48V Input Module - (Black) #

GAMTAAS01IM	-	-	-	58x23x18	NA	-	-	-	1210.00	30
-------------	---	---	---	----------	----	---	---	---	---------	----

AIRLOOP 02 - DC48V Input Module - (Black) #

GAMTAAS02IM	-	-	-	58x23x18	NA	-	-	-	1210.00	30
-------------	---	---	---	----------	----	---	---	---	---------	----

AIRLOOP - DC48V Power Supply - (Black) #

GAMTDAAS150Z01	150W	-	-	294x28x60	NA	-	-	-	6570.00	30
----------------	------	---	---	-----------	----	---	---	---	---------	----

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm

THE ULTIMATE IN LIGHTING CONVENIENCE

HYPERLOOP

The Hyperloop Magnetic Track Light represents an innovation in the architectural lighting sector, blending modern design with advanced technology. Installed flush with the surface, the Hyperloop system boasts of smart control features that enable users to adjust lighting settings with precision, catering to different moods and functional requirements. This recessed and flexible lighting solution is built on a low-voltage system, ensuring energy efficiency and safety. Its magnetic track allows for easy installation and seamless integration into various architectural styles, offering a minimalist aesthetic that enhances any space. Its flexibility, coupled with smart technology, makes it an ideal choice for forward-thinking architectural projects.



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

HYPERLOOP - DC48V LED SMD Downlight - (Black) #

GAMTDLAAR07L01WW	7W	3000K	>0.9	302x17x42	NA	>90	50lm/W	120°	3950.00	30
GAMTDLAAR07L01NW	7W	4000K	>0.9	302x17x42	NA	>90	50lm/W	120°	3950.00	30
GAMTDLAAR07L02CNW-\$	7W	CNW	>0.9	302x17x42	NA	>90	50lm/W	120°	-	30
GAMTDLAAR07L03CNW-\$	7W	CNW	>0.9	302x17x42	NA	>90	50lm/W	120°	-	30
GAMTDLAAR15L01WW	15W	3000K	>0.9	602x17x42	NA	>90	45lm/W	120°	5200.00	30
GAMTDLAAR15L01NW	15W	4000K	>0.9	602x17x42	NA	>90	45lm/W	120°	5200.00	30
GAMTDLAAR15L02CNW-\$	15W	CNW	>0.9	602x17x42	NA	>90	45lm/W	120°	-	30
GAMTDLAAR15L03CNW-\$	15W	CNW	>0.9	602x17x42	NA	>90	45lm/W	120°	-	30

HYPERLOOP - DC48V LED COB Spot Light - (Black) #

GAMTSLAAR06L01WW	6W	3000K	>0.9	202x17x42	NA	>90	80lm/W	36°	3530.00	30
GAMTSLAAR06L01NW	6W	4000K	>0.9	202x17x42	NA	>90	80lm/W	36°	3530.00	30
GAMTSLAAR06L02CNW-\$	6W	CNW	>0.9	202x17x42	NA	>90	80lm/W	36°	-	30
GAMTSLAAR06L03CNW-\$	6W	CNW	>0.9	202x17x42	NA	>90	80lm/W	36°	-	30
GAMTSLAAR12L01WW	12W	3000K	>0.9	255x17x42	NA	>90	80lm/W	36°	4780.00	30
GAMTSLAAR12L01NW	12W	4000K	>0.9	255x17x42	NA	>90	80lm/W	36°	4780.00	30
GAMTSLAAR12L02CNW-\$	12W	CNW	>0.9	255x17x42	NA	>90	80lm/W	36°	-	30
GAMTSLAAR12L03CNW-\$	12W	CNW	>0.9	255x17x42	NA	>90	80lm/W	36°	-	30

HYPERLOOP - DC48V LED Tilttable COB Spot Light - (Black) #

GAMTSLABR06L01WW	6W	3000K	>0.9	202x17x102	NA	>90	80lm/W	36°	5930.00	30
GAMTSLABR06L01NW	6W	4000K	>0.9	202x17x102	NA	>90	80lm/W	36°	5930.00	30
GAMTSLABR06L02CNW-\$	6W	CNW	>0.9	202x17x102	NA	>90	80lm/W	36°	-	30
GAMTSLABR06L03CNW-\$	6W	CNW	>0.9	202x17x102	NA	>90	80lm/W	36°	-	30
GAMTSLABR12L01WW	12W	3000K	>0.9	254x17x102	NA	>90	80lm/W	36°	8400.00	30
GAMTSLABR12L01NW	12W	4000K	>0.9	254x17x102	NA	>90	80lm/W	36°	8400.00	30
GAMTSLABR12L02CNW-\$	12W	CNW	>0.9	254x17x102	NA	>90	80lm/W	36°	-	30
GAMTSLABR12L03CNW-\$	12W	CNW	>0.9	254x17x102	NA	>90	80lm/W	36°	-	30

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

HYPERLOOP 01 - DC48V LED COB Track Spot Light - (Black) #

GAMTSLACR05R01CNW-\$	5W	CNW	>0.9	ø35x145	NA	>90	95lm/W	36°	-	30
GAMTSLACR05R03CNW-\$	5W	CNW	>0.9	ø35x145	NA	>90	95lm/W	36°	-	30
GAMTSLACR07R01CNW-\$	7W	CNW	>0.9	ø40x154	NA	>90	70lm/W	36°	-	30
GAMTSLACR07R03CNW-\$	7W	CNW	>0.9	ø40x154	NA	>90	70lm/W	36°	-	30
GAMTSLACR12R01CNW-\$	12W	CNW	>0.9	ø50x168	NA	>90	50lm/W	36°	-	30
GAMTSLACR12R03CNW-\$	12W	CNW	>0.9	ø50x168	NA	>90	50lm/W	36°	-	30

HYPERLOOP 02 - DC48V LED COB Track Spot Light - (Black) #

GAMTSLADR05R01WW	5W	3000K	>0.9	ø45x145	NA	>90	80lm/W	36°	3220.00	30
GAMTSLADR05R01NW	5W	4000K	>0.9	ø45x145	NA	>90	80lm/W	36°	3220.00	30
GAMTSLADR07R01WW	7W	3000K	>0.9	ø50x165	NA	>90	70lm/W	36°	3650.00	30
GAMTSLADR07R01NW	7W	4000K	>0.9	ø50x165	NA	>90	70lm/W	36°	3650.00	30
GAMTSLADR12R01WW	12W	3000K	>0.9	ø60x180	NA	>90	65lm/W	36°	4160.00	30
GAMTSLADR12R01NW	12W	4000K	>0.9	ø60x180	NA	>90	65lm/W	36°	4160.00	30

HYPERLOOP 03 - DC48V LED COB Track Spot Light - (Black) #

GAMTSLAER08S01WW	8W	3000K	>0.9	122x158x29	NA	>90	70lm/W	36°	4570.00	30
GAMTSLAER08S01NW	8W	4000K	>0.9	122x158x29	NA	>90	70lm/W	36°	4570.00	30

GAMTSLAER10L01WW	10W	3000K	>0.9	180x164x34	NA	>90	70lm/W	36°	5500.00	30
GAMTSLAER10L01NW	10W	4000K	>0.9	180x164x34	NA	>90	70lm/W	36°	5500.00	30

GAMTSLAER18S01WW	18W	3000K	>0.9	122x190x30	NA	>90	70lm/W	36°	6690.00	30
GAMTSLAER18S01NW	18W	4000K	>0.9	122x190x30	NA	>90	70lm/W	36°	6690.00	30

HYPERLOOP - DC48V LED Suspended Cylinder - (Black) #

GAMTPSAAR05P01WW	5W	3000K	>0.9	ø35x257	NA	>90	40lm/W	24°	6320.00	9
GAMTPSAAR05P01NW	5W	4000K		ø35x257	NA	>90	40lm/W	24°	6320.00	9
GAMTPSAAR05P02CNW-\$	5W	CNW	>0.9	ø35x257	NA	>90	40lm/W	24°	-	9
GAMTPSAAR05P03CNW-\$	5W	CNW	>0.9	ø35x257	NA	>90	40lm/W	24°	-	9

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

HYPERLOOP - DC48V LED Suspended Sphere - (Black) #

GAMTPSABR05P01WW	5W	3000K	>0.9	ø80x76	NA	>90	65lm/W	120°	5940.00	9
GAMTPSABR05P01NW	5W	4000K	>0.9	ø80x76	NA	>90	65lm/W	120°	5940.00	9
GAMTPSABR05P02CNW-\$	5W	CNW	>0.9	ø80x76	NA	>90	65lm/W	120°	-	9
GAMTPSABR05P03CNW-\$	5W	CNW	>0.9	ø80x76	NA	>90	65lm/W	120°	-	9

HYPERLOOP - DC48V Magnetic Recessed Track - (Black) #

GAMTAAR011M	1MTR	-	-	1000x27x51	NA	-	-	-	3120.00	5
GAMTAAR012M	2MTR	-	-	2000x27x51	NA	-	-	-	6240.00	5

HYPERLOOP - DC48V L Connector - (Black) #

GAMTAAR01LC	-	-	-	100x100	NA	-	-	-	1840.00	50
-------------	---	---	---	---------	----	---	---	---	---------	----

HYPERLOOP - DC48V Inward Connector - (Black) #

GAMTAAR01IC	-	-	-	100x100	NA	-	-	-	1940.00	50
-------------	---	---	---	---------	----	---	---	---	---------	----

HYPERLOOP - DC48V Outward Connector - (Black) #

GAMTAAR01OC	-	-	-	100x100	NA	-	-	-	1940.00	50
-------------	---	---	---	---------	----	---	---	---	---------	----

HYPERLOOP - DC48V Corner Module - (Black) #

GAMTAAR01CM	-	-	-	360x17x19	NA	-	-	-	920.00	30
-------------	---	---	---	-----------	----	---	---	---	--------	----

HYPERLOOP - DC48V Power Supply - (Black) #

GAMTDAAR150Z01	150W	-	-	100x100	NA	-	-	-	8320.00	30
----------------	------	---	---	---------	----	---	---	---	---------	----

HYPERLOOP - DC48V Input Module - (Black) #

GAMTAAR01IMN.A.	-	-	-	-	NA	-	-	-	830.00	50
-----------------	---	---	---	---	----	---	---	---	--------	----

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis



G-TRACK

The G-Track Series is a modern, energy-efficient lighting solution designed for focused and flexible illumination. Crafted with durable aluminium housing and an anti-glare polycarbonate diffuser, it ensures a comfortable, glare-free lighting experience. The tiltable design allows directional adjustment for accent or ambient lighting, while the inbuilt driver enhances efficiency and reliability. Easy to install on a 2-wire power track, the G-Track Series is ideal for shops, showrooms, restaurants, homes, and contemporary hospitality spaces.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

G-TRACK 20 - LED Linear Track Light - (Black) #

GL9C1501612BKWW	12W	3000K	>0.9	281x33x48	NA	>80	110lm/W	50°	1570.00	40
GL9C1501612BKNW	12W	4000K	>0.9	281x33x48	NA	>80	110lm/W	50°	1570.00	40



G-TRACK 20 - LED Linear Track Light - (Black) #

GL9C1501624BKWW	24W	3000K	>0.9	477x33x48	NA	>80	110lm/W	50°	2420.00	40
GL9C1501624BKNW	24W	4000K	>0.9	477x33x48	NA	>80	110lm/W	50°	2420.00	40



G-TRACK 20 - LED Linear Track Light - (White) #

GL9C1501612WW	12W	3000K	>0.9	281x33x48	NA	>80	110lm/W	50°	1570.00	40
GL9C1501612NW	12W	4000K	>0.9	281x33x48	NA	>80	110lm/W	50°	1570.00	40



G-TRACK 20 - LED Linear Track Light - (White) #

GL9C1501624WW	24W	3000K	>0.9	477x33x48	NA	>80	110lm/W	50°	2420.00	40
GL9C1501624NW	24W	4000K	>0.9	477x33x48	NA	>80	110lm/W	50°	2420.00	40



G-TRACK 30 - LED Linear Track Light - (Black) #

GL9C1502610BKWW	10W	3000K	>0.9	291x33x48	NA	>80	75lm/W	50°	1210.00	40
GL9C1502610BKNW	10W	4000K	>0.9	291x33x48	NA	>80	75lm/W	50°	1210.00	40



G-TRACK 30 - LED Linear Track Light - (Black) #

GL9C1502620BKWW	20W	3000K	>0.9	491x33x48	NA	>80	75lm/W	50°	1710.00	40
GL9C1502620BKNW	20W	4000K	>0.9	491x33x48	NA	>80	75lm/W	50°	1710.00	40



G-TRACK 30 - LED Linear Track Light - (White) #

GL9C1502610WW	10W	3000K	>0.9	291x33x48	NA	>80	75lm/W	50°	1210.00	40
GL9C1502610NW	10W	4000K	>0.9	291x33x48	NA	>80	75lm/W	50°	1210.00	40



G-TRACK 30 - LED Linear Track Light - (White) #

GL9C1502620WW	20W	3000K	>0.9	491x33x48	NA	>80	75lm/W	50°	1710.00	40
GL9C1502620NW	20W	4000K	>0.9	491x33x48	NA	>80	75lm/W	50°	1710.00	40



All dimensions & cut outs are in mm



YODA

Crafted for premium, design-focused interiors, the Yoda COB module series features five elegant lights with wattages ranging from 3W to 15W and interchangeable rings for customised looks. Amongst this, the Yoda 02 stands out with its bamboo-inspired design and adjustable height that creates a distinctive, floating-light effect. With a high CRI of 95, the Yoda module delivers true-to-life colour rendering.



YODA 01 LED COB MODULE
(6/10/15W)
GAMDAGR06R01BKNW
GAMDAGR10R01BKNW
GAMDAGR15R01BKNW



YODA A02 Module Ring
GAMRADRR01BKBK
GAMRADRR01BKGL




YODA A03 Module Ring
GAMRAERR01BK



YODA A04 Module Ring
GAMRAFRR01



YODA A01 Ring (Trim)
GAMRACRR01
GAMRACRR01BK



YODA A01 Ring (Trimless)
GAMRACRR02



YODA 01 Module +
YODA A02 Ring +
YODA A01 Ring (Trim)



YODA 01 Module +
YODA A02 Ring +
YODA A01 Ring (Trimless)



YODA 01 Module +
YODA A03 Ring +
YODA A01 Ring (Trim)



YODA 01 Module +
YODA A03 Ring +
YODA A01 Ring (Trimless)



YODA 01 Module +
YODA A04 Ring +
YODA A01 Ring (Trim)



YODA 01 Module +
YODA A04 Ring +
YODA A01 Ring (Trimless)



YODA 02
GAMDAHR06R01BKGLNW



YODA 03
GAMDAIR03R01BKNW




YODA 04
GAMDAJR06R01NW



YODA 05
GAMDAKR06R01BKNW



YODA A01 Ring
GAMRACRR01
GAMRACRR01BK



YODA A01 Ring
GAMRACRR02



YODA 02 +
YODA A01 Ring (Trim)



YODA 02 +
YODA A01 Ring (Trimless)



YODA 03 +
YODA A01 Ring (Trim)



YODA 03 +
YODA A01 Ring (Trimless)



YODA 04 +
YODA A01 Ring (Trim)



YODA 04 +
YODA A01 Ring (Trimless)



YODA 05 +
YODA A01 Ring (Trim)



YODA 05 +
YODA A01 Ring (Trimless)



YODA




ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
YODA 01 - LED COB Module - PDC Aluminium - (Black) #										
GAMDAGR06R01BKNW	6W	4000K	>0.9	Ø49 x37	NA	>95	75lm/W	24°	3650.00	30
GAMDAGR10R01BKNW	10W	4000K	>0.9	Ø49 x37	NA	>95	80lm/W	24°	4390.00	30
GAMDAGR15R01BKNW	15W	4000K	>0.9	Ø49 x76	NA	>95	80lm/W	24°	5610.00	30

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
YODA A02 - Module Rings - PDC Aluminium - (Black + Black) #										
GAMRADRR01BKBK	NA	NA	NA	Ø64x25	NA	NA	NA	NA	1680.00	50
GAMRADRR01BKGL	NA	NA	NA	Ø64x25	NA	NA	NA	NA	1680.00	50
YODA A03 - Module Rings - PDC Aluminium - (Black) #										
GAMRAERR01BK	NA	NA	NA	Ø64x50	NA	NA	NA	NA	1840.00	50
YODA A04 - Module Rings - PDC Aluminium - (White) #										
GAMRAFRR01	NA	NA	NA	Ø105x54	NA	NA	NA	NA	4540.00	50
YODA 02 - LED COB Module - PDC Aluminium (Black + Gold) #										
GAMDAHR06R01BKGLNW	6W	4000K	>0.9	Ø64x427	NA	>90	40lm/W	24°	9120.00	24
YODA 03 - LED COB Module - PDC Aluminium - (Black) #										
GAMDAIR03R01BKNW	3W	4000K	>0.9	Ø64x62	NA	>95	50lm/W	15-55°	6690.00	80
YODA 04 - LED COB Module - PDC Aluminium - (White) #										
GAMD AJR06R01NW	6W	4000K	>0.9	Ø64x43	NA	>90	65lm/W	120°	4050.00	48
YODA 05 - LED COB Module - PDC Aluminium - (White + Black) #										
GAMDAKR06R01BKNW	6W	4000K	>0.9	Ø64x43	NA	>95	60lm/W	24°	6420.00	36
YODA A01 - Module Rings - PDC Aluminium - (White) #										
GAMRACRR02	NA	NA	NA	Ø125x33	Ø75	NA	NA	NA	1610.00	50
YODA A01 - Module Rings - PDC Aluminium - (White) #										
GAMRACRR01	NA	NA	NA	Ø125x33	Ø75	NA	NA	NA	1400.00	50
YODA A01 - Module Rings - PDC Aluminium - (Black) #										
GAMRACRR01BK	NA	NA	NA	Ø125x33	Ø75	NA	NA	NA	1400.00	50

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm





G-MODULE

The G-Module is a versatile LED COB module that is designed to elevate your lighting experience. Featuring a track spotlight, a wall washer, and spotlight modules, the G-Module is housed in a robust aluminium die-cast body with an efficient heat sink for superior heat dissipation. The anti-glare honeycomb baffle ensures a tranquil lighting environment, seamlessly integrating with indoor interiors. Available in black and white housing options, the G-Module can be combined with various attachments (1, 2, 3, or 4 modules at a time) that provides a customizable and well-lit ambiance to meet diverse lighting needs. The G-Module is ideal for homes, restaurants, and villas.



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

G-MODULE - LED COB Track Spotlight - (Black) #

GAMDAAR05R01BKWW	5W	3000K	>0.9	45x45x119	NA	>90	90lm/W	36°	1560.00	40
GAMDAAR05R01BKNW	5W	4000K	>0.9	45x45x119	NA	>90	90lm/W	36°	1560.00	40

G-MODULE - LED COB Track Spotlight - (White) #

GAMDAAR05R01WW	5W	3000K	>0.9	45x45x119	NA	>90	90lm/W	36°	1560.00	40
GAMDAAR05R01NW	5W	4000K	>0.9	45x45x119	NA	>90	90lm/W	36°	1560.00	40

G-MODULE - LED COB Wall Washer - (Black) #

GAMDABR05Z01BKWW	5W	3000K	>0.9	45x45x81	NA	>90	90lm/W	36°	1670.00	40
GAMDABR05Z01BKNW	5W	4000K	>0.9	45x45x81	NA	>90	90lm/W	36°	1670.00	40

G-MODULE - LED COB Wall Washer - (White) #

GAMDABR05Z01WW	5W	3000K	>0.9	45x45x81	NA	>90	90lm/W	36°	1670.00	40
GAMDABR05Z01NW	5W	4000K	>0.9	45x45x81	NA	>90	90lm/W	36°	1670.00	40

G-MODULE - LED COB Spotlight - Round - (Black) #

GAMDACR05R01BKWW	5W	3000K	>0.9	45x45x55	NA	>90	90lm/W	36°	1620.00	40
GAMDACR05R01BKNW	5W	4000K	>0.9	45x45x55	NA	>90	90lm/W	36°	1620.00	40

G-MODULE - LED COB Spotlight - Round - (White) #

GAMDACR05R01WW	5W	3000K	>0.9	45x45x55	NA	>90	90lm/W	36°	1620.00	40
GAMDACR05R01NW	5W	4000K	>0.9	45x45x55	NA	>90	90lm/W	36°	1620.00	40

G-MODULE - LED COB Spotlight - Square - (Black) #

GAMDADR05S01BKWW	5W	3000K	>0.9	45x45x55	NA	>90	90lm/W	36°	1620.00	40
GAMDADR05S01BKNW	5W	4000K	>0.9	45x45x55	NA	>90	90lm/W	36°	1620.00	40

G-MODULE - LED COB Spotlight - Square - (White) #

GAMDADR05S01WW	5W	3000K	>0.9	45x45x55	NA	>90	90lm/W	36°	1620.00	40
GAMDADR05S01NW	5W	4000K	>0.9	45x45x55	NA	>90	90lm/W	36°	1620.00	40

G-MODULE - LED Spotlight - (Black) #

GAMDAER08L01BKWW	8W	3000K	>0.9	89x45x55	NA	>90	100lm/W	36°	2160.00	40
GAMDAER08L01BKNW	8W	4000K	>0.9	89x45x55	NA	>90	100lm/W	36°	2160.00	40

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

G-MODULE - LED Spotlight - (White) #

GAMDAER08L01WW	8W	3000K	>0.9	89x45x55	NA	>90	100lm/W	36°	2160.00	40
GAMDAER08L01NW	8W	4000K	>0.9	89x45x55	NA	>90	100lm/W	36°	2160.00	40

G-MODULE - LED Spotlight - (Black) #

GAMDAFR15L01BKWW	15W	3000K	>0.9	178x45x55	NA	>90	100lm/W	36°	3650.00	30
GAMDAFR15L01BKNW	15W	4000K	>0.9	178x45x55	NA	>90	100lm/W	36°	3650.00	30

G-MODULE - LED Spotlight - (White) #

GAMDAFR15L01WW	15W	3000K	>0.9	178x45x55	NA	>90	100lm/W	36°	3650.00	30
GAMDAFR15L01NW	15W	4000K	>0.9	178x45x55	NA	>90	100lm/W	36°	3650.00	30

G-MODULE 1x1 Ring - Square - (Black) #

GAMRAARS01BK	NA	NA	NA	64x64x55	55x55	NA	NA	NA	590.00	100
GAMRAARS01	NA	NA	NA	64x64x55	55x55	NA	NA	NA	590.00	100

G-MODULE 1x2 Ring - Linear - (Black) #

GAMRAARL02BK	NA	NA	NA	109x64x56	100x55	NA	NA	NA	880.00	60
GAMRAARL02	NA	NA	NA	109x64x56	100x55	NA	NA	NA	880.00	60

G-MODULE 1x3 Ring-Linear - (Black) #

GAMRAARL03BK	NA	NA	NA	153x64x56	144x55	NA	NA	NA	1060.00	60
GAMRAARL03	NA	NA	NA	153x64x56	144x55	NA	NA	NA	1060.00	60

G-MODULE 1x4 Ring - Linear - (Black) #

GAMRAARL04BK	NA	NA	NA	198x64x56	189x55	NA	NA	NA	1220.00	40
GAMRAARL04	NA	NA	NA	198x64x56	189x55	NA	NA	NA	1220.00	40

G-MODULE Blank Plate - Square - (White) #

GAMRABRS01	NA	NA	NA	44x44x55	NA	NA	NA	NA	270.00	100
------------	----	----	----	----------	----	----	----	----	--------	-----



All dimensions & cut outs are in mm



XENON

QUANTO

QUANTO

Transform any space with the Xenon Smart COB & Quanto Modular COB Light, the perfect blend of style, control, and performance. Xenon offers tunable white (2700K–6500K) as well as vibrant RGB colours with remote access via the G-World app. Quanto features a sleek recessed design with a gun black reflector, aluminium die-cast body, high CRI (90+), and flexible trim options. Ideal for modern homes and offices, these spotlights bring smart, sophisticated lighting to any space.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

XENON - LED SMART COB Light with Zigbee driver (PDC Aluminium) #

GL9C071512GBCNWRGB-\$	12W	CNW+RGB	>0.9	Ø85x95	Ø75	>80	50lm/w	36°	-	12
-----------------------	-----	---------	------	--------	-----	-----	--------	-----	---	----

QUANTO - LED COB Module with external driver (PDC Aluminium)

GL9C2304107GBWW	7W	3000K	0.9	Ø50x80	NA	>90	75lm/w	24°	1000.00	30
GL9C2304107GBNW	7W	4000K	0.9	Ø50x80	NA	>90	75lm/w	24°	1000.00	30
GL9C2304112GBWW	12W	3000K	0.9	Ø70x85	NA	>90	80lm/w	24°	1070.00	30
GL9C2304112GBNW	12W	4000K	0.9	Ø70x85	NA	>90	80lm/w	24°	1070.00	30
GL9C2304115GBWW	15W	3000K	0.9	Ø70x100	NA	>90	80lm/w	24°	1460.00	20
GL9C2304115GBNW	15W	4000K	0.9	Ø70x100	NA	>90	80lm/w	24°	1460.00	20
GL9C2304118GBWW	18W	3000K	0.9	Ø90x110	NA	>90	90lm/w	24°	2220.00	20
GL9C2304118GBNW	18W	4000K	0.9	Ø90x110	NA	>90	90lm/w	24°	2220.00	20

QUANTO - LED COB Module without driver (PDC Aluminium) #

GL9C2304115GBZCNW-\$	15W	CNW	0.9	Ø70x100	NA	>90	80lm/w	24°	-	30
----------------------	-----	-----	-----	---------	----	-----	--------	-----	---	----

For Smart Driver refer G-World Smart Home Catalogue.

QUANTO A01 Module Ring (PDC Aluminium) - (White)

GL9C2420107	NA	NA	NA	Ø65x22	Ø55	NA	NA	NA	270.00	50
GL9C2420112	NA	NA	NA	Ø85x30	Ø75	NA	NA	NA	380.00	50
GL9C2420115	NA	NA	NA	Ø85x30	Ø75	NA	NA	NA	380.00	50
GL9C2420118	NA	NA	NA	Ø112x37	Ø95	NA	NA	NA	530.00	50

QUANTO A01 Module Ring (PDC Aluminium) - (Black)

GL9C2420107BK	NA	NA	NA	Ø65x22	Ø55	NA	NA	NA	270.00	50
GL9C2420112BK	NA	NA	NA	Ø85x30	Ø75	NA	NA	NA	380.00	50
GL9C2420115BK	NA	NA	NA	Ø85x30	Ø75	NA	NA	NA	380.00	50
GL9C2420118BK	NA	NA	NA	Ø112x37	Ø95	NA	NA	NA	530.00	50

QUANTO A02 Rimless Module Ring (PDC Aluminium) - (White)

GL9C2421107	NA	NA	NA	Ø80x22	Ø55	NA	NA	NA	300.00	50
GL9C2421112	NA	NA	NA	Ø100x30	Ø75	NA	NA	NA	400.00	50
GL9C2421115	NA	NA	NA	Ø100x30	Ø75	NA	NA	NA	400.00	50
GL9C2421118	NA	NA	NA	Ø131x37	Ø95	NA	NA	NA	560.00	50





G10-9
LED COB Module with Rings



GIO-g & ONIC

The Gio g LED COB Module encapsulates elegance and functionality within its aluminum die-cast shell, enhanced by a meticulously designed heat sink for superior heat management. An external switch driver enables color temperature customization (3K/4K/6K). Its anti-glare lens integrates seamlessly into any indoor space. Available in black and white body colour, the Gio g can be paired with various attachments to meet diverse lighting needs, creating a well-lit ambiance.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
GIO 6 - LED COB Spotlight with External Switch Driver (PDC - Aluminium) - (Orange+White) #										
GL9C0712107GBSDCNW	7W	3K/4K/6K	>0.9	ø65x80	ø55	>90	80lm/W	24°	1330.00	30
GIO 6 - LED COB Spotlight with External Switch Driver (PDC - Aluminium) - (Orange+White) #										
GL9C0712112GBSDCNW	12W	3K/4K/6K	>0.9	ø65x90	ø55	>90	70lm/W	24°	1530.00	30
GIO 9 - LED COB Module with External Switch Driver (PDC - Aluminium) - (Orange+Black) #										
GL9C2301107SDCNW-\$	7W	3K/4K/6K	>0.9	ø60x40	NA	>90	85lm/W	24°	1330.00	30
GL9C2301112SDCNW-\$	12W	3K/4K/6K	>0.9	ø60x51	NA	>90	80lm/W	36°	1480.00	30
GL9C2301115SDCNW-\$	15W	3K/4K/6K	>0.9	ø60x65	NA	>90	80lm/W	36°	1790.00	30
For Smart Driver refer G-World Smart Home Catalogue.										
GIO 9 - A01 Module Rings (PDC - Aluminium + PC) - Round (White + Gun Black) #										
GL9C24011WHGB	NA	NA	NA	ø85x40	ø75	NA	NA	NA	360.00	50
GIO 9 - A01 Rimless Module Rings (PDC - Aluminium) - Round (White) #										
GL9C24021	NA	NA	NA	ø85x40	ø75	NA	NA	NA	230.00	50
GIO 9 - A02 Module Rings (PDC - Aluminium) - Round (Black) #										
GL9C24031BK	NA	NA	NA	ø85x40	ø75	NA	NA	NA	400.00	50
GIO 9 - A02 Module Rings (PDC - Aluminium) - Round (White) #										
GL9C24031	NA	NA	NA	ø85x40	ø75	NA	NA	NA	400.00	50



Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
GIO 9 - A02 Module Rings (PDC - Aluminium) - Square (Black) #										
GL9C24032BK	NA	NA	NA	85x85x40	75x75	NA	NA	NA	400.00	50
GIO 9 - A02 Module Rings (PDC - Aluminium) - Square (White) #										
GL9C24032	NA	NA	NA	85x85x40	75x75	NA	NA	NA	400.00	50
GIO 9 - A03 Module Rings (PDC - Aluminium) - Round (Black) #										
GL9C24041BK	NA	NA	NA	ø90x35	ø75	NA	NA	NA	400.00	50
GIO 9 - A03 Module Rings (PDC - Aluminium) - Round (White) #										
GL9C24041	NA	NA	NA	ø90x35	ø75	NA	NA	NA	400.00	50
GIO 9 - A03 Module Rings (PDC - Aluminium) - Square (Black) #										
GL9C24042BK	NA	NA	NA	90x90x35	75x75	NA	NA	NA	400.00	50
GIO 9 - A03 Module Rings (PDC - Aluminium) - Square (White) #										
GL9C24042	NA	NA	NA	90x90x35	75x75	NA	NA	NA	400.00	50
GIO 9 - A04 1*1 Module Rings (PDC - Aluminium + PC) - Square (White + Black) #										
GL9C24052WHBK	NA	NA	NA	105x105x48	95x95	NA	NA	NA	710.00	50
GIO 9 - A04 1*2 Module Rings (PDC - Aluminium + PC) - Square (White + Black) #										
GL9C24062WHBK	NA	NA	NA	195x105x48	180x95	NA	NA	NA	1410.00	20
GIO 9 - A04 1*3 Module Rings (PDC - Aluminium + PC) - Square (White + Black) #										
GL9C24072WHBK	NA	NA	NA	285x105x48	270x95	NA	NA	NA	2100.00	20

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
GIO 9 - A05 Module Rings (PDC - Aluminium) - Round (Black) #										
GL9C24081BK	NA	NA	NA	ø105x60	ø95	NA	NA	NA	860.00	50
GIO 9 - A05 Module Rings (PDC - Aluminium) - Round (White) #										
GL9C24081	NA	NA	NA	ø105x60	ø95	NA	NA	NA	860.00	50
GIO 9 - A05 Module Rings (PDC - Aluminium) - Square (Black) #										
GL9C24082BK	NA	NA	NA	105x105x60	95x95	NA	NA	NA	860.00	50
GIO 9 - A05 Module Rings (PDC - Aluminium) - Square (White) #										
GL9C24082	NA	NA	NA	105x105x60	95x95	NA	NA	NA	860.00	50
GIO 9 - A06 Module Rings (PDC - Aluminium + PC) - Round (Black + White) #										
GL9C24091BKWH	NA	NA	NA	ø92x35	ø75	NA	NA	NA	540.00	50
GIO 9 - A06 Module Rings (PDC - Aluminium + PC) - Square (Black + White) #										
GL9C24092BKWH	NA	NA	NA	92x92x35	ø75	NA	NA	NA	540.00	50
ONIC - LED COB Spot Light (SM) (PDC Aluminium) - (White) #										
GASLAQR010R012CNW-\$	10W	CNW	>0.9	ø90x55	ø75	>90	75lm/W	24°	-	30
GASLAQR018R012CNW-\$	18W	CNW	>0.9	ø112x70	ø95	>90	75lm/W	24°	-	20

For Smart Driver refer G-World Smart Home Catalogue.

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

G-WORLD | 



ARION



ASTRO



ZURA

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

NEW

ASTRO - LED COB Spotlight

GL9C0727107WW	7W	3000K	>0.9	ø60x80	ø55	>90	95lm/W	36°	2230.00	60
GL9C0727107NW	7W	4000K	>0.9	ø60x80	ø55	>90	95lm/W	36°	2230.00	60
GL9C0727112WW	12W	3000K	>0.9	ø83x90	ø75	>90	95lm/W	36°	2680.00	60
GL9C0727112NW	12W	4000K	>0.9	ø83x90	ø75	>90	95lm/W	36°	2680.00	60

NEW

ZURA - LED COB Spotlight

GL9C0318112WW	12W	3000K	>0.9	ø81x57	ø75	>90	95lm/W	120°	2460.00	60
GL9C0318112NW	12W	4000K	>0.9	ø81x57	ø75	>90	95lm/W	120°	2460.00	60

ARION - LED COB Spotlight - PDC Aluminium

GL9C0725107WW	7W	3000K	>0.9	ø80x62	ø75	>80	90lm/W	36°	1020.00	50
GL9C0725107NW	7W	4000K	>0.9	ø80x62	ø75	>80	90lm/W	36°	1020.00	50
GL9C0725112WW	12W	3000K	>0.9	ø90x68	ø85	>80	90lm/W	36°	1260.00	50
GL9C0725112NW	12W	4000K	>0.9	ø90x68	ø85	>80	90lm/W	36°	1260.00	50
GL9C0725118WW	18W	3000K	>0.9	ø100x80	ø95	>80	90lm/W	36°	1540.00	50
GL9C0725118NW	18W	4000K	>0.9	ø100x80	ø95	>80	90lm/W	36°	1540.00	50

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

Astro and Zura are premium recessed lighting solutions designed to enhance modern interiors with exceptional illumination, energy efficiency, and long-lasting performance. Arion, on the other hand, is a value-driven COB spotlight featuring a sleek curved design and integrated lens for wide, uniform light distribution. Together, Astro, Zura, and Arion combine durable aluminium construction, advanced optics, and elegant designs to deliver superior visual comfort across residential, hospitality, retail, office, and commercial spaces.



PUNTO

Presenting the Punto series of recessed LED COB spotlight that is the epitome of versatile lighting. With a tiltable front and 355° rotation, these spotlights allow adjustable light direction to highlight the desired spaces. Multipurpose and aesthetically supreme, the Punto seamlessly fits into modern false ceilings. Featuring a deep anti-glare reflector, the Punto spotlights offer flicker-free light that ensures visual comfort. Made with white aluminium finish, the Punto spotlights are designed for those who seek both form and function.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

PUNTO 7 - COB Light (PDC Aluminium) - (White+Black) #

GASLAIR010R01BKWW	10W	3000K	>0.9	ø85x57	ø75	>90	50lm/W	36°	3720.00	30
GASLAIR010R01BKNW	10W	4000K	>0.9	ø85x57	ø75	>90	50lm/W	36°	3720.00	30



PUNTO 9 - COB Light (PDC Aluminium) - (White+Gun Black) #

GASLAJR012R01GBWW	12W	3000K	>0.9	ø85x57	ø75	>90	80lm/W	36°	3560.00	30
GASLAJR012R01GBNW	12W	4000K	>0.9	ø85x57	ø75	>90	80lm/W	36°	3560.00	30



PUNTO 18 - COB Light (PDC Aluminium) - (White+Gun Black) #

GASLAKR012R01GBWW	12W	3000K	>0.9	ø65x104	ø55	>90	80lm/W	36°	3880.00	30
GASLAKR012R01GBNW	12W	4000K	>0.9	ø65x104	ø55	>90	80lm/W	36°	3880.00	30



PUNTO 36 - COB Light (PDC Aluminium) - (White+Black) #

GASLAMR010R01BKWW	10W	3000K	>0.9	ø85x57	ø75	>90	65lm/W	15°-36°	4310.00	30
GASLAMR010R01BKNW	10W	4000K	>0.9	ø85x57	ø75	>90	65lm/W	15°-36°	4310.00	30



PUNTO 45 - COB Light (PDC Aluminium) - (White+Black) #

GASLALR012R01BKWW	12W	3000K	>0.9	ø85x70	ø75	>90	80lm/W	36°	3920.00	30
GASLALR012R01BKNW	12W	4000K	>0.9	ø85x70	ø75	>90	80lm/W	36°	3920.00	30



Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis



LEXIE

OXYLUX

ORIS

Discover Lexie, Oris, and OxyLux, a premium range of recessed LED COB spotlights crafted for focused lighting. Lexie's round design with a swivel head is perfect for highlighting tricky spots, offering adjustable light from warm to cool. Oris, on the other hand, is a robust recessed spotlight featuring a sleek gun black reflector with die-cast aluminium for versatile, mood-setting illumination. OxyLux, with its 36° beam, grey finish, and high CRI of 90+, adds a refined touch, ideal for highlighting art and architectural details in modern interiors.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

LEXIE - COB Light with External Swtich Driver (PDC Aluminium) - (White) #

GASLAGR010R01SDCNW	10W	3K/4K/6K	≥0.95	ø65x75	ø55	>90	80lm/W	36°	2270.00	30
GASLAGR015R01SDCNW	15W	3K/4K/6K	≥0.95	ø85x81	ø75	>90	80lm/W	36°	2960.00	20
GASLAGR020R01SDCNW	20W	3K/4K/6K	≥0.95	ø105x95	ø95	>90	80lm/W	36°	4270.00	10

ORIS - COB Light with External Swtich Driver (PDC Aluminium) - (White) #

GASLAER012R01SDCNW	12W	3K/4K/6K	≥0.95	ø85x80	ø75	>90	80lm/W	36°	1870.00	20
--------------------	-----	----------	-------	--------	-----	-----	--------	-----	---------	----

OXYLUX - COB Light (PDC Aluminium) - (White+Gun Black) #

GASLAHR005R01GBWW	5W	3000K	≥0.95	ø68x42	ø60	>90	70lm/W	36°	1290.00	30
GASLAHR005R01GBNW	5W	4000K	≥0.95	ø68x42	ø60	>90	70lm/W	36°	1290.00	30

OXYLUX - COB Light (PDC Aluminium) - (White+Gun Black) #

GASLAHR010R01GBWW	10W	3000K	≥0.95	ø85x45	ø75	>90	90lm/W	36°	1580.00	30
GASLAHR010R01GBNW	10W	4000K	≥0.95	ø85x45	ø75	>90	90lm/W	36°	1580.00	30

OXYLUX - COB Light (PDC Aluminium) - (White+Gun Black) #

GASLAHR015R01GBWW	15W	3000K	≥0.95	ø105x52	ø95	>90	85lm/W	36°	2100.00	20
GASLAHR015R01GBNW	15W	4000K	≥0.95	ø105x52	ø95	>90	85lm/W	36°	2100.00	20

OXYLUX - COB Light (PDC Aluminium) - (White+Gun Black) #

GASLAHR020R01GBWW	20W	3000K	≥0.95	ø135x57	ø120	>90	95lm/W	36°	3160.00	20
GASLAHR020R01GBNW	20W	4000K	≥0.95	ø135x57	ø120	>90	95lm/W	36°	3160.00	20

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis





NEXO

Bring life to modern interiors with the Nexo COB spotlight that offers a high lumen efficacy of up to 100lm/W. Available in both black and white powder-coated pressure die-cast housings with a black reflector, it ensures powerful illumination with an impressive CRI above 90. Designed for precision, Nexo's refined low-glare optics and precise 24° beam angle help deliver focused, dramatic lighting that highlights architectural elements, artworks, or retail displays with exquisite finesse.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

NEXO - COB Light (PDC Aluminium) - (Black+Black) #

GASLAAR01R01BKBKWW	1W	3000K	>0.9	ø30x25	ø25	>90	45lm/W	24°	840.00	150
GASLAAR01R01BKBKNW	1W	4000K	>0.9	ø30x25	ø25	>90	45lm/W	24°	840.00	150
GASLAAR02R01BKBKWW	2W	3000K	>0.9	ø40x31	ø35	>90	75lm/W	24°	950.00	150
GASLAAR02R01BKBKNW	2W	4000K	>0.9	ø40x31	ø35	>90	75lm/W	24°	950.00	150
GASLAAR03R01BKBKWW	3W	3000K	>0.9	ø50x51	ø50	>90	70lm/W	24°	1100.00	100
GASLAAR03R01BKBKNW	3W	4000K	>0.9	ø50x51	ø50	>90	70lm/W	24°	1100.00	100
GASLAAR07R01BKBKWW	7W	3000K	>0.9	ø65x62	ø60	>80	75lm/W	24°	1380.00	48
GASLAAR07R01BKBKNW	7W	4000K	>0.9	ø65x62	ø60	>80	75lm/W	24°	1380.00	48
GASLAAR12R01BKBKWW	12W	3000K	>0.9	ø75x70	ø70	>80	100lm/W	24°	1730.00	48
GASLAAR12R01BKBKNW	12W	4000K	>0.9	ø75x70	ø70	>80	100lm/W	24°	1730.00	48

NEXO - COB Light (PDC Aluminium) - (White+Black) #

GASLAAR01R01BKWW	1W	3000K	>0.9	ø30x25	ø25	>90	45lm/W	24°	840.00	150
GASLAAR01R01BKWN	1W	4000K	>0.9	ø30x25	ø25	>90	45lm/W	24°	840.00	150
GASLAAR02R01BKWW	2W	3000K	>0.9	ø40x31	ø35	>90	75lm/W	24°	950.00	150
GASLAAR02R01BKWN	2W	4000K	>0.9	ø40x31	ø35	>90	75lm/W	24°	950.00	150
GASLAAR03R01BKWW	3W	3000K	>0.9	ø50x51	ø50	>90	70lm/W	24°	1100.00	100
GASLAAR03R01BKWN	3W	4000K	>0.9	ø50x51	ø50	>90	70lm/W	24°	1100.00	100
GASLAAR07R01BKWW	7W	3000K	>0.9	ø65x62	ø60	>80	75lm/W	24°	1380.00	48
GASLAAR07R01BKWN	7W	4000K	>0.9	ø65x62	ø60	>80	75lm/W	24°	1380.00	48
GASLAAR12R01BKWW	12W	3000K	>0.9	ø75x70	ø70	>80	100lm/W	24°	1730.00	48
GASLAAR12R01BKWN	12W	4000K	>0.9	ø75x70	ø70	>80	100lm/W	24°	1730.00	48



Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm



Presenting Nebula, Onil, and Oniz – a brand new range of sophisticated recessed LED COB spotlights that blend perfectly with modern interiors. Nebula is designed for broad, accented lighting with 36° beam angle and a lumen efficacy of 80lm/W. In contrast, Onil’s swivel mechanism and deep reflector offers focussed tilt lighting with low-glare illumination. And Oniz combines minimalist design with high efficiency, delivering a precise 24° beam for targeted accent lighting.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

NEBULA - COB Light (PDC Aluminium) - (White+Gun Black) #

GASLACR007R01GBWW	7W	3000K	0.9	ø69x65	ø60	>80	80lm/W	36°	2160.00	48
GASLACR007R01GBNW	7W	4000K	0.9	ø69x65	ø60	>80	80lm/W	36°	2160.00	48
GASLACR012R01GBWW	12W	3000K	0.9	ø86x85	ø75	>80	90lm/W	36°	2660.00	36
GASLACR012R01GBNW	12W	4000K	0.9	ø86x85	ø75	>80	90lm/W	36°	2660.00	36
GASLACR020R01GBWW	20W	3000K	0.9	ø101x101	ø90	>80	100lm/W	36°	3720.00	24
GASLACR020R01GBNW	20W	4000K	0.9	ø101x101	ø90	>80	100lm/W	36°	3720.00	24

ONIZ - COB Light (PDC Aluminium) - (White+Black) #

GASLAPR007R01BKNW	7W	4000K	>0.9	ø65x50	ø60	>90	45lm/W	24°	2460.00	50
GASLAPR012R01BKNW	12W	4000K	>0.9	ø78x70	ø70	>90	50lm/W	24°	2800.00	50

ONIL - COB Light (PDC Aluminium) - (White+Black) #

GASLARR003R01BKWW	3W	3000K	>0.9	ø34x80	ø30	>90	70lm/W	24°	2770.00	50
GASLARR003R01BKNW	3W	4000K	>0.9	ø34x80	ø30	>90	70lm/W	24°	2770.00	50
GASLARR007R01BKWW	7W	3000K	>0.9	ø44x90	ø40	>90	85lm/W	24°	3180.00	50
GASLARR007R01BKNW	7W	4000K	>0.9	ø44x90	ø40	>90	85lm/W	24°	3180.00	50

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis





MYSTIQ

Introducing Mystiq, a ceiling recessed COB LED light that is designed to provide consistent, aesthetic illumination. A contemporary design, the Mystiq offers a high efficacy of 90lm/W. This ensures a uniform and soothing glow, perfect for modern interiors. Built with superior-quality, aluminium die cast material, this LED is highly durable and an ideal choice for commercial office spaces, restaurants, hotels, and retail stores. Available in two colour temperatures and three aesthetic shapes, the Mystiq easily complements modern interiors.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

MYSTIQ - COB Light (PDC Aluminium) - Round - (White+Gun Black) #

GASLABR012R01GBWW	12W	3000K	0.9	ø86x70	ø70	>80	90lm/W	36°	2030.00	36
GASLABR012R01GBNW	12W	4000K	0.9	ø86x70	ø70	>80	90lm/W	36°	2030.00	36

MYSTIQ - COB Light (PDC Aluminium) - Oval - (White+Gun Black) #

GASLABR012O01GBWW	12W	3000K	0.9	ø86x63	ø70	>80	90lm/W	36°	1950.00	36
GASLABR012O01GBNW	12W	4000K	0.9	ø86x63	ø70	>80	90lm/W	36°	1950.00	36

MYSTIQ - COB Light (PDC Aluminium) - Square - (White+Gun Black) #

GASLABR012S01GBWW	12W	3000K	0.9	86x86x69	70x70	>80	90lm/W	36°	2080.00	36
GASLABR012S01GBNW	12W	4000K	0.9	86x86x69	70x70	>80	90lm/W	36°	2080.00	36



Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ODIN - COB Light (PDC - Aluminium) - (White+Black) #

GL9C0717125BKWW	25W	3000K	>0.9	ø95x72	ø85	>80	80lm/W	36°	3810.00	20
GL9C0717125BKNW	25W	4000K	>0.9	ø95x72	ø85	>80	80lm/W	36°	3810.00	20

ODIN - COB Light (PDC - Aluminium) - (White+Black) #

GL9C0717135BKWW	35W	3000K	>0.9	ø105x81	ø95	>80	85lm/W	36°	4620.00	20
GL9C0717135BKNW	35W	4000K	>0.9	ø105x81	ø95	>80	85lm/W	36°	4620.00	20



Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

ODIN

A modern recessed COB spotlight, Odin is an ideal choice for high-ceiling installation in contemporary homes. Made with pressure die-cast aluminium housing, this premium spotlight delivers focused lighting with 36° beam angle. It features a rear heat sink for efficient heat dissipation, ensuring optimal performance. The matte-white finish and black reflector adds a sleek touch, while its uniform light distribution makes it perfect for indoor spaces like offices, hotels, and villas.



SUPREMO



ORBIX PLUS

Orbix+ and Supremo are high-performance LED COB spotlights designed for bright and even illumination. Orbix+ features a 36° beam angle, tiltable design, and a gun black reflector for enhanced focus, housed in pressure die-cast aluminium for efficient heat dissipation. Supremo, on the other hand, offers a 30° beam angle ideal for focused lighting, while its sleek housing colour and deep-recessed design blend seamlessly with any décor. Both Orbix+ and Supremo combine efficiency and elegance, making them ideal for modern interior applications.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

SUPREMO - COB Light (PDC - Aluminium) - (White+Black) #

GASLADR005R01BKWW	5W	3000K	>0.9	ø42x56	ø35	>80	65lm/W	30°	860.00	30
GASLADR005R01BKNW	5W	4000K	>0.9	ø42x56	ø35	>80	65lm/W	30°	860.00	30
GASLADR010R01BKWW	10W	3000K	>0.9	ø54x70	ø45	>80	65lm/W	30°	1040.00	30
GASLADR010R01BKNW	10W	4000K	>0.9	ø54x70	ø45	>80	65lm/W	30°	1040.00	30
GASLADR015R01BKWW	15W	3000K	>0.9	ø66x85	ø55	>80	65lm/W	30°	1310.00	20
GASLADR015R01BKNW	15W	4000K	>0.9	ø66x85	ø55	>80	65lm/W	30°	1310.00	20

ORBIX+ - COB Light (PDC - Aluminium) - (White+Gun Black)

GL9C0713112GBWW	12W	3000K	0.9	ø85x60	ø68	>80	70lm/W	36°	1300.00	30
GL9C0713112GBNW	12W	4000K	0.9	ø85x60	ø68	>80	70lm/W	36°	1300.00	30
GL9C0713112GBCD	12W	6500K	0.9	ø85x60	ø68	>80	70lm/W	36°	1300.00	30

ORBIX+ - COB Light (PDC - Aluminium) - (White+Gun Black)

GL9C0713118GBWW	18W	3000K	0.9	ø105x71	ø89	>80	85lm/W	36°	1650.00	20
GL9C0713118GBNW	18W	4000K	0.9	ø105x71	ø89	>80	85lm/W	36°	1650.00	20
GL9C0713118GBCD	18W	6500K	0.9	ø105x71	ø89	>80	85lm/W	36°	1650.00	20

ORBIX+ - COB Light (PDC - Aluminium) - (White+Gun Black)

GL9C0713130GBWW	30W	3000K	0.9	ø129x86	ø109	>80	85lm/W	36°	2530.00	20
GL9C0713130GBNW	30W	4000K	0.9	ø129x86	ø109	>80	85lm/W	36°	2530.00	20
GL9C0713130GBCD	30W	6500K	0.9	ø129x86	ø109	>80	85lm/W	36°	2530.00	20

ORBIX+ - COB Light (PDC - Aluminium) - (White+Gun Black)


GL9C0713140GBWW	40W	3000K	0.9	ø150x101	ø130	>80	80lm/W	36°	3150.00	10
GL9C0713140GBNW	40W	4000K	0.9	ø150x101	ø130	>80	80lm/W	36°	3150.00	10
GL9C0713140GBCD	40W	6500K	0.9	ø150x101	ø130	>80	80lm/W	36°	3150.00	10

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm



TWIX



GALAXIA

Introducing Twix and Galaxia, modern and stylish downlights for versatile lighting solutions. The Twix COB spotlight is aesthetically designed with dual-colour capability that allows you to effortlessly switch between different CCTs to achieve the desired effect. The Galaxia downlight is ideal for low-depth ceilings with three lighting modes: Main, Outer, and Combined that are suited for different moods and settings. Both luminaires ensure excellent heat dissipation and refined aesthetics, making them perfect for residential and commercial settings.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

TWIX - COB Light (PDC - Aluminium)

GL9C0710107NWWW	7W	4000K+3000K	>0.9	ø67x52	ø55	80	65lm/W	36°	1260.00	20
GL9C0710107NWBL	7W	4000K+BLUE	>0.9	ø67x52	ø55	80	65lm/W	36°	1260.00	20
GL9C0710112NWWW	12W	4000K+3000K	>0.9	ø93x85	ø75	80	65lm/W	36°	1680.00	20
GL9C0710112NWBL	12W	4000K+BLUE	>0.9	ø93x85	ø75	80	65lm/W	36°	1680.00	20

GALAXIA - Downlight - (PDC - Aluminium+PC) #

GADLADR008R01BKWW	8W	3000K	>0.9	ø100x50	ø71	>90	65lm/W	120°	2100.00	50
GADLADR008R01BKNW	8W	4000K	>0.9	ø100x50	ø71	>90	65lm/W	120°	2100.00	50

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis





ORCHID

Brighten your homes and commercial spaces with the Orchid COB spotlights. Crafted to blend with the aesthetics of any room, these spotlights provide an enhanced lighting experience with their 38° beam angle. Equipped with pressured die-cast housing and separate energy drivers, the Orchid spotlights offer efficient and long-lasting performance.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ORCHID - COB Light (PDC - Aluminium) - (Black+Gun Black)

GL9C0701107BKGBWW	7W	3000K	0.9	ø83x52	ø75	>80	75lm/W	38°	1310.00	30
GL9C0701107BKGBNW	7W	4000K	0.9	ø83x52	ø75	>80	75lm/W	38°	1310.00	30

ORCHID - COB Light (PDC - Aluminium) - (Black+Gun Black)

GL9C0701112BKGBWW	12W	3000K	0.9	ø100x60	ø90	>80	75lm/W	38°	1680.00	30
GL9C0701112BKGBNW	12W	4000K	0.9	ø100x60	ø90	>80	75lm/W	38°	1680.00	30
GL9C0701112BKGBZCCT-\$	12W	CCT	0.9	ø100x60	ø90	>80	75lm/W	38°	-	30

For Smart Driver refer G-World Smart Home Catalogue.

ORCHID - COB Light (PDC - Aluminium) - (Black+Gun Black)

GL9C0701118BKGBWW	18W	3000K	0.9	ø124x67	ø110	>80	80lm/W	38°	2310.00	20
GL9C0701118BKGBNW	18W	4000K	0.9	ø124x67	ø110	>80	80lm/W	38°	2310.00	20

ORCHID - COB Light (PDC - Aluminium) - (Black+Rose Gold)

GL9C0701107BKRGNW	7W	4000K	0.9	ø83x52	ø75	>80	75lm/W	38°	1310.00	30
GL9C0701112BKRGNW	12W	4000K	0.9	ø100x60	ø90	>80	75lm/W	38°	1680.00	30
GL9C0701118BKRGNW	18W	4000K	0.9	ø124x67	ø110	>80	80lm/W	38°	2310.00	20

ORCHID - COB Light (PDC - Aluminium) - (White)

GL9C0701107GBWW	7W	3000K	0.9	ø83x52	ø75	>80	75lm/W	38°	1310.00	30
GL9C0701107GBNW	7W	4000K	0.9	ø83x52	ø75	>80	75lm/W	38°	1310.00	30

ORCHID - COB Light (PDC - Aluminium) - (White)

GL9C0701112GBWW	12W	3000K	0.9	ø100x60	ø90	>80	75lm/W	38°	1680.00	30
GL9C0701112GBNW	12W	4000K	0.9	ø100x60	ø90	>80	75lm/W	38°	1680.00	30
GL9C0701112GBZCCT-\$	12W	CCT	0.9	ø100x60	ø90	>80	75lm/W	38°	-	30

For Smart Driver refer G-World Smart Home Catalogue.

ORCHID - COB Light (PDC - Aluminium) - (White)

GL9C0701118GBWW	18W	3000K	0.9	ø124x67	ø110	>80	80lm/W	38°	2310.00	20
GL9C0701118GBNW	18W	4000K	0.9	ø124x67	ø110	>80	80lm/W	38°	2310.00	20

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis





Brighten your homes and commercial spaces with the Comet & Ozean LED COB Downlights. Crafted to complement the aesthetics of any room, these downlights provide an enhanced lighting experience with a 38° beam angle and anti-glare diffusers. Built with pressured die-cast housing and separate energy drivers, the Comet ensures efficient and long-lasting performance. The Ozean, with its clear PC reflector, delivers uniform light distribution and creates a focused beam, making it the perfect choice for niche and accent lighting applications.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
COMET - COB Light (PDC - Aluminium) - (White)										
GL91922WHWW	7W	3000K	>0.9	ø70x77	ø65	>80	85lm/W	38°	1040.00	50
GL91922WHNW	7W	4000K	>0.9	ø70x77	ø65	>80	85lm/W	38°	1040.00	50
GL91923WHWW	12W	3000K	>0.9	ø93x94.5	ø85	>80	85lm/W	38°	1380.00	50
GL91923WHNW	12W	4000K	>0.9	ø93x94.5	ø85	>80	85lm/W	38°	1380.00	50
OZEAN - COB Light (PDC - Aluminium) - (White)										
GL91901WW	6W	3000K	>0.9	ø55x93	ø50	>80	85lm/W	10°	1250.00	50
GL91901NW	6W	4000K	>0.9	ø55x93	ø50	>80	85lm/W	10°	1250.00	50
OZEAN - COB Light (PDC - Aluminium) - (White)										
GL91902WW	12W	3000K	>0.9	ø76x99	ø70	>80	85lm/W	24°	1880.00	50
GL91902NW	12W	4000K	>0.9	ø76x99	ø70	>80	85lm/W	24°	1880.00	50
OZEAN - COB Light (PDC - Aluminium) - (White)										
GL91904WW	18W	3000K	>0.9	ø92x118	ø85	>80	85lm/W	38°	2680.00	10
GL91904NW	18W	4000K	>0.9	ø92x118	ø85	>80	85lm/W	38°	2680.00	10





MAGIC

Crafted for homes, galleries, or commercial spaces seeking efficient lighting with a refined touch, Magic is a truly exceptional recessed spotlight. Available in elegant black and white finishes, it blends seamlessly into modern interiors while delivering strong, focused illumination. With an impressive lumen efficacy of 100lm/W, Magic offers high energy efficiency without compromising on brightness.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
MAGIC - COB Light (PDC - Aluminium) - (White)										
GL9C0723107WW	7W	3000K	>0.9	Ø67x49	Ø58	>80	100lm/W	36°	860.00	50
GL9C0723107NW	7W	4000K	>0.9	Ø67x49	Ø58	>80	100lm/W	36°	860.00	50
MAGIC - COB Light (PDC - Aluminium) - (White)										
GL9C0723112WW	12W	3000K	>0.9	Ø82x53	Ø72	>80	100lm/W	36°	1150.00	50
GL9C0723112NW	12W	4000K	>0.9	Ø82x53	Ø72	>80	100lm/W	36°	1150.00	50
MAGIC - COB Light (PDC - Aluminium) - (White)										
GL9C0723118WW	18W	3000K	>0.9	Ø92x61	Ø80	>80	100lm/W	36°	1560.00	20
GL9C0723118NW	18W	4000K	>0.9	Ø92x61	Ø80	>80	100lm/W	36°	1560.00	20
MAGIC - COB Light (PDC - Aluminium) - (Black)										
GL9C0723107BKWW	7W	3000K	>0.9	Ø67x49	Ø58	>80	100lm/W	36°	860.00	50
GL9C0723107BKNW	7W	4000K	>0.9	Ø67x49	Ø58	>80	100lm/W	36°	860.00	50
MAGIC - COB Light (PDC - Aluminium) - (Black)										
GL9C0723112BKWW	12W	3000K	>0.9	Ø82x53	Ø72	>80	100lm/W	36°	1150.00	50
GL9C0723112BKNW	12W	4000K	>0.9	Ø82x53	Ø72	>80	100lm/W	36°	1150.00	50
MAGIC - COB Light (PDC - Aluminium) - (Black)										
GL9C0723118BKWW	18W	3000K	>0.9	Ø92x61	Ø80	>80	100lm/W	36°	1560.00	20
GL9C0723118BKNW	18W	4000K	>0.9	Ø92x61	Ø80	>80	100lm/W	36°	1560.00	20



SPARK



IGNIS



SPARK PRO



Spark, Spark Pro and Ignis are innovative LED COB spotlights designed with aluminum housings for optimal heat dissipation. Spark Pro's compact design and external constant current LED driver makes it perfect for niche lighting in small fixtures. Ignis features a sleek metallic finish and a deep recess design for a narrow beam angle that is ideal for focused lighting. Both lights are available in White, Black, and Rose Gold finishes to seamlessly complement any interior space.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
SPARK - LED Spotlight with external driver (PDC - Aluminium) - (Black)										
GL9C0706103BKWW	3W	3000K	0.5	ø37x31	ø30	>80	75lm/W	35°	400.00	100
GL9C0706103BKNW	3W	4000K	0.5	ø37x31	ø30	>80	75lm/W	35°	400.00	100
SPARK - LED Spotlight with external driver (PDC - Aluminium) - (White)										
GL9C0706103WW	3W	3000K	0.5	ø37x31	ø30	>80	75lm/W	35°	400.00	100
GL9C0706103NW	3W	4000K	0.5	ø37x31	ø30	>80	75lm/W	35°	400.00	100
SPARK - LED Spotlight with external driver (PDC - Aluminium) - (Rose Gold)										
GL9C0706103RGWW	3W	3000K	0.5	ø37x31	ø30	>80	75lm/W	35°	440.00	100
GL9C0706103RGNW	3W	4000K	0.5	ø37x31	ø30	>80	75lm/W	35°	440.00	100
SPARK PRO - LED Spotlight with external driver (PDC - Aluminium) - (Black)										
GL9C0707103BKWW	3W	3000K	0.5	ø37x27	ø30	>80	75lm/W	35°	400.00	100
GL9C0707103BKNW	3W	4000K	0.5	ø37x27	ø30	>80	75lm/W	35°	400.00	100
SPARK PRO - LED Spotlight with external driver (PDC - Aluminium) - (White)										
GL9C0707103WW	3W	3000K	0.5	ø37x27	ø30	>80	75lm/W	35°	400.00	100
GL9C0707103NW	3W	4000K	0.5	ø37x27	ø30	>80	75lm/W	35°	400.00	100
SPARK PRO - LED Spotlight with external driver (PDC - Aluminium) - (Rose Gold)										
GL9C0707103RGWW	3W	3000K	0.5	ø37x27	ø30	>80	75lm/W	35°	440.00	100
GL9C0707103RGNW	3W	4000K	0.5	ø37x27	ø30	>80	75lm/W	35°	440.00	100
IGNIS - LED Spotlight with external driver (PDC - Aluminium) - (Black)										
GL9C0709103BKWW	3W	3000K	>0.5	ø30x65	ø25	>80	65lm/W	36°	830.00	100
IGNIS - LED Spotlight with external driver (PDC - Aluminium) - (White)										
GL9C0709103WW	3W	3000K	>0.5	ø30x65	ø25	>80	65lm/W	36°	830.00	100
IGNIS - LED Spotlight with external driver (PDC - Aluminium) - (Gun Black)										
GL9C0709103GBWW	3W	3000K	>0.5	ø30x65	ø25	>80	65lm/W	36°	870.00	100
IGNIS - LED Spotlight with external driver (PDC - Aluminium) - (Rose Gold)										
GL9C0709103RGWW	3W	3000K	>0.5	ø30x65	ø25	>80	65lm/W	36°	870.00	100



All dimensions & cut outs are in mm



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
LEO - LED COB Light with switch driver (PC) - (Black)										
GL9C0719106BKSDCNW	6W	3K/4K/6K	>0.9	ø92x115	ø70	>80	100lm/w	30	1570.00	40
LEO - LED COB Light with switch driver (PC) - (White)										
GL9C0719106SDCNW	6W	3K/4K/6K	>0.9	ø92x115	ø70	>80	100lm/w	30	1570.00	40
LEO - LED Surface Light with switch driver (PC) - (Black)										
GL9C0410106BKSDCNW	6W	3K/4K/6K	>0.9	ø92x115	NA	>80	100lm/w	30°	1790.00	40
LEO - LED Surface Light with switch driver (PC) - (White)										
GL9C0410106SDCNW	6W	3K/4K/6K	>0.9	ø92x115	NA	>80	100lm/w	30°	1790.00	40



LEO

The Leo COB spotlight, available in surface and recessed options, redefines modern lighting with its sleek design and robust functionality. Crafted from durable polycarbonate, these lights are designed to offer versatility and style. Available in classic black and white colours, the Leo features a unique pull-out mechanism that enables 360° rotation for optimum illumination, wherever needed. Its in-built switch driver enables seamless switching between warm white, natural white, and cool daylight modes.

All dimensions & cut outs are in mm



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
PICO - Spot Light - 12VDC (PDC - Aluminium) - (Black) #										
GASLAFR001R01BKWW	1W	3000K	0.9	ø20x25	ø15	>90	70lm/W	30°	460.00	100
Nano 01 - Spot Light (PDC - Aluminium) - (Black+Rose Gold)										
GL9C0720103BKRGWW	3W	3000K	≥0.45	ø38x34	ø32	>80	60lm/W	36°	360.00	100

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
STARLITE - LED Spotlight (PDC - Aluminium) Round - (White)										
GL91639WW	1W	3000K	>0.5	ø30x23	ø27	>70	60lm/W	60°	270.00	100
GL91639CD	1W	6500K	>0.5	ø30x23	ø27	>70	70lm/W	60°	270.00	100
GL91639RD	1W	RED	>0.5	ø30x23	ø27	>70	60lm/W	60°	270.00	100
GL91639GN	1W	GREEN	>0.5	ø30x23	ø27	>70	60lm/W	60°	270.00	100
GL91639BL	1W	BLUE	>0.5	ø30x23	ø27	>70	60lm/W	60°	270.00	100


STARLITE - LED Spotlight (PDC - Aluminium) Square - (White)										
GL92639WW	1W	3000K	>0.5	30x30x23	27x27	>70	60lm/W	60°	270.00	100
GL92639CD	1W	6500K	>0.5	30x30x23	27x27	>70	60lm/W	60°	270.00	100
GL92639RD	1W	RED	>0.5	30x30x23	27x27	>70	60lm/W	60°	270.00	100
GL92639GN	1W	GREEN	>0.5	30x30x23	27x27	>70	60lm/W	60°	270.00	100
GL92639BL	1W	BLUE	>0.5	30x30x23	27x27	>70	60lm/W	60°	270.00	100

STARLITE - LED Spotlight (PDC - Aluminium) Round - (White)										
GL91643WW	2W	3000K	>0.33	ø39x28.5	ø32	>60	32lm/W	120°	230.00	50
GL91643CD	2W	6500K	>0.33	ø39x28.5	ø32	>60	32lm/W	120°	230.00	50
GL91643RD	2W	RED	>0.33	ø39x28.5	ø32	>60	32lm/W	120°	230.00	50
GL91643GN	2W	GREEN	>0.33	ø39x28.5	ø32	>60	32lm/W	120°	230.00	50
GL91643BL	2W	BLUE	>0.33	ø39x28.5	ø32	>60	32lm/W	120°	230.00	50

STARLITE - LED Spot Light - Round - (White)										
GL91644WW	3W	3000K	>0.5	ø48x28.5	ø33	>70	70lm/W	60°	330.00	100
GL91644CD	3W	6500K	>0.5	ø48x28.5	ø33	>70	80lm/W	60°	330.00	100
GL91644RD	3W	RED	>0.5	ø48x28.5	ø33	>70	70lm/W	60°	330.00	100
GL91644GN	3W	GREEN	>0.5	ø48x28.5	ø33	>70	70lm/W	60°	330.00	100
GL91644BL	3W	BLUE	>0.5	ø48x28.5	ø33	>70	70lm/W	60°	330.00	100

STARLITE - LED Spot Light - Square- (White)										
GL92644WW	3W	3000K	>0.5	48x48x28.5	33x33	>70	70lm/W	60°	330.00	100
GL92644CD	3W	6500K	>0.5	48x48x28.5	33x33	>70	80lm/W	60°	330.00	100
GL92644RD	3W	RED	>0.5	48x48x28.5	33x33	>70	70lm/W	60°	330.00	100
GL92644GN	3W	GREEN	>0.5	48x48x28.5	33x33	>70	70lm/W	60°	330.00	100
GL92644BL	3W	BLUE	>0.5	48x48x28.5	33x33	>70	70lm/W	60°	330.00	100

All dimensions & cut outs are in mm



STYLO

A premium surface light, Stylo is designed with strong, high-quality die-cast aluminium housing. Available in three wattages and two elegant colour variants – black and rose gold – Stylo blends in with any interior to give a refined look. Its high CRI of 90 ensures rich and vibrant lighting. Stylo's durable build, stylish design, and high-quality housing makes it a perfect choice for those who value both beauty and performance.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

STYLO - Downlight (PDC - Aluminium) Electroplating - 5 years warranty - (Black+Gun Black) #

GL9C0312107BKGBNW	7W	4000K	>0.9	Ø69x52	Ø58	>90	80lm/W	36°	1830.00	30
GL9C0312107BKGBCD	7W	6500K	>0.9	Ø69x52	Ø58	>90	80lm/W	36°	1830.00	30

STYLO - Downlight (PDC - Aluminium) Electroplating - 5 years warranty - (Rose Gold) #

GL9C0312107RGNW	7W	4000K	>0.9	Ø69x52	Ø58	>90	80lm/W	36°	1830.00	30
GL9C0312107RGCD	7W	6500K	>0.9	Ø69x52	Ø58	>90	80lm/W	36°	1830.00	30

STYLO - Downlight (PDC - Aluminium) Electroplating - 5 years warranty - (Black+Gun Black) #

GL9C0312112BKGBNW	12W	4000K	>0.9	Ø83x60	Ø70	>90	80lm/W	36°	2270.00	30
GL9C0312112BKGBCD	12W	6500K	>0.9	Ø83x60	Ø70	>90	80lm/W	36°	2270.00	30

STYLO - Downlight (PDC - Aluminium) Electroplating - 5 years warranty - (Rose Gold) #

GL9C0312112RGNW	12W	4000K	>0.9	Ø83x60	Ø70	>90	80lm/W	36°	2270.00	30
GL9C0312112RGCD	12W	6500K	>0.9	Ø83x60	Ø70	>90	80lm/W	36°	2270.00	30

STYLO - Downlight (PDC - Aluminium) Electroplating - 5 years warranty - (Black+Gun Black) #

GL9C0312118BKGBNW	18W	4000K	>0.9	Ø96x70	Ø85	>90	80lm/W	36°	2920.00	30
GL9C0312118BKGBCD	18W	6500K	>0.9	Ø96x70	Ø85	>90	80lm/W	36°	2920.00	30

STYLO - Downlight (PDC - Aluminium) Electroplating - 5 years warranty - (Rose Gold) #

GL9C0312118RGNW	18W	4000K	>0.9	Ø96x70	Ø85	>90	80lm/W	36°	2920.00	30
GL9C0312118RGCD	18W	6500K	>0.9	Ø96x70	Ø85	>90	80lm/W	36°	2920.00	30



Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
AIRONIX - LED Negative Ions Downlight										
GL9C0314115BKNW	15W	4000K	>0.9	Ø123x55	Ø115	>80	100lm/W	120°	3470.00	20
GL9C0314115BKCD	15W	6500K	>0.9	Ø123x55	Ø115	>80	100lm/W	120°	3470.00	20



100 LUMENS PER WATT


ENERGY SAVING

UP TO 4KV SURGE PROTECTION

EXTERNAL DRIVER

- Specifications**
- Emits millions of negative ions to help reduce airborne pollutants like PM2.5, dust, and smoke
 - Reduces PM2.5 levels within 30-60 minutes after turning on the light and promotes a cleaner, fresher indoor atmosphere
 - One light effectively purifies the air up to 50 sq. ft - ideal for homes, offices, or bedrooms and operates silently
 - LED light with built-in air purifying ionizer

- 3 modes operation**
- Lighting only
 - Negative ion activation
 - Light with negative ion



All dimensions & cut outs are in mm

AIRONIX

Presenting Aironix – an LED Negative Ions Downlight that not only emits light but breathes wellness. This innovative downlight illuminates your space with superior brightness and energy efficiency while releasing negative ions that help purify the air, creating a refreshing and healthier environment. Designed with advanced cooling fins for longer life and consistent performance, Aironix perfectly blends cutting-edge lighting with wellbeing. Ideal for modern homes, offices, and wellness spaces, Aironix delivers the perfect blend of light and purity.



BRIO

POLO

AMORA

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
POLO - Downlight with external driver (PDC - Aluminium) - (White+Gun Black)										
GL9C0306107GBWW	7W	3000K	0.9	ø81x50	ø75	>80	55lm/W	120°	840.00	30
GL9C0306107GBNW	7W	4000K	0.9	ø81x50	ø75	>80	55lm/W	120°	840.00	30
GL9C0306107GBCD	7W	6500K	0.9	ø81x50	ø75	>80	55lm/W	120°	840.00	30
GL9C0306112GBWW	12W	3000K	0.9	ø102x53	ø95	>80	75lm/W	120°	1150.00	30
GL9C0306112GBNW	12W	4000K	0.9	ø102x53	ø95	>80	75lm/W	120°	1150.00	30
GL9C0306112GBCD	12W	6500K	0.9	ø102x53	ø95	>80	75lm/W	120°	1150.00	30
GL9C0306118GBWW	18W	3000K	0.9	ø124x62	ø115	>80	80lm/W	120°	1500.00	20
GL9C0306118GBNW	18W	4000K	0.9	ø124x62	ø115	>80	80lm/W	120°	1500.00	20
GL9C0306118GBCD	18W	6500K	0.9	ø124x62	ø115	>80	80lm/W	120°	1500.00	20



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
POLO - Downlight with external driver (PDC - Aluminium) - (White+White)										
GL9C0306107WW	7W	3000K	0.9	ø81x50	ø75	>80	52lm/W	120°	840.00	30
GL9C0306107NW	7W	4000K	0.9	ø81x50	ø75	>80	52lm/W	120°	840.00	30
GL9C0306107CD	7W	6500K	0.9	ø81x50	ø75	>80	52lm/W	120°	840.00	30
GL9C0306112WW	12W	3000K	0.9	ø102x53	ø95	>80	75lm/W	120°	1150.00	30
GL9C0306112NW	12W	4000K	0.9	ø102x53	ø95	>80	75lm/W	120°	1150.00	30
GL9C0306112CD	12W	6500K	0.9	ø102x53	ø95	>80	75lm/W	120°	1150.00	30
GL9C0306118WW	18W	3000K	0.9	ø124x62	ø115	>80	80lm/W	120°	1500.00	20
GL9C0306118NW	18W	4000K	0.9	ø124x62	ø115	>80	80lm/W	120°	1500.00	20
GL9C0306118CD	18W	6500K	0.9	ø124x62	ø115	>80	80lm/W	120°	1500.00	20



POLO - Downlight with external driver (PDC - Aluminium) - (White+Gun Black) #										
GL9C0306112GBZCNW-\$	12W	CNW	0.9	ø102x53	ø95	>80	75lm/W	120°	-	30
GL9C0306118GBZCNW-\$	18W	CNW	0.9	ø124x62	ø115	>80	80lm/W	120°	-	20



For Smart Driver refer G-World Smart Home Catalogue.

AMORA - Downlight with external driver (PDC - Aluminium) - (Black) #										
GL9C0313115BKNW	15W	4000K	>0.9	ø102x56	ø95	>80	80lm/W	70°	2580.00	50
GL9C0313115BKCD	15W	6500K	>0.9	ø102x56	ø95	>80	80lm/W	70°	2580.00	50
GL9C0313115BKZCNW-\$	15W	CNW	>0.9	ø102x56	ø95	>80	80lm/W	70°	-	50



For Smart Driver refer G-World Smart Home Catalogue.

AMORA - Downlight with external driver (PDC - Aluminium) - (White) #										
GL9C0313115NW	15W	4000K	>0.9	ø102x56	ø95	>80	80lm/W	70°	2580.00	50
GL9C0313115CD	15W	6500K	>0.9	ø102x56	ø95	>80	80lm/W	70°	2580.00	50



BRIO - Downlight with external driver (PDC - Aluminium) - (White+Black)										
GL9C0305108BKWW	8W	3000K	>0.9	ø81x32	ø75	>90	70lm/W	24°	1110.00	40
GL9C0305108BKNW	8W	4000K	>0.9	ø81x32	ø75	>90	70lm/W	24°	1110.00	40
GL9C0305115BKWW	15W	3000K	>0.9	ø102x32	ø95	>90	80lm/W	24°	1380.00	40
GL9C0305115BKNW	15W	4000K	>0.9	ø102x32	ø95	>90	80lm/W	24°	1380.00	40
GL9C0305125BKWW	25W	3000K	>0.9	ø145x32	ø140	>90	80lm/W	24°	2150.00	40
GL9C0305125BKNW	25W	4000K	>0.9	ø145x32	ø140	>90	80lm/W	24°	2150.00	40





FALCON

Falcon, the recess-mounted LED downlight is an ideal option for providing bright and even lighting in desired areas. Available in both white as well as black housings, this downlight ensures uniform lighting with its 105° beam angle and anti-glare diffusers. With pressured die-cast housing and a separate energy-efficient driver, the Falcon performs seamlessly for a longer duration.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

FALCON - Downlight with external driver (PDC - Aluminium) - (Black+Gun Black)

GL9C0301107BKGBWW	7W	3000K	0.9	ø83x52	ø75	>80	80lm/W	105°	1130.00	30
GL9C0301107BKGBNW	7W	4000K	0.9	ø83x52	ø75	>80	80lm/W	105°	1130.00	30
GL9C0301107BKGBCD	7W	6500K	0.9	ø83x52	ø75	>80	80lm/W	105°	1130.00	30

FALCON - Downlight with external driver (PDC - Aluminium) - (Black+Gun Black)

GL9C0301112BKGBWW	12W	3000K	0.9	ø100x60	ø90	>80	80lm/W	105°	1450.00	30
GL9C0301112BKGBNW	12W	4000K	0.9	ø100x60	ø90	>80	80lm/W	105°	1450.00	30
GL9C0301112BKGBCD	12W	6500K	0.9	ø100x60	ø90	>80	80lm/W	105°	1450.00	30

FALCON - Downlight with external driver (PDC - Aluminium) - (Black+Gun Black)

GL9C0301118BKGBWW	18W	3000K	0.9	ø124x67	ø110	>80	85lm/W	105°	2020.00	20
GL9C0301118BKGBNW	18W	4000K	0.9	ø124x67	ø110	>80	85lm/W	105°	2020.00	20
GL9C0301118BKGBCD	18W	6500K	0.9	ø124x67	ø110	>80	85lm/W	105°	2020.00	20

FALCON - Downlight with external driver (PDC - Aluminium) - (White+Gun Black)

GL9C0301107GBWW	7W	3000K	0.9	ø83x52	ø75	>80	80lm/W	105°	1130.00	30
GL9C0301107GBNW	7W	4000K	0.9	ø83x52	ø75	>80	80lm/W	105°	1130.00	30
GL9C0301107GBCD	7W	6500K	0.9	ø83x52	ø75	>80	80lm/W	105°	1130.00	30


FALCON - Downlight with external driver (PDC - Aluminium) - (White+Gun Black)

GL9C0301112GBWW	12W	3000K	0.9	ø100x60	ø90	>80	80lm/W	105°	1450.00	30
GL9C0301112GBNW	12W	4000K	0.9	ø100x60	ø90	>80	80lm/W	105°	1450.00	30
GL9C0301112GBCD	12W	6500K	0.9	ø100x60	ø90	>80	80lm/W	105°	1450.00	30

FALCON - Downlight with external driver (PDC - Aluminium) - (White+Gun Black)

GL9C0301118GBWW	18W	3000K	0.9	ø124x67	ø110	>80	85lm/W	105°	2020.00	20
GL9C0301118GBNW	18W	4000K	0.9	ø124x67	ø110	>80	85lm/W	105°	2020.00	20
GL9C0301118GBCD	18W	6500K	0.9	ø124x67	ø110	>80	85lm/W	105°	2020.00	20





ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

APOLLO - Downlight with external driver (PDC - Aluminium) - Round

GL91318WW	10W	3000K	>0.9	ø120x60	ø108	>80	90lm/W	120°	1030.00	40
GL91318NW	10W	4000K	>0.9	ø120x60	ø108	>80	90lm/W	120°	1030.00	40
GL91318CD	10W	6500K	>0.9	ø120x60	ø108	>80	100lm/W	120°	1030.00	40
GL91319WW	15W	3000K	>0.9	ø155x65	ø145	>80	90lm/W	120°	1480.00	40
GL91319NW	15W	4000K	>0.9	ø155x65	ø145	>80	90lm/W	120°	1480.00	40
GL91319CD	15W	6500K	>0.9	ø155x65	ø145	>80	100lm/W	120°	1480.00	40
GL91320WW	20W	3000K	>0.9	ø175x65	ø165	>80	90lm/W	120°	1980.00	20
GL91320NW	20W	4000K	>0.9	ø175x65	ø165	>80	90lm/W	120°	1980.00	20
GL91320CD	20W	6500K	>0.9	ø175x65	ø165	>80	100lm/W	120°	1980.00	20

APOLLO - Downlight with external driver (PDC - Aluminium) - Square

GL92318WW	10W	3000K	>0.9	120x120x60	108x108	>80	90lm/W	120°	1030.00	40
GL92318NW	10W	4000K	>0.9	120x120x60	108x108	>80	90lm/W	120°	1030.00	40
GL92318CD	10W	6500K	>0.9	120x120x60	108x108	>80	100lm/W	120°	1030.00	40
GL92319WW	15W	3000K	>0.9	155x155x65	145x145	>80	90lm/W	120°	1480.00	40
GL92319NW	15W	4000K	>0.9	155x155x65	145x145	>80	90lm/W	120°	1480.00	40
GL92319CD	15W	6500K	>0.9	155x155x65	145x145	>80	100lm/W	120°	1480.00	40
GL92320WW	20W	3000K	>0.9	175x175x65	165x165	>80	90lm/W	120°	1980.00	20
GL92320NW	20W	4000K	>0.9	175x175x65	165x165	>80	90lm/W	120°	1980.00	20
GL92320CD	20W	6500K	>0.9	175x175x65	165x165	>80	100lm/W	120°	1980.00	20



APOLLO

The Apollo LED downlights, with their pressure die cast housings, anti-glare diffusers and separate energy-efficient drivers offer delightful colour consistency and glare-free lighting in any setting. Delivering a higher quality of light, these downlights are ideal solutions for both residential and commercial use. Easy to install and available in both round and square shapes, the Apollo not only maximize your energy savings but also the elegance of your interiors.

All dimensions & cut outs are in mm



ORZO & OZIVA

Innovative and stylish, the Orzo and Oziva are perfect, modern LED lights for contemporary interiors. The Orzo panel light ensures a consistent lighting experience with robust housing and low-flicker technology. While the Oziva downlight's versatile 2-in-1 feature lets you choose between a bright, cool daylight (6500K) and a stunning blue/pink glow, you can even use both at once for aesthetic purposes. The trim-less round design of both the lights add a modern touch to its design.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
OZIVA - Downlight with external driver (PDC - Aluminium)										
GL9C0309109CBL	9W	6500K+BLUE	≥0.95	ø85x26	ø65	>80	80lm/W	-	750.00	50
GL9C0309109CPN	9W	6500K+PINK	≥0.95	ø85x26	ø65	>80	80lm/W	-	750.00	50
OZIVA - Downlight with external driver (PDC - Aluminium)										
GL9C0309112CBL	12W	6500K+BLUE	≥0.95	ø103x26	ø85	>80	85lm/W	-	920.00	50
GL9C0309112CPN	12W	6500K+PINK	≥0.95	ø103x26	ø85	>80	85lm/W	-	920.00	50
OZIVA - Downlight with external driver (PDC - Aluminium)										
GL9C0309116CBL	16W	6500K+BLUE	≥0.95	ø125x26	ø105	>80	85lm/W	-	1040.00	50
GL9C0309116CPN	16W	6500K+PINK	≥0.95	ø125x26	ø105	>80	85lm/W	-	1040.00	50
ORZO - Downlight with external driver (PDC - Aluminium)										
GL9C0307109WW	9W	3000K	≥0.95	ø87x32	ø75	>80	80lm/W	-	730.00	50
GL9C0307109NW	9W	4000K	≥0.95	ø87x32	ø75	>80	80lm/W	-	730.00	50
GL9C0307109CD	9W	6500K	≥0.95	ø87x32	ø75	>80	80lm/W	-	730.00	50
ORZO - Downlight with external driver (PDC - Aluminium)										
GL9C0307112WW	12W	3000K	≥0.95	ø106x32	ø95	>80	90lm/W	-	790.00	40
GL9C0307112NW	12W	4000K	≥0.95	ø106x32	ø95	>80	90lm/W	-	790.00	40
GL9C0307112CD	12W	6500K	≥0.95	ø106x32	ø95	>80	90lm/W	-	790.00	40
ORZO - Downlight with external driver (PDC - Aluminium)										
GL9C0307118NW	18W	4000K	≥0.95	ø129x32	ø117	>80	90lm/W	-	1020.00	20
GL9C0307118CD	18W	6500K	≥0.95	ø129x32	ø117	>80	90lm/W	-	1020.00	20
ORZO - Downlight with external driver (PDC - Aluminium)										
GL9C0307124NW	24W	4000K	≥0.95	ø163x32	ø152	>80	90lm/W	-	1400.00	20
GL9C0307124CD	24W	6500K	≥0.95	ø163x32	ø152	>80	90lm/W	-	1400.00	20
ORZO - Downlight with external driver (PDC - Aluminium)										
GL9C0307136NW	36W	4000K	≥0.95	ø206x32	ø195	>80	90lm/W	-	1830.00	20
GL9C0307136CD	36W	6500K	≥0.95	ø206x32	ø195	>80	90lm/W	-	1830.00	20





ICONIC

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ICONIC - Panel Light with external driver (PDC + Aluminium) - Round

GL9C0206105WW	5W	3000K	≥0.9	ø90x30	ø75	≥80	80lm/W	-	540.00	20
GL9C0206105NW	5W	4000K	≥0.9	ø90x30	ø75	≥80	80lm/W	-	540.00	20
GL9C0206105CD	5W	6500K	≥0.9	ø90x30	ø75	≥80	80lm/W	-	540.00	20

ICONIC - Panel Light with external driver (PDC + Aluminium) - Round

GL9C0206110WW	10W	3000K	≥0.9	ø120x30	ø105	≥80	90lm/W	-	730.00	20
GL9C0206110NW	10W	4000K	≥0.9	ø120x30	ø105	≥80	90lm/W	-	730.00	20
GL9C0206110CD	10W	6500K	≥0.9	ø120x30	ø105	≥80	90lm/W	-	730.00	20

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ICONIC - Panel Light with external driver (PDC + Aluminium) - Round

GL9C0206115WW	15W	3000K	≥0.9	ø170x30	ø160	≥80	100lm/W	-	980.00	20
GL9C0206115NW	15W	4000K	≥0.9	ø170x30	ø160	≥80	100lm/W	-	980.00	20
GL9C0206115CD	15W	6500K	≥0.9	ø170x30	ø160	≥80	100lm/W	-	980.00	20

ICONIC - Panel Light with external driver (PDC + Aluminium) - Round

GL9C0206120WW	20W	3000K	≥0.9	ø220x30	ø208	≥80	100lm/W	-	1270.00	10
GL9C0206120NW	20W	4000K	≥0.9	ø220x30	ø208	≥80	100lm/W	-	1270.00	10
GL9C0206120CD	20W	6500K	≥0.9	ø220x30	ø208	≥80	100lm/W	-	1270.00	10

ICONIC - Panel Light with external driver (PDC + Aluminium) - Square

GL9C0206205WW	5W	3000K	≥0.9	90x90x30	75x75	≥80	80lm/W	-	540.00	20
GL9C0206205NW	5W	4000K	≥0.9	90x90x30	75x75	≥80	80lm/W	-	540.00	20
GL9C0206205CD	5W	6500K	≥0.9	90x90x30	75x75	≥80	80lm/W	-	540.00	20

ICONIC - Panel Light with external driver (PDC + Aluminium) - Square

GL9C0206210WW	10W	3000K	≥0.9	120x120x30	105x105	≥80	0lm/W	-	730.00	20
GL9C0206210NW	10W	4000K	≥0.9	120x120x30	105x105	≥80	90lm/W	-	730.00	20
GL9C0206210CD	10W	6500K	≥0.9	120x120x30	105x105	≥80	90lm/W	-	730.00	20

ICONIC - Panel Light with external driver (PDC + Aluminium) - Square

GL9C0206215WW	15W	3000K	≥0.9	170x170x30	160x160	≥80	100lm/W	-	980.00	20
GL9C0206215NW	15W	4000K	≥0.9	170x170x30	160x160	≥80	100lm/W	-	980.00	20
GL9C0206215CD	15W	6500K	≥0.9	170x170x30	160x160	≥80	100lm/W	-	980.00	20

ICONIC - Panel Light with external driver (PDC + Aluminium) - Square

GL9C0206220WW	20W	3000K	≥0.9	220x220x30	208x208	≥80	100lm/W	-	1270.00	10
GL9C0206220NW	20W	4000K	≥0.9	220x220x30	208x208	≥80	100lm/W	-	1270.00	10
GL9C0206220CD	20W	6500K	≥0.9	220x220x30	208x208	≥80	100lm/W	-	1270.00	10



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

TROY - Panel Light with Adjustable Cut-out

GL9C0202108CIB	8W	6500K+Ice Blue	>0.90	ø110x32	ø60-80	>80	90lm/w	120°	720.00	50
GL9C0202108CPN	8W	6500K+Pink	>0.90	ø110x32	ø60-80	>80	90lm/w	120°	720.00	50
GL9C0202108CGN	8W	6500K+Green	>0.90	ø110x32	ø60-80	>80	90lm/w	120°	720.00	50
GL9C0202108CAM	8W	6500K+Amber	>0.90	ø110x32	ø60-80	>80	90lm/w	120°	720.00	50
GL9C0202108CRBP	8W	6500K+RBP	>0.90	ø110x32	ø60-80	>80	90lm/w	120°	720.00	50

TROY - Panel Light with Adjustable Cut-out

GL9C0202112CIB	12W	6500K+Ice Blue	>0.90	ø170x32	ø75-130	>80	95lm/w	120°	1100.00	40
GL9C0202112CPN	12W	6500K+Pink	>0.90	ø170x32	ø75-130	>80	95lm/w	120°	1100.00	40
GL9C0202112CGN	12W	6500K+Green	>0.90	ø170x32	ø75-130	>80	95lm/w	120°	1100.00	40
GL9C0202112CAM	12W	6500K+Amber	>0.90	ø170x32	ø75-130	>80	95lm/w	120°	1100.00	40
GL9C0202112CRBP	12W	6500K+RBP	>0.90	ø170x32	ø75-130	>80	95lm/w	120°	1100.00	40

HEXO - Panel Light with Adjustable Cut-out

GL9C0201110CNW	10W	CNW	>0.9	ø120x34	ø75-100	>80	85lm/w	100°	1230.00	40
----------------	-----	-----	------	---------	---------	-----	--------	------	---------	----

HEXO - Panel Light with Adjustable Cut-out

GL9C0201120CNW	20W	CNW	>0.9	ø170x34	ø75-150	>80	90lm/w	100°	1910.00	20
----------------	-----	-----	------	---------	---------	-----	--------	------	---------	----

The Troy and Hexo panel lights blend modern style with innovative technology, perfect for illuminating any space with elegance. The Troy, featuring a sleek aluminum polycarbonate housing, offers dual color options, 90 lm/W efficiency, and energy-saving features. The Hexo, with its slim design, adapts to any ceiling. With its versatile color-changing capabilities, you can toggle between different color temperatures with an ON/OFF of the switch. Inspired by the honeycomb design, Hexo creates enchanting reflections. Both lights combine functionality and aesthetic brilliance for your lighting needs.



QUADRO

Designed to complement any modern décor, Quadro is sleek and durable panel lights crafted with high-quality polycarbonate housing. Quadro is available in both round and square shapes. Quadro features a 3-in-1 colour- changing function that allows users to customise the colour temperature for the perfect ambiance. Quadro is versatile lights suitable for a variety of applications.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

QUADRO - Profile Panel Light with external driver (PC) - Round

GL9C0205115CNW	15W	CNW	>0.9	ø168x33	ø160	>80	75lm/W	NA	790.00	30
----------------	-----	-----	------	---------	------	-----	--------	----	--------	----

QUADRO - Profile Panel Light with external driver (PC) - Square

GL9C0205215CNW	15W	CNW	>0.9	168x168x33	160x160	>80	75lm/W	NA	790.00	30
----------------	-----	-----	------	------------	---------	-----	--------	----	--------	----





ZION

An ultra-slim, frameless LED panel light, the Zion provides soft yet optimal illumination for that perfect ambient experience. Equipped with an adjustable slot-locking mechanism, the Zion is easy to install even in smaller ceiling cutouts. Available with aesthetically designed polycarbonate housing, anti-glare diffuser and an integrated driver, the Zion adds a sense of luxury and aesthetics along with high-quality light to any space.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ZION - Panel Light with Adjustable cut-out (PC) Round

GL91273WW	12W	3000K	>0.9	ø120x34	66-97	>80	80lm/W	120°	750.00	40
GL91273NW	12W	4000K	>0.9	ø120x34	66-97	>80	80lm/W	120°	750.00	40
GL91273CD	12W	6500K	>0.9	ø120x34	66-97	>80	80lm/W	120°	750.00	40
GL91274WW	18W	3000K	>0.9	ø170x34	65-150	>80	85lm/W	120°	1190.00	20
GL91274NW	18W	4000K	>0.9	ø170x34	65-150	>80	85lm/W	120°	1190.00	20
GL91274CD	18W	6500K	>0.9	ø170x34	65-150	>80	85lm/W	120°	1190.00	20
GL91276WW	24W	3000K	>0.9	ø223x34	65-197	>80	85lm/W	120°	1570.00	10
GL91276NW	24W	4000K	>0.9	ø223x34	65-197	>80	85lm/W	120°	1570.00	10
GL91276CD	24W	6500K	>0.9	ø223x34	65-197	>80	85lm/W	120°	1570.00	10

ZION - Panel Light with Adjustable cut-out (PC) Square - (White)

GL92273WW	12W	3000K	>0.9	120x120x34	66-97	>80	80lm/W	120°	750.00	40
GL92273NW	12W	4000K	>0.9	120x120x34	66-97	>80	80lm/W	120°	750.00	40
GL92273CD	12W	6500K	>0.9	120x120x34	66-97	>80	80lm/W	120°	750.00	40
GL92274WW	18W	3000K	>0.9	170x170x34	65-150	>80	85lm/W	120°	1190.00	20
GL92274NW	18W	4000K	>0.9	170x170x34	65-150	>80	85lm/W	120°	1190.00	20
GL92274CD	18W	6500K	>0.9	170x170x34	65-150	>80	85lm/W	120°	1190.00	20
GL92276WW	24W	3000K	>0.9	223x223x34	65-197	>80	85lm/W	120°	1570.00	10
GL92276NW	24W	4000K	>0.9	223x223x34	65-197	>80	85lm/W	120°	1570.00	10
GL92276CD	24W	6500K	>0.9	223x223x34	65-197	>80	85lm/W	120°	1570.00	10



PIXO



STYLO



GALAXY



ORBIT



The Orbit, Galaxy, and Pixo LED surface spotlights offer a stylish blend of functionality and design. The Orbit features a sleek, low-glare honeycomb baffle, while the Galaxy provides a minimalistic cylindrical spotlight. Both these lights are available in black as well as white housings. The Pixo stands out with its unique cylindrical design, enhancing artistic flair and lighting capabilities. Each model is designed for easy installation, ensuring a perfect fit for any modern interior.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

STYLO - Surface Light (PDC - Aluminium) - Electroplating (5 yrs. warranty) - (Black+Gun Black) #

GL9C0412107BKGBNW	7W	4000K	>0.9	ø58x60	N/A	>90	80lm/W	36°	1690.00	40
GL9C0412107BKGBCD	7W	6500k	>0.9	ø58x60	N/A	>90	80lm/W	36°	1690.00	40

STYLO - Surface Light (PDC - Aluminium) - Electroplating (5 yrs. warranty) - (Rose Gold+Rose Gold) #

GL9C0412107RGNW	7W	4000K	>0.9	ø58x60	N/A	>90	80lm/W	36°	1690.00	40
GL9C0412107RGCD	7W	6500k	>0.9	ø58x60	N/A	>90	80lm/W	36°	1690.00	40

STYLO - Surface Light (PDC - Aluminium) - Electroplating (5 yrs. warranty) - (Black+Gun Black) #

GL9C0412112BKGBNW	12W	4000K	>0.9	ø72x72	N/A	>90	80lm/W	36°	2100.00	40
GL9C0412112BKGBCD	12W	6500K	>0.9	ø72x72	N/A	>90	80lm/W	36°	2100.00	40

STYLO - Surface Light (PDC - Aluminium) - Electroplating (5 yrs. warranty) - (Rose Gold+Rose Gold) #

GL9C0412112RGNW	12W	4000K	>0.9	ø72x72	N/A	>90	80lm/W	36°	2100.00	40
GL9C0412112RGCD	12W	6500K	>0.9	ø72x72	N/A	>90	80lm/W	36°	2100.00	40

STYLO - Surface Light (PDC - Aluminium) - Electroplating (5 yrs. warranty) - (Black+Gun Black) #

GL9C0412118BKGBNW	18W	4000K	>0.9	ø85x80	N/A	>90	80lm/W	36°	2690.00	40
GL9C0412118BKGBCD	18W	6500K	>0.9	ø85x80	N/A	>90	80lm/W	36°	2690.00	40

STYLO - Surface Light (PDC - Aluminium) - Electroplating (5 yrs. warranty) - (Rose Gold+Rose Gold) #

GL9C0412118RGNW	18W	4000K	>0.9	ø85x80	N/A	>90	80lm/W	36°	2690.00	40
GL9C0412118RGCD	18W	6500K	>0.9	ø85x80	N/A	>90	80lm/W	36°	2690.00	40

ORBIT - Surface Light (PDC - Aluminium) - (Black+Gun Black)

GL9C0403105BKGBWW	5W	3000K	0.9	ø55x68	NA	>80	70lm/W	36°	1130.00	30
GL9C0403105BKGBNW	5W	4000K	0.9	ø55x68	NA	>80	70lm/W	36°	1130.00	30
GL9C0403105BKGBCD	5W	6500K	0.9	ø55x68	NA	>80	70lm/W	36°	1130.00	30
GL9C0403107BKGBWW	7W	3000K	0.9	ø55x68	NA	>80	70lm/W	36°	1130.00	30
GL9C0403107BKGBNW	7W	4000K	0.9	ø55x68	NA	>80	70lm/W	36°	1130.00	30
GL9C0403107BKGBCD	7W	6500K	0.9	ø55x68	NA	>80	70lm/W	36°	1130.00	30
GL9C0403109BKGBWW	9W	3000K	0.9	ø75x73	NA	>80	75lm/W	36°	1420.00	30
GL9C0403109BKGBNW	9W	4000K	0.9	ø75x73	NA	>80	75lm/W	36°	1420.00	30
GL9C0403109BKGBCD	9W	6500K	0.9	ø75x73	NA	>80	75lm/W	36°	1420.00	30

All dimensions & cut outs are in mm

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ORBIT - Surface Light (PDC - Aluminium) - (Black+Gun Black)

GL9C0403112BKGBWW	12W	3000K	0.9	ø75x73	NA	>80	75lm/W	36°	1420.00	30
GL9C0403112BKGBNW	12W	4000K	0.9	ø75x73	NA	>80	75lm/W	36°	1420.00	30
GL9C0403112BKGBCD	12W	6500K	0.9	ø75x73	NA	>80	75lm/W	36°	1420.00	30
GL9C0403118BKGBWW	18W	3000K	0.9	ø95x97	NA	>80	80lm/W	36°	2080.00	20
GL9C0403118BKGBNW	18W	4000K	0.9	ø95x97	NA	>80	80lm/W	36°	2080.00	20
GL9C0403118BKGBCD	18W	6500K	0.9	ø95x97	NA	>80	80lm/W	36°	2080.00	20

ORBIT - Surface Light (PDC - Aluminium) - (White+Gun Black)

GL9C0403105GBWW	5W	3000K	0.9	ø55x68	NA	>80	70lm/W	36°	1130.00	30
GL9C0403105GBNW	5W	4000K	0.9	ø55x68	NA	>80	70lm/W	36°	1130.00	30
GL9C0403105GBCD	5W	6500K	0.9	ø55x68	NA	>80	70lm/W	36°	1130.00	30
GL9C0403109GBWW	9W	3000K	0.9	ø75x73	NA	>80	75lm/W	36°	1420.00	30
GL9C0403109GBNW	9W	4000K	0.9	ø75x73	NA	>80	75lm/W	36°	1420.00	30
GL9C0403109GBCD	9W	6500K	0.9	ø75x73	NA	>80	75lm/W	36°	1420.00	30
GL9C0403118GBWW	18W	3000K	0.9	ø95x97	NA	>80	80lm/W	36°	2080.00	20
GL9C0403118GBNW	18W	4000K	0.9	ø95x97	NA	>80	80lm/W	36°	2080.00	20
GL9C0403118GBCD	18W	6500K	0.9	ø95x97	NA	>80	80lm/W	36°	2080.00	20

GALAXY - Surface Light (PDC - Aluminium) - (White)

GL9C0404105WW	5W	3000K	0.9	ø60x66	NA	>80	85lm/W	36°	1330.00	30
GL9C0404105NW	5W	4000K	0.9	ø60x66	NA	>80	85lm/W	36°	1330.00	30
GL9C0404105CD	5W	6500K	0.9	ø60x66	NA	>80	85lm/W	36°	1330.00	30

GALAXY - Surface Light (PDC - Aluminium) - (White)

GL9C0404107WW	7W	3000K	0.9	ø75x81	NA	>80	80lm/W	36°	1570.00	30
GL9C0404107NW	7W	4000K	0.9	ø75x81	NA	>80	80lm/W	36°	1570.00	30
GL9C0404107CD	7W	6500K	0.9	ø75x81	NA	>80	80lm/W	36°	1570.00	30

GALAXY - Surface Light (PDC - Aluminium) - (White)

GL9C0404112WW	12W	3000K	0.9	ø85x91	NA	>80	75lm/W	36°	1920.00	20
GL9C0404112NW	12W	4000K	0.9	ø85x91	NA	>80	75lm/W	36°	1920.00	20
GL9C0404112CD	12W	6500K	0.9	ø85x91	NA	>80	75lm/W	36°	1920.00	20

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

GALAXY - Surface Light (PDC - Aluminium) - (Black)

GL9C0404107BKWW	7W	3000K	0.9	ø60x66	NA	>80	85lm/W	36°	1330.00	30
GL9C0404107BKNW	7W	4000K	0.9	ø60x66	NA	>80	85lm/W	36°	1330.00	30
GL9C0404107BKCD	7W	6500K	0.9	ø60x66	NA	>80	85lm/W	36°	1330.00	30

GALAXY - Surface Light (PDC - Aluminium) - (Black)

GL9C0404112BKWW	12W	3000K	0.9	ø75x80	NA	>80	80lm/W	36°	1680.00	30
GL9C0404112BKNW	12W	4000K	0.9	ø75x80	NA	>80	80lm/W	36°	1680.00	30
GL9C0404112BKCD	12W	6500K	0.9	ø75x80	NA	>80	80lm/W	36°	1680.00	30

GALAXY - Surface Light (PDC - Aluminium) - (Black)

GL9C0404118BKWW	18W	3000K	>0.9	ø85x91	NA	>80	75lm/W	36°	2230.00	20
GL9C0404118BKNW	18W	4000K	>0.9	ø85x91	NA	>80	75lm/W	36°	2230.00	20
GL9C0404118BKCD	18W	6500K	>0.9	ø85x91	NA	>80	75lm/W	36°	2230.00	20

PIXO - Surface Light (PDC - Aluminium) - (White+Black)

GL9C0405106BKWW	6W	3000K	>0.5	ø48x75	NA	>80	80lm/W	60°	1080.00	30
GL9C0405114BKWW	14W	3000K	>0.9	ø67x80	NA	>80	85lm/W	60°	1730.00	30
GL9C0405124BKWW	24W	3000K	>0.9	ø93x76	NA	>80	100lm/W	60°	2500.00	20

PIXO - Surface Light (PDC - Aluminium) - (Black+Black)

GL9C0405106BKBKWW	6W	3000K	>0.5	ø48x75	NA	>80	80lm/W	60°	1080.00	30
GL9C0405114BKBKWW	14W	3000K	>0.9	ø67x80	NA	>80	85lm/W	60°	1730.00	30
GL9C0405124BKBKWW	24W	3000K	>0.9	ø93x76	NA	>80	100lm/W	60°	2500.00	20

PIXO - Surface Light (PDC - Aluminium) - (Black+Gold)

GL9C0405106BKGLWW	6W	3000K	>0.5	ø48x75	NA	>80	80lm/W	60°	1080.00	30
GL9C0405114BKGLWW	14W	3000K	>0.9	ø67x80	NA	>80	85lm/W	60°	1730.00	30
GL9C0405124BKGLWW	24W	3000K	>0.9	ø93x76	NA	>80	100lm/W	60°	2500.00	20



Elegant and stylish, Focal and Planet are surface-mounted LED lights that are designed for both residential and commercial spaces. Available in multiple wattages, they combine performance with style. Focal is available in refined black with black and black with rose gold finishes and offers a high lumen efficacy of 90lm/W. Planet comes in bold black with gun black finish for a premium look. Both lights add a refined touch to modern interiors with their elegant design and reliable illumination.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

PLANET - Surface Light - IP65 (PDC Aluminium) - (Black + Gun Black)

GL9C0414106BKGBWW	6W	3000K	>0.9	ø63x75	NA	>80	75lm/W	36°	1420.00	50
GL9C0414106BKGBNW	6W	4000K	>0.9	ø63x75	NA	>80	75lm/W	36°	1420.00	50

GL9C0414112BKGBWW	12W	3000K	>0.9	ø73x85	NA	>80	75lm/W	36°	1940.00	20
GL9C0414112BKGBNW	12W	4000K	>0.9	ø73x85	NA	>80	75lm/W	36°	1940.00	20

GL9C0414118BKGBWW	18W	3000K	>0.9	ø83x95	NA	>80	75lm/W	36°	2460.00	20
GL9C0414118BKGBNW	18W	4000K	>0.9	ø83x95	NA	>80	75lm/W	36°	2460.00	20

FOCAL - Surface Light (PDC Aluminium) - (Black + Black)

GL9C0415106BKBKWW	6W	3000K	>0.9	ø57x66	NA	>80	90lm/W	36°	1020.00	50
GL9C0415106BKBKNW	6W	4000K	>0.9	ø57x66	NA	>80	90lm/W	36°	1020.00	50

GL9C0415112BKBKWW	12W	3000K	>0.9	ø68x80	NA	>80	90lm/W	36°	1330.00	50
GL9C0415112BKBKNW	12W	4000K	>0.9	ø68x80	NA	>80	90lm/W	36°	1330.00	50

GL9C0415118BKBKWW	18W	3000K	>0.9	ø77x95	NA	>80	90lm/W	36°	1640.00	20
GL9C0415118BKBKNW	18W	4000K	>0.9	ø77x95	NA	>80	90lm/W	36°	1640.00	20

FOCAL - Surface Light (PDC Aluminium) - (Black + Rose Gold)

GL9C0415106BKRGWW	6W	3000K	>0.9	ø57x66	NA	>80	90lm/W	36°	1020.00	50
GL9C0415106BKRGNW	6W	4000K	>0.9	ø57x66	NA	>80	90lm/W	36°	1020.00	50

GL9C0415112BKRGWW	12W	3000K	>0.9	ø68x80	NA	>80	90lm/W	36°	1330.00	50
GL9C0415112BKRGNW	12W	4000K	>0.9	ø68x80	NA	>80	90lm/W	36°	1330.00	50

GL9C0415118BKRGWW	18W	3000K	>0.9	ø77x95	NA	>80	90lm/W	36°	1640.00	20
GL9C0415118BKRGNW	18W	4000K	>0.9	ø77x95	NA	>80	90lm/W	36°	1640.00	20





ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

IVY - Surface Light (PDC - Aluminium) - (White+Black) #

GADLABS006S01BKWW	6W	3000K	>0.9	62x62x62	NA	>80	60lm/W	24°	1880.00	40
GADLABS006S01BKNW	6W	4000K	>0.9	62x62x62	NA	>80	60lm/W	24°	1880.00	40

IVY - Surface Light (PDC - Aluminium) - (White+Black) #

GADLABS009S01BKWW	9W	3000K	>0.9	81x81x68	NA	>80	80lm/W	24°	2500.00	30
GADLABS009S01BKNW	9W	4000K	>0.9	81x81x68	NA	>80	80lm/W	24°	2500.00	30



Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

IVY

Discover Ivy, a surface light made of Pressure Die-cast Aluminium that delivers exceptional brightness and clarity. Its cubical-shaped, surface-mounted design ensures easy installation in any indoor space, offering a sleek and streamlined look that enhances any environment. Ivy ensures that your spaces are well-lit and inviting at all times and is ideal for retail spaces, restaurants, theatres, offices, and hotels.



LOBO

Bibo and Lobo are premium decorative lighting solutions designed to bring style, precision, and ambience to modern interiors. While Bibo offers adjustable directional lighting with a bold geometric design, Lobo features a sleek pendant form that creates a warm, inviting atmosphere. Together, they combine elegant aesthetics with efficient illumination, making them ideal for residential, hospitality, retail, and commercial spaces.

BIBO



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	-----	----------------	------------	-------	---------------

BIBO - Surface Light (PDC - Aluminium) - (Black)

GL90974SFBKWW	7W	3000K	>0.9	ø50x82	>80	80lm/W	24°	1790.00	40
GL90974SFBKNW	7W	4000K	>0.9	ø50x82	>80	80lm/W	24°	1790.00	40
GL90975SFBKWW	12W	3000K	>0.9	ø50x102	>80	90lm/W	24°	2190.00	40
GL90975SFBKNW	12W	4000K	>0.9	ø50x102	>80	90lm/W	24°	2190.00	40

BIBO - Surface Light (PDC - Aluminium) - (Black)

GL90976SFBKWW	20W	3000K	>0.9	ø70x145	>80	90lm/W	24°	3420.00	20
GL90976SFBKNW	20W	4000K	>0.9	ø70x145	>80	90lm/W	24°	3420.00	20
GL90977SFBKWW	30W	3000K	>0.9	ø70x175	>80	90lm/W	24°	4010.00	20
GL90977SFBKNW	30W	4000K	>0.9	ø70x175	>80	90lm/W	24°	4010.00	20

BIBO - Surface Light (PDC - Aluminium) - (White)

GL90974SFWHWW	7W	3000K	>0.9	ø50x82	>80	80lm/W	24°	1790.00	40
GL90974SFWHWNW	7W	4000K	>0.9	ø50x82	>80	80lm/W	24°	1790.00	40
GL90975SFWHWW	12W	3000K	>0.9	ø50x102	>80	90lm/W	24°	2190.00	40
GL90975SFWHWNW	12W	4000K	>0.9	ø50x102	>80	90lm/W	24°	2190.00	40

BIBO - Surface Light (PDC - Aluminium) - (White)

GL90976SFWHWW	20W	3000K	>0.9	ø70x145	>80	90lm/W	24°	3420.00	20
GL90976SFWHWNW	20W	4000K	>0.9	ø70x145	>80	90lm/W	24°	3420.00	20
GL90977SFWHWW	30W	3000K	>0.9	ø70x175	>80	90lm/W	24°	4010.00	20
GL90977SFWHWNW	30W	4000K	>0.9	ø70x175	>80	90lm/W	24°	4010.00	20

NEW


LOBO - LED Pendant Light

GL9C3701715WW	15W	3000K	>0.9	ø73x146	>80	80lm/W	NA	2910.00	10
GL9C3701715NW	15W	4000K	>0.9	ø73x146	>80	80lm/W	NA	2910.00	10



FIGO

Suitable for 2 Line Track mounting



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	-----	----------------	------------	-------	---------------

FIGO - Track Light (PDC - Aluminium + PC) - (Black)

GL90989BKWW	10W	3000K	>0.9	ø49x120	>80	75 lm/W	36°	1290.00	50
GL90989BKNW	10W	4000K	>0.9	ø49x120	>80	75 lm/W	36°	1290.00	50

FIGO - Track Light (PDC - Aluminium + PC) - (Black)

GL90990BKWW	20W	3000K	>0.9	ø64x148	>80	75 lm/W	36°	1830.00	40
GL90990BKNW	20W	4000K	>0.9	ø64x148	>80	75 lm/W	36°	1830.00	40
GL90990BKCD	20W	6500K	>0.9	ø64x148	>80	75 lm/W	36°	1830.00	40

FIGO - Track Light (PDC - Aluminium + PC) - (Black)

GL90991BKWW	30W	3000K	>0.9	ø76x168	>80	75 lm/W	36°	2500.00	20
GL90991BKNW	30W	4000K	>0.9	ø76x168	>80	75 lm/W	36°	2500.00	20
GL90991BKCD	30W	6500K	>0.9	ø76x168	>80	75 lm/W	36°	2500.00	20

FIGO - Track Light (PDC - Aluminium + PC) - (White)

GL90989WHWW	10W	3000K	>0.9	ø49x120	>80	75 lm/W	36°	1290.00	50
GL90989WHNW	10W	4000K	>0.9	ø49x120	>80	75 lm/W	36°	1290.00	50


FIGO - Track Light (PDC - Aluminium + PC) - (White)

GL90990WHWW	20W	3000K	>0.9	ø64x148	>80	75 lm/W	36°	1830.00	40
GL90990WHNW	20W	4000K	>0.9	ø64x148	>80	75 lm/W	36°	1830.00	40

FIGO - Track Light (PDC - Aluminium + PC) - (White)

GL90991WHWW	30W	3000K	>0.9	ø76x168	>80	75 lm/W	36°	2500.00	20
GL90991WHNW	30W	4000K	>0.9	ø76x168	>80	75 lm/W	36°	2500.00	20





ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

HEXO - Surface Light with Switch Driver (PDC - Aluminium) - (White) #

GL9C0406124SDCNW	24W	3K/4K/6K	>0.9	ø160x40	NA	>80	80lm/w	100°	2490.00	30
------------------	-----	----------	------	---------	----	-----	--------	------	---------	----

HEXO - Surface Light with Switch Driver (PDC - Aluminium) - (White) #

GL9C0406136SDCNW	36W	3K/4K/6K	>0.9	ø212x40	NA	>80	100lm/w	100°	3230.00	20
------------------	-----	----------	------	---------	----	-----	---------	------	---------	----

HEXO - Honey Comb Surface Light with Switch Driver (PDC - Aluminium) - (White) #

GL9C0407124SDCNW	24W	3K/4K/6K	>0.9	ø160x40	NA	>80	80lm/w	100°	2490.00	30
------------------	-----	----------	------	---------	----	-----	--------	------	---------	----

HEXO - Honey Comb Surface Light with Switch Driver (PDC - Aluminium) - (White) #

GL9C0407136SDCNW	36W	3K/4K/6K	>0.9	ø212x40	NA	>80	90lm/w	100°	3230.00	20
------------------	-----	----------	------	---------	----	-----	--------	------	---------	----

HEXO - Surface 2-in-1 Light (PDC - Aluminium) - (White+Black) #

GL9C0408124NWWW	24W	4000K+3000K	>0.9	ø160x40	NA	>80	80lm/w	100°	2640.00	30
-----------------	-----	-------------	------	---------	----	-----	--------	------	---------	----

HEXO - Surface 2-in-1 Light (PDC - Aluminium) - (White+Black) #

GL9C0408136NWWW	36W	4000K+3000K	>0.9	ø212x40	NA	>80	90lm/w	100°	3490.00	20
-----------------	-----	-------------	------	---------	----	-----	--------	------	---------	----



Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

HEXO

The Hexo Surface Light is a stylish and versatile LED solution featuring a unique, durable PDC aluminum housing for excellent heat dissipation. This light offers a range of wattages, multiple CCT options via a switch driver, and a quick mounting mechanism. It elevates any space with superior performance and one of its variants features a distinctive 2-in-1 panel with dual-color capability, adding a unique aesthetic to any setting.

All dimensions & cut outs are in mm



GROOVE NEO

The Groove Neo Surface LED Light is a modern lighting solution crafted from durable polycarbonate. Installation is a breeze with its ingenious twist-to-attach mechanism that ensures a hassle-free setup in any environment. The Groove Neo boasts an impressive luminous efficacy of 100lm/W delivering optimal brightness while remaining energy efficient. Its minimalistic design blends seamlessly into a variety of indoor settings, perfect for adding a touch of elegance to any space.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

MOXO - Surface Light with Switch Driver - IP65 #

GL9C0411118SDCNW	18W	3K/4K/6K	>0.9	ø250x65	NA	>80	80lm/W	NA	1920.00	20
------------------	-----	----------	------	---------	----	-----	--------	----	---------	----

MOXO - Surface Light with Switch Driver - IP65 #

GL9C0411130SDCNW	30W	3K/4K/6K	>0.9	ø350x65	NA	>80	80lm/W	NA	3380.00	10
------------------	-----	----------	------	---------	----	-----	--------	----	---------	----

GROOVE NEO - Surface Light

GL91456WW	7W	3000K	>0.9	ø102x40	NA	>80	90lm/W	120°	630.00	20
GL91456NW	7W	4000K	>0.9	ø102x40	NA	>80	90lm/W	120°	630.00	20
GL91456CD	7W	6500K	>0.9	ø102x40	NA	>80	90lm/W	120°	630.00	20
GL91456CNW	7W	CNW	>0.9	ø102x40	NA	>80	90lm/W	120°	670.00	20

GROOVE NEO - Surface Light

GL91458WW	12W	3000K	>0.9	ø145x40	NA	>80	100lm/W	120°	900.00	20
GL91458NW	12W	4000K	>0.9	ø145x40	NA	>80	100lm/W	120°	900.00	20
GL91458CD	12W	6500K	>0.9	ø145x40	NA	>80	100lm/W	120°	900.00	20
GL91458CNW	12W	CNW	>0.9	ø145x40	NA	>80	100lm/W	120°	940.00	20

GROOVE NEO - Surface Light

GL91460WW	20W	3000K	>0.9	ø185x40	NA	>80	100lm/W	120°	1080.00	20
GL91460NW	20W	4000K	>0.9	ø185x40	NA	>80	100lm/W	120°	1080.00	20
GL91460CD	20W	6500K	>0.9	ø185x40	NA	>80	100lm/W	120°	1080.00	20
GL91460CNW	20W	CNW	>0.9	ø185x40	NA	>80	100lm/W	120°	1210.00	20

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm



VELO



ECO

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
ECO - Surface Light (PDC - Aluminium) - (Black)										
GL9C0402103BKWW	3W	3000K	>0.9	ø39x17	NA	>80	60lm/W	NA	460.00	100
GL9C0402103BKCD	3W	6500K	>0.9	ø39x17	NA	>80	60lm/W	NA	460.00	100
ECO - Surface Light (PDC - Aluminium) - (Gold)										
GL9C0402103GLWW	3W	3000K	>0.9	ø39x17	NA	>80	60lm/W	NA	530.00	100
GL9C0402103GLCD	3W	6500K	>0.9	ø39x17	NA	>80	60lm/W	NA	530.00	100
ECO - Surface Light (PDC - Aluminium) - (Rose Gold)										
GL9C0402103RGWW	3W	3000K	>0.9	ø39x17	NA	>80	60lm/W	NA	530.00	100
GL9C0402103RGCD	3W	6500K	>0.9	ø39x17	NA	>80	60lm/W	NA	530.00	100
VELO - Surface Light (PDC - Aluminium)										
GL9C0409103WW	3W	3000K	>0.9	ø40x35	NA	>80	70lm/W	60°	490.00	50
GL9C0409103NW	3W	4000K	>0.9	ø40x35	NA	>80	70lm/W	60°	490.00	50
GL9C0409103RD	3W	RED	>0.9	ø40x35	NA	>80	70lm/W	60°	490.00	50
GL9C0409103GN	3W	GREEN	>0.9	ø40x35	NA	>80	70lm/W	60°	490.00	50
GL9C0409103BL	3W	BLUE	>0.9	ø40x35	NA	>80	70lm/W	60°	490.00	50



Meet Eco & Velo, sleek surface LED lights that are both elegant and efficient. Eco boasts a glare-free beam, die-cast aluminium housing, and elegant finishes like black, gold, and rose gold—ideal for tight spaces. Velo, with its glowing acrylic ring and multiple colour options is perfect for ambient lighting in modern spaces. Both surface lights offer versatile lighting solutions with sleek aesthetics and reliable performance, making them perfect for homes, hotels, offices, and retail spaces.



LOOFIX & LINUX

A premium LED lighting solution, the Loofix spotlight combines exceptional performance with aesthetic appeal. This high-performance LED light is crafted with pressure die-cast aluminum housing and equipped with a reflector for low-glare lighting effects. Available in black housing with gold reflector or white housing with black reflector, the Loofix is available in round, square, and linear shapes to suit various preferences and complement any décor.

All dimensions & cut outs are in mm



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
LOOFIX - Linear Light with External Driver (PDC - Aluminium) - (Black+Gold)										
GL9C0716202BKGLWW	2W	3000K	>0.9	30x30x30	25x25	>90	65lm/W	36°	980.00	80
GL9C0716202BKGLNW	2W	4000K	>0.9	30x30x30	25x25	>90	65lm/W	36°	980.00	80



LOOFIX - Linear Light with External Driver (PDC - Aluminium) - (Black+Gold)										
GL9C0716506BKGLWW	6W	3000K	>0.9	69x31x40	65x27	>90	65lm/W	36°	1560.00	60
GL9C0716506BKGLNW	6W	4000K	>0.9	69x31x40	65x27	>90	65lm/W	36°	1560.00	60



LOOFIX - Spotlight with External Driver (PDC - Aluminium) Round - (Black+Gold)										
GL9C0716108BKGLWW	8W	3000K	>0.9	ø65x40	ø40	>90	65lm/W	36°	1910.00	40
GL9C0716108BKGLNW	8W	4000K	>0.9	ø65x40	ø40	>90	65lm/W	36°	1910.00	40



LOOFIX - Spotlight with External Driver (PDC - Aluminium) Square - (Black+Gold)										
GL9C0716208BKGLWW	8W	3000K	>0.9	52x52x40	48x48	>90	65lm/W	36°	1910.00	40
GL9C0716208BKGLNW	8W	4000K	>0.9	52x52x40	48x48	>90	65lm/W	36°	1910.00	40



LOOFIX - Linear Light with External Driver (PDC - Aluminium) - (Black+Gold)										
GL9C0716510BKGLWW	10W	3000K	>0.9	126x31x40	122x27	>90	70lm/W	36°	2100.00	40
GL9C0716510BKGLNW	10W	4000K	>0.9	126x31x40	122x27	>90	70lm/W	36°	2100.00	40



LOOFIX - Linear Swivel Light with External Driver (PDC - Aluminium) - (Black+Gold)										
GL9C0716510SBKGLWW	10W	3000K	>0.9	141x49x44	136x40	>90	70lm/W	36°	2680.00	30
GL9C0716510SBKGLNW	10W	4000K	>0.9	141x49x44	136x40	>90	70lm/W	36°	2680.00	30



LOOFIX - Linear Swivel Light with External Driver (PDC - Aluminium) - (Black+Gold)										
GL9C0716520SBKGLWW	20W	3000K	>0.9	255x49x44	250x40	>90	75lm/W	36°	4200.00	20
GL9C0716520SBKGLNW	20W	4000K	>0.9	255x49x44	250x40	>90	75lm/W	36°	4200.00	20



LOOFIX - Linear Light with External Driver (PDC - Aluminium) - (White+Black)										
GL9C0716202BKWW	2W	3000K	>0.9	30x30x30	25x25	>90	65lm/W	36°	980.00	80
GL9C0716202BKKNW	2W	4000K	>0.9	30x30x30	25x25	>90	65lm/W	36°	980.00	80



LOOFIX - Linear Light with External Driver (PDC - Aluminium) - (White+Black)										
GL9C0716506BKWW	6W	3000K	>0.9	69x31x40	65x27	>90	65lm/W	36°	1560.00	60
GL9C0716506BKKNW	6W	4000K	>0.9	69x31x40	65x27	>90	65lm/W	36°	1560.00	60

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
LOOFIX - Spotlightwith External Driver (PDC - Aluminium) Round - (White+Black)										
GL9C0716108BKWW	8W	3000K	>0.9	ø65x40	ø40	>90	65lm/W	36°	1910.00	40
GL9C0716108BKKNW	8W	4000K	>0.9	ø65x40	ø40	>90	65lm/W	36°	1910.00	40



LOOFIX - Spotlight with External Driver (PDC - Aluminium) Square - (White+Black)										
GL9C0716208BKWW	8W	3000K	>0.9	52x52x40	48x48	>90	65lm/W	36°	1910.00	40
GL9C0716208BKKNW	8W	4000K	>0.9	52x52x40	48x48	>90	65lm/W	36°	1910.00	40



LOOFIX - Linear Light with External Driver (PDC - Aluminium) - (White+Black)										
GL9C0716510BKWW	10W	3000K	>0.9	126x31x40	122x27	>90	70lm/W	36°	2100.00	40
GL9C0716510BKKNW	10W	4000K	>0.9	126x31x40	122x27	>90	70lm/W	36°	2100.00	40



LOOFIX - Linear Swivel Light with External Driver (PDC - Aluminium) - (White+Black)										
GL9C0716510SBKWW	10W	3000K	>0.9	141x49x44	136x40	>90	70lm/W	36°	2680.00	30
GL9C0716510SBKNW	10W	4000K	>0.9	141x49x44	136x40	>90	70lm/W	36°	2680.00	30



LOOFIX - Linear Swivel Light with External Driver (PDC - Aluminium) - (White+Black)										
GL9C0716520SBKWW	20W	3000K	>0.9	255x49x44	250x40	>90	75lm/W	36°	4200.00	20
GL9C0716520SBKNW	20W	4000K	>0.9	255x49x44	250x40	>90	75lm/W	36°	4200.00	20



LINUX - Linear Light with External Driver (PDC - Aluminium) - (White+Black)										
GL9C0504203BKWW	3W	3000K	>0.9	44x44x31	42x35	>80	60lm/W	30°	760.00	100
GL9C0504203BKKNW	3W	4000K	>0.9	44x44x31	42x35	>80	60lm/W	30°	760.00	100





LINUX - Linear Light with External Driver (PDC - Aluminium) - (White+Black)										
GL9C0504506BKWW	6W	3000K	>0.9	92x44x31	90x35	>80	75lm/W	30°	1000.00	50
GL9C0504506BKKNW	6W	4000K	>0.9	92x44x31	90x35	>80	75lm/W	30°	1000.00	50



LINUX - Linear Light with External Driver (PDC - Aluminium) - (White+Black)										
GL9C0504510BKWW	10W	3000K	>0.9	147x44x31	145x35	>80	75lm/W	30°	1520.00	50
GL9C0504510BKKNW	10W	4000K	>0.9	147x44x31	145x35	>80	75lm/W	30°	1520.00	50



Dimensions



G-BRIX

A robust design with aluminium die cast housing, the G-Brix is a linear COB LED that can be used to provide high quality illumination. Consisting of single as well as multiple LED units, the G-Brix can be used to control the amount of illumination you need at a particular time. Depending on your lighting needs, you can switch on all or just a few of the units at a time. The G-Brix is fitted with a scientifically designed heat sink for good heat dissipation. The device comes with easy-to-install clips for smoother installation. An all black exterior gives the G-Brix a distinct edge over other spotlights.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

G-BRIX - Linear Light with External Driver (PDC - Aluminium) - (Black)

GL90880WW	3W	3000K	>0.9	45x45x47	38x38	>90	75lm/W	30°	1330.00	100
GL90880NW	3W	4000K	>0.9	45x45x47	38x38	>90	75lm/W	30°	1330.00	100

GL90879WW	6W	3000K	>0.9	76x45x47	70x38	>90	75lm/W	30°	2110.00	50
GL90879NW	6W	4000K	>0.9	76x45x47	70x38	>90	75lm/W	30°	2110.00	50

GL90881WW	9W	3000K	>0.9	106x45x47	100x38	>90	75lm/W	30°	2930.00	50
GL90881NW	9W	4000K	>0.9	106x45x47	100x38	>90	75lm/W	30°	2930.00	50

GL90882WW	15W	3000K	>0.9	147x45x47	140x38	>90	75lm/W	30°	3850.00	50
GL90882NW	15W	4000K	>0.9	147x45x47	140x38	>90	75lm/W	30°	3850.00	50

GL90885WW	30W	3000K	>0.9	281x45x47	274x38	>90	75lm/W	30°	7420.00	30
GL90885NW	30W	4000K	>0.9	281x45x47	274x38	>90	75lm/W	30°	7420.00	30

G-BRIX - Linear Light with External Driver (PDC - Aluminium) - (White)

GL90880WHWW	3W	3000K	>0.9	45x45x47	38x38	>90	75lm/W	30°	1330.00	100
GL90880WHNW	3W	4000K	>0.9	45x45x47	38x38	>90	75lm/W	30°	1330.00	100

GL90879WHWW	6W	3000K	>0.9	76x45x47	70x38	>90	75lm/W	30°	2110.00	50
GL90879WHNW	6W	4000K	>0.9	76x45x47	70x38	>90	75lm/W	30°	2110.00	50

GL90881WHWW	9W	3000K	>0.9	106x45x47	100x38	>90	75lm/W	30°	2930.00	50
GL90881WHNW	9W	4000K	>0.9	106x45x47	100x38	>90	75lm/W	30°	2930.00	50

GL90882WHWW	15W	3000K	>0.9	147x45x47	140x38	>90	75lm/W	30°	3850.00	50
GL90882WHNW	15W	4000K	>0.9	147x45x47	140x38	>90	75lm/W	30°	3850.00	50

- Features:
- Die-cast metal body in Absolute White and Matt Black finish
 - Specially designed lense for low glare effect
 - Scientifically designed heat sink

All dimensions & cut outs are in mm





LINEX

Presenting the Linex series, premium modern lighting solutions with sleek aluminium designs and elegant black reflectors. Linex 01 stands out for its unique pull-out feature, which enables multi-area illumination with vivid, true-to-life colours (CRI 90). Linex 02 is more compact, delivering focused 30° beam lighting with a prismatic diffuser for even, glare-free light. Linex 03 delivers powerful 2W LED output with superior brightness and colour accuracy.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

LINEX 01 - Linear Light with External Driver (PDC - Aluminium) - (White+Black) #

GALLAAR002S01BKWW	2W	3000K	>0.9	43x40	40x35	>90	65lm/W	30°	3120.00	50
GALLAAR002S01BKNW	2W	4000K	>0.9	43x40	40x35	>90	65lm/W	30°	3120.00	50

LINEX 01 - Linear Light with External Driver (PDC - Aluminium) - (White+Black) #

GALLAAR010L01BKWW	10W	3000K	>0.9	162x40x43	156x35	>90	75lm/W	30°	8020.00	50
GALLAAR010L01BKNW	10W	4000K	>0.9	162x40x43	156x35	>90	75lm/W	30°	8020.00	50

LINEX 02 - Linear Light with External Driver (PDC - Aluminium) - (White+Black) #

GALLABR008L01BKWW	8W	3000K	>0.9	133x32x48	128x25	>90	65lm/W	30°	3720.00	50
GALLABR008L01BKNW	8W	4000K	>0.9	133x32x48	128x25	>90	65lm/W	30°	3720.00	50

LINEX 03 - Linear Light with External Driver (PDC - Aluminium) - (White+Black) #

GALLACR010L01BKWW	10W	3000K	>0.9	162x40x43	156x35	>90	65lm/W	30°	4310.00	50
GALLACR010L01BKNW	10W	4000K	>0.9	162x40x43	156x35	>90	65lm/W	30°	4310.00	50

LINEX 03 - Linear Light with External Dali Driver (PDC - Aluminium) - (White+Black) #

GALLACR010L03BKNW-\$	10W	4000K	>0.9	162x40x43	156x35	>90	65lm/W	30°	-	50
GALLACR010L03BKCNW-\$	10W	CNW	>0.9	162x40x43	156x35	>90	65lm/W	30°	-	50

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis





MORNING STAR

The Morning Star Spotlight is designed to illuminate with elegance and versatility. Available in round, square, and linear forms, it seamlessly adapts to diverse interior styles. Built with a durable aluminium die-cast housing and an integrated heat sink, it ensures efficient cooling and long-lasting performance. Its anti-glare reflector and precision lens create a soft, comfortable ambience—perfect for enhancing indoor environments. Offered in classic black and white finishes, the Morning Star is an ideal choice for homes, restaurants, and villas, delivering refined lighting with a touch of sophistication.



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Round (Black+Black) #										
GADLAAR03R01BKBKWW	3W	3000K	>0.9	ø40x32	ø35	>90	40lm/W	30°	960.00	150
GADLAAR03R01BKBKNW	3W	4000K	>0.9	ø40x32	ø35	>90	40lm/W	30°	960.00	150



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Round (Black+Black) #										
GADLAAR08R01BKBKWW	8W	3000K	>0.9	ø61x43	ø55	>90	40lm/W	30°	1520.00	100
GADLAAR08R01BKBKNW	8W	4000K	>0.9	ø61x43	ø55	>90	40lm/W	30°	1520.00	100



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Round (Black+Black) #										
GADLAAR15R01BKBKWW	15W	3000K	>0.9	ø80x55	ø75	>90	40lm/W	30°	2580.00	36
GADLAAR15R01BKBKNW	15W	4000K	>0.9	ø80x55	ø75	>90	40lm/W	30°	2580.00	36



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Square (Black+Black) #										
GADLAAR03S01BKBKWW	3W	3000K	>0.9	40x40x42	35x35	>90	40lm/W	30°	960.00	40
GADLAAR03S01BKBKNW	3W	4000K	>0.9	40x40x42	35x35	>90	40lm/W	30°	960.00	40



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Linear (Black+Black) #										
GADLAAR08L01BKBKWW	8W	3000K	>0.9	100x40x42	95x35	>90	40lm/W	30°	1760.00	40
GADLAAR08L01BKBKNW	8W	4000K	>0.9	100x40x42	95x35	>90	40lm/W	30°	1760.00	40



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Square (Black+Black) #										
GADLAAR10S01BKBKWW	10W	3000K	>0.9	70x70x42	65x65	>90	40lm/W	30°	2020.00	48
GADLAAR10S01BKBKNW	10W	4000K	>0.9	70x70x42	65x65	>90	40lm/W	30°	2020.00	48



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Linear (Black+Black) #										
GADLAAR12L01BKBKWW	12W	3000K	>0.9	160x40x42	155x35	>90	40lm/W	30°	2460.00	48
GADLAAR12L01BKBKNW	12W	4000K	>0.9	160x40x42	155x35	>90	40lm/W	30°	2460.00	48



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Round (White+Black) #										
GADLAAR03R01BKWW	3W	3000K	>0.9	ø40x32	ø35	>90	40lm/W	30°	960.00	150
GADLAAR03R01BKNW	3W	4000K	>0.9	ø40x32	ø35	>90	40lm/W	30°	960.00	150



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Round (White+Black) #										
GADLAAR08R01BKWW	8W	3000K	>0.9	ø61x43	ø55	>90	40lm/W	30°	1520.00	100
GADLAAR08R01BKNW	8W	4000K	>0.9	ø61x43	ø55	>90	40lm/W	30°	1520.00	100



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Round (White+Black) #										
GADLAAR015R01BKWW	15W	3000K	>0.9	ø80x55	ø75	>90	40lm/W	30°	2580.00	36
GADLAAR015R01BKNW	15W	4000K	>0.9	ø80x55	ø75	>90	40lm/W	30°	2580.00	36



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Square (White+Black) #										
GADLAAR03S01BKWW	3W	3000K	>0.9	40x40x42	35x35	>90	40lm/W	30°	960.00	40
GADLAAR03S01BKNW	3W	4000K	>0.9	40x40x42	35x35	>90	40lm/W	30°	960.00	40



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Linear (White+Black) #										
GADLAAR08L01BKWW	8W	3000K	>0.9	100x40x42	95x35	>90	40lm/W	30°	1760.00	40
GADLAAR08L01BKNW	8W	4000K	>0.9	100x40x42	95x35	>90	40lm/W	30°	1760.00	40



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Square (White+Black) #										
GADLAAR010S01BKWW	10W	3000K	>0.9	70x70x42	65x65	>90	40lm/W	30°	2020.00	48
GADLAAR010S01BKNW	10W	4000K	>0.9	70x70x42	65x65	>90	40lm/W	30°	2020.00	48



MORNING STAR - Down Light with External Driver (PDC - Aluminium) - Linear (White+Black) #										
GADLAAR12L01BKWW	12W	3000K	>0.9	160x40x42	155x35	>90	40lm/W	30°	2460.00	48
GADLAAR12L01BKNW	12W	4000K	>0.9	160x40x42	155x35	>90	40lm/W	30°	2460.00	48

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm



NUVOLINE

The Nuvoline is a sleek, suspended linear light that blends style with functionality. Its die-cast aluminum housing and anti-glare features ensure soft illumination. The internal switch driver allows for easy color adjustment, providing personalized lighting that complements any decor. Additionally, the unique suspension wire system facilitates effortless ceiling mounting, making it ideal for various commercial settings. Elevate your space with Nuvoline's sophisticated design and customizable lighting options.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
NUVOLINE 20 - Suspended Linear Light with Switch Driver (Extruded Aluminium) - (Black) #										
GL9C0501630SDCNW	30W	6K/4K/3K	>0.9	1183x33x56	NA	>80	85lm/W	38°	5500.00	20
NUVOLINE 30 - Suspended Linear Light with Switch Driver (Extruded Aluminium) - (Black) #										
GL9C0502636SDCNW	36W	6K/4K/3K	>0.9	1183x33x56	NA	>80	85lm/W	105°	4910.00	20
NUVOLINE 50 - Suspended Linear Light with Switch Driver (Extruded Aluminium) - (Black) #										
GL9C0503636SDCNW	36W	6K/4K/3K	>0.9	1183x33x56	NA	>80	85lm/W	105°	6090.00	20

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm





NOVUS

Experience modern elegance with the Novus LED Wall Light, crafted from durable metal, aluminium, and acrylic materials. Its surface-mounted design ensures a sleek finish, while the high-quality LED chips provide glare-free lighting for a soothing effect. Whether mounted vertically or horizontally, the Novus seamlessly adapts to enhance any decor. Perfect for walls and bedside illumination, it's a perfect blend of style and functionality.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
ZONE - Wall Light (PDC - Aluminium) - (White) #										
GAWLALS003Z01WW	3W	3000K	0.6	70x155x180	NA	>70	80lm/W	NA	10130.00	10
ZING - Wall Light (PDC - Aluminium) - (White) #										
GAWLAJS011Z01WW	3W+8W	3000K	0.8	110x150x220	NA	>70	80lm/W	NA	11480.00	10
ZENI - Wall Light (PDC - Aluminium) - (White) #										
GAWLAIS006Z01WW	6W	3000K	0.7	250x110x180	NA	>70	50lm/W	NA	8100.00	5
NOVUS - Wall Light (PDC - Aluminium) - (White) #										
GAWLAHS006L01WW	6W	3000K	0.7	186x78x98	NA	>70	60lm/W	NA	8100.00	10
ROVER - Wall Light (PDC - Aluminium) - (White) #										
GAWLANS006R01WW	6W	3000K	0.7	ø120x127	NA	>70	60lm/W	NA	6080.00	10
ROVER UPDOWN - Wall Light (PDC - Aluminium) - (White) #										
GAWLANS012R02WW	2x6W	3000K	0.8	ø180x120	NA	>70	50lm/W	NA	8240.00	10
ROVER - Wall Light (PDC - Aluminium) - (White) #										
GAWLANS012R01WW	2X6W	3000K	0.8	265x100x127	NA	>70	50lm/W	NA	8580.00	10
ROVER - Wall Light (PDC - Aluminium) - (White) #										
GAWLANS018R01WW	3X6W	3000K	0.9	385x100x127	NA	>70	50lm/W	NA	11340.00	10

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
NULINE - Wall Light (PDC - Aluminium) - (Black) #										
GAWLAOS018L01BKWW	18W	3000K	0.9	600x100x40	NA	>70	60lm/W	NA	14850.00	5
NULINE - Wall Light (PDC - Aluminium) - (White) #										
GAWLAOS018L01WW	18W	3000K	0.9	600x100x40	NA	>70	60lm/W	NA	14850.00	5
SHYNE - Wall Light (PDC - Aluminium) - (White) #										
GAWLAM020L01WW	20W	3000K	0.9	570x80x30	NA	>70	90lm/W	NA	12420.00	10
DITTOS - Wall Light (PDC - Aluminium) - (Silver) #										
GL9C1601618SLCCT	18W	CCT	>0.5	525x53x53	NA	>80	80lm/W	NA	1870.00	20




Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm

NULINE

Discover the Nuline Surface Mounted Wall Light, a fusion of contemporary design and technology. Outfitted with high-quality LEDs, it casts a vivid yet anti-glare light. It is perfect to use above vanity mirrors for ample illumination without harshness. Its adjustable design can pivot up to 270°, offering versatile lighting options to enhance the aesthetic and functionality of any space. Ideal for both domestic and commercial settings, the Nuline light is an exceptional choice for those seeking a blend of style, efficiency, and comfort in lighting design.



LINEGLOW

The Line Glow is a sleek, modern, and stylish LED cabinet light designed for elegance and functionality. It features an acrylic anti-glare diffuser that provides uniform lighting, perfect for any setting. Its durable aluminum housing enhances longevity, while the passive infrared sensor efficiently detects movement in the dark, offering convenience and energy efficiency. Ideal for enhancing the ambiance of your space with sophisticated illumination.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	-------	---------------

LINEGLOW - Cabinet Light (Extruded Aluminium) - 1 Feet - (Black)

GL9C2001603BKWW	3W	3000K	>0.9	325x23x8	NA	>80	80lm/W	490.00	100
GL9C2001603BKNW	3W	4000K	>0.9	325x23x8	NA	>80	80lm/W	490.00	100
GL9C2001603BKCD	3W	6500K	>0.9	325x23x8	NA	>80	80lm/W	490.00	100

LINEGLOW - Cabinet Light (Extruded Aluminium) - 2 Feet - (Black)

GL9C2001608BKWW	8W	3000K	>0.9	585x23x8	NA	>80	85lm/W	720.00	100
GL9C2001608BKNW	8W	4000K	>0.9	585x23x8	NA	>80	85lm/W	720.00	100
GL9C2001608BKCD	8W	6500K	>0.9	585x23x8	NA	>80	85lm/W	720.00	100

LINEGLOW - Cabinet Light (Extruded Aluminium) - 3 Feet - (Black)

GL9C2001612BKWW	12W	3000K	>0.9	900x23x8	NA	>80	85lm/W	1110.00	50
GL9C2001612BKNW	12W	4000K	>0.9	900x23x8	NA	>80	85lm/W	1110.00	50
GL9C2001612BKCD	12W	6500K	>0.9	900x23x8	NA	>80	85lm/W	1110.00	50

LINEGLOW - Cabinet Light (Extruded Aluminium) - 1 Feet - (White)

GL9C2001603WW	3W	3000K	>0.9	325x23x8	NA	>80	80lm/W	490.00	100
GL9C2001603NW	3W	4000K	>0.9	325x23x8	NA	>80	80lm/W	490.00	100
GL9C2001603CD	3W	6500K	>0.9	325x23x8	NA	>80	80lm/W	490.00	100

LINEGLOW - Cabinet Light (Extruded Aluminium) - 2 Feet - (White)

GL9C2001608WW	8W	3000K	>0.9	585x23x8	NA	>80	85lm/W	720.00	100
GL9C2001608NW	8W	4000K	>0.9	585x23x8	NA	>80	85lm/W	720.00	100
GL9C2001608CD	8W	6500K	>0.9	585x23x8	NA	>80	85lm/W	720.00	100

LINEGLOW - Cabinet Light (Extruded Aluminium) - 3 Feet - (White)

GL9C2001612WW	12W	3000K	>0.9	900x23x8	NA	>80	85lm/W	1110.00	50
GL9C2001612NW	12W	4000K	>0.9	900x23x8	NA	>80	85lm/W	1110.00	50
GL9C2001612CD	12W	6500K	>0.9	900x23x8	NA	>80	85lm/W	1110.00	50

LINEGLOW - Cabinet Light with Motion Sensor - (Extruded Aluminium) - 1 Feet - (White)

GL9C2001603MSWW	3W	3000K	>0.9	385x23x8	NA	>80	80lm/W	1000.00	100
GL9C2001603MSNW	3W	4000K	>0.9	385x23x8	NA	>80	80lm/W	1000.00	100
GL9C2001603MSCD	3W	6500K	>0.9	385x23x8	NA	>80	80lm/W	1000.00	100

LINEGLOW - Cabinet Light with Motion Sensor - (Extruded Aluminium) - 2 Feet - (White)

GL9C2001608MSWW	8W	3000K	>0.9	645x23x8	NA	>80	80lm/W	1250.00	100
GL9C2001608MSNW	8W	4000K	>0.9	645x23x8	NA	>80	80lm/W	1250.00	100
GL9C2001608MSCD	8W	6500K	>0.9	645x23x8	NA	>80	80lm/W	1250.00	100





BRIX

ARCO

Designed for both function and form, the Arco and Brix LED step lights bring safety, style, and subtle illumination to staircases, corridors, and passageways. Arco features an aluminium die-cast body with a metal casing box, while Brix is built with a die-cast housing and polycarbonate casing box (IP54-rated). Both deliver glare-free light, seamless wall integration, and refined aesthetics—perfect for homes, hotels, offices, and modern architectural spaces.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
ARCO 01 - Step Light (PDC - Aluminium) - (White) #										
GL9C2601103WW	3W	3000K	>0.9	ø42x62	ø40	>80	15lm/W	NA	710.00	50
ARCO 02 - Step Light (PDC - Aluminium) - (White) #										
GL9C2602103WW	3W	3000K	>0.9	ø42x62	ø40	>80	15lm/W	NA	710.00	50
ARCO 03 - Step Light (PDC - Aluminium)- (White) #										
GL9C2603103WW	3W	3000K	>0.9	ø42x62	ø40	>80	2lm/W	NA	790.00	50
ARCO 04 - Step Light (PDC - Aluminium) - (White) #										
GL9C2604103WW	3W	3000K	>0.9	ø42x62	ø40	>80	30lm/W	NA	790.00	50
BRIX 01 - 3 Foot Light (PDC - Aluminium) - IP65 - (Grey) #										
GL9C2605203GYWW	3W	3000K	≥0.5	85×85×41	70x70	>80	15lm/W	30°	980.00	50
BRIX 02 - Foot Light (PDC - Aluminium) - IP65 - (Grey) #										
GL9C2606203GYWW	3W	3000K	≥0.5	90×90×55	82x82	>80	25lm/W	30°	1060.00	50
BRIX 02 - Foot Light (PDC - Aluminium) - IP65 - (White) #										
GL9C2606203WW	3W	3000K	≥0.5	90×90×55	82x82	>80	25lm/W	30°	1060.00	50
BRIX 03 - Foot Light (PDC - Aluminium) - IP65 - (Grey) #										
GL9C2607203GYWW	3W	3000K	≥0.5	85×85×40	70x70	>80	5lm/W	30°	1110.00	50

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis





HUGO

Introducing Hugo lamp, versatile lighting solutions for modern homes. The Hugo night lamp offers 16 million colour choices, adjustable brightness, and customizable white balance. It supports Google Assistant and Alexa, allowing you to control the lamp using voice commands. Hugo lamp functionality and style to transform any room.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	-----	----------------	------------	-------	---------------

HUGO - SMART LED Table Lamp - (Black) #

GOL0429BLAK	10W	CNW+RGB	>0.5	ø140x345	>70	NA	-	7290.00	8
-------------	-----	---------	------	----------	-----	----	---	---------	---



Voice Control



Remote Control



Tunable White



Set Timers



Music Sync Mode



Adjustable Brightness



Multiple Scene Mode



16 Million Colors



Smart App Control


Hugo set up:

- Plug the lamp into a power outlet using the USB cord.
- Download the Smart Life app and follow the set-up instructions.
- Enjoy personalized lighting at your fingertips.

Product Description:

Elevate your lighting experience with the Hugo Smart™ Table Lamp. This intelligent lamp seamlessly combines form and function, transforming any space into an oasis of style, comfort, and convenience.

Remote



Material : ABS & Iron
Product Power : 10W
Power Supply : USB Cable 5V/2A
Luminous Flux : 600lm
Colour Temperature : 2800 - 6000K
Package Weight : 1350 g
Control Method : IR Remote Control/Push Button/APP
Connection Method : WiFi & Bluetooth
Remote Control Distance : ≤ 315 inches
App Control Distance : ≤ 590 inches

- # Available at Central Warehouse
- \$ Featured in G-world Smart Home or KNX Smart Home Catalogue
- * On order basis



FLEXP0

Flexo is a multipurpose lighting solution that offers both night light and RGB control capabilities. This unique lamp offers 3-level dimming that caters to your reading as well as relaxation needs. It also boasts an adjustable design for targeted illumination. You can also charge your devices wirelessly and set the right mood with a spectrum of colours using this sleek and versatile lamp.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	-----	----------------	------------	-------	---------------

FLEXP0 - 36W SMART LED Table Lamp - (White) #

GOL0436WHIT	36W	CNW+RGB	>0.5	ø137x308	>70	NA	-	9990.00	12
-------------	-----	---------	------	----------	-----	----	---	---------	----



Brightness Adjustment & RGB Light Control

Touch the on the display panel to adjust the brightness of the Flexo in sequence - low, medium, high, OFF.

Tap the the display for cyclic RGB modes. Tap once to select a colour; long-press to turn OFF.



Illumination angle adjustment



RGB light control



3-Level dimming



5W Wireless charging



Touch control panel



Power adapter



Date, time & temperature

Wireless Charging

Place Qi-compatible devices in the center of the for charging.

The light indicator turns red when charging, and green when fully charged. Flashing red signals charging failure.

Illumination Angle Adjustment

The Flexo Lamp offers unparalleled flexibility with a vertical adjustment angle of 120° and a horizontal sweep of 45° both to the left and right.

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis



GLOWDESK

A portable table lamp designed for versatility and style, the Glow Desk is crafted with durable ABS housing. Its flexible tube lets you adjust the light direction with ease, making it ideal for reading, studying, or working. Equipped with a touch panel offering three colour modes (warm, cool, and natural white), adjustable brightness, and a rechargeable 3000mAh battery with 3-4 hours of backup, Glow Desk 01 ensures convenience anywhere. Glow Desk 02 enhances functionality with a mood-light feature and colour-changing touch bar, creating the perfect ambience for every setting.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
GLOWDESK 01 - Portable Table Lamp - (White) #									
GL9C100103CNW	3W	CNW	>0.5	90x120x430	>80	NA	120°	1330.00	20
GLOWDESK 02 - Portable Table Lamp - (White) #									
GL9C100205CRGB	5W	6500K+RGB	>0.5	130x130x525	>80	NA	120°	2640.00	20
GLOWDESK 03 - Portable Table Lamp - (White)									
GL9C100303NW	3W	4000K	-	300x120x93	-	-	-	1870.00	40
GLOWDESK 04 - Portable Table Lamp - (White)									
GL9C100404NW	4W	4000K	-	455x105x105	-	-	-	2260.00	36
GLOWDESK 05 - Portable Table Lamp - (White)									
GL9C100505CNW	5W	6500K	-	107x151x413	-	-	-	860.00	80
GLOWDESK 06 - Portable Table Lamp - (White)									
GL9C100603CD	3W	6500K	-	90x54x152	-	-	-	1020.00	100
GLOWDESK 07 - Portable Table Lamp - (Pink)									
GL9C100507CNW	7W	6500K	-	450x104x50	-	-	-	1480.00	50





ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

SOLARNITE - All in one Solar Street Light - IP65 - (Grey) #

GL9C3101507CD	7W	6500K	NA	412x203x45	NA	70	140lm/W	NA	7430.00	5
GL9C3101515CD	15W	6500K	NA	508x225x45	NA	70	130lm/W	NA	8910.00	5
GL9C3101525CD	25W	6500K	NA	641x248x45	NA	70	160lm/W	NA	13910.00	4



Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

SOLARNITE

Solarnite is a stylish, solar-powered street light that is equipped with a motion sensor and remote control. It features a robust LiFePo4 battery and an efficient polycrystalline PV solar panel that ensures automatic night-time lighting. With an IP65 rating, it is weather-resistant and thus ideal for outdoor use. The included IR remote lets you easily adjust its brightness, thus combining convenience with cutting-edge solar technology.



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	-----	----------------	------------	-------	---------------

BLAZER - Solar Rechargeable Flood with Torch (IP54) - (Grey) #

GL9C3304520CNWRB	20W	CNW+Red, Blue	NA	163x199x55	>80	NA	NA	3760.00	24
------------------	-----	---------------	----	------------	-----	----	----	---------	----

RANGER - Solar Filament Rechargeable Lamp - (Yellow+Black) #

GL9C3303005CNWRB	5W	CNW+Red, Blue	NA	141x141x222	>80	NA	NA	2990.00	30
------------------	----	---------------	----	-------------	-----	----	----	---------	----

SOLUS - Solar Rechargeable Lantern with Torch - (Blue) #

GL9C3301020CD	20W	6500K	0.5	117x115x135	70	50lm/W	NA	2110.00	20
---------------	-----	-------	-----	-------------	----	--------	----	---------	----

TRIPPO - Solar Rechargeable Flood Light with Torch (IP54) - (Yellow) #

GL9C3302510CDRB	10W	6500K+RED Blue	0.5	183x46x205	70	50lm/W	NA	3760.00	20
-----------------	-----	----------------	-----	------------	----	--------	----	---------	----

GLOWGUARD SPARK - Rechargeable Torch + Lamp (ABS + PC) - (Green+Black) #

GL9C3319010CD	10W	6500K	-	215x142	-	-	-	2610.00	16
---------------	-----	-------	---	---------	---	---	---	---------	----

GLOWGUARD STORM - Rechargeable Solar Torch (ABS + PC) - (Green+Black) #

GL9C3318005CD	5W	6500K	-	222x150	-	-	-	2800.00	20
---------------	----	-------	---	---------	---	---	---	---------	----

GLOWGUARD VOLT - Rechargeable Solar Torch (ABS + PC) - (White) #

GL9C3320006CD	6W	6500K	-	204x119	-	-	-	2610.00	12
---------------	----	-------	---	---------	---	---	---	---------	----

GLOWSKY 10 - Rechargeable Lantern Torch - (White+Grey) #

GL9C3313004CD	4W	6500K	-	205x85x85	-	-	-	1790.00	60
---------------	----	-------	---	-----------	---	---	---	---------	----

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	-----	----------------	------------	-------	---------------

GLOWSKY 20 - Rechargeable Lamp - (White) #

GL9C3314006CD	6W	6500K	-	200x61x43	-	-	-	1170.00	42
---------------	----	-------	---	-----------	---	---	---	---------	----

GLOWSKY 30 - Rechargeable Torch + Lamp - (White+Grey) #

GL9C3315002CD	2W	6500K	-	180x67x67	-	-	-	940.00	80
---------------	----	-------	---	-----------	---	---	---	--------	----

GLOWSKY 40 - Rechargeable Lantern Torch - (White) #

GL9C3316003CD	3W	x	-	184x105x105	-	-	-	1640.00	40
---------------	----	---	---	-------------	---	---	---	---------	----

GLOWSKY 50 - Rechargeable Lantern - (Blue+White) #

GL9C3317005CNW	5W	CNW	-	154x125x125	-	-	-	1730.00	30
----------------	----	-----	---	-------------	---	---	---	---------	----

GLOWSKY 70 - PORTABLE RECHARGEABLE LAMP (ABS+PC)

GL9C3329009CD	3W+6W	6500K	-	ø46x170	-	-	-	920.00	50
---------------	-------	-------	---	---------	---	---	---	--------	----

GLOWSKY 80 - PORTABLE RECHARGEABLE LAMP (ABS+PC)

GL9C3330006CD	6W	6500K	-	60x150x40	-	-	-	900.00	50
GL9C3330012CD	12W	6500K	-	210x150x45	-	-	-	1130.00	50

GLOWSKY 90 - PORTABLE RECHARGEABLE LAMP (ABS+PC)

GL9C3331006CD	6W	6500K	-	61x31x40	-	-	-	840.00	50
---------------	----	-------	---	----------	---	---	---	--------	----





TORCIA

Easy-to-carry pocket torches made for everyday use, Torcia is perfect for home use as well as for travel and commute. Compact yet stylish, these torches are designed for easy handling and the pocket clip lets you securely attach them to pockets for quick access. Built to last, the Torcia gets fully charged in just 2 hours and offers up to 2 hours of continuous use on a full brightness.



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
TORCIA 03 - Rechargeable Torch - (Yellow+Black) #										
GL9C3308005CRD	5W	6500K+Red	-	167x90x90	NA	-	-	-	2880.00	15
TORCIA 01 - Rechargeable Torch with 2 PIN - (Yellow+Black)										
GL9C3306005CD	5W	6500K	-	177x85x85	NA	-	-	-	1190.00	40
TORCIA 02 - Rechargeable Torch with 2 PIN - (Yellow+Black)										
GL9C3307001CD	1W	6500K	-	162x54x54	NA	-	-	-	540.00	84

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
TORCIA 04 - Rechargeable Torch - (Yellow)										
GL9C3309002CD	2W	6500K	-	112x35x40	NA	-	-	-	410.00	50
TORCIA 05 - Rechargeable Torch - (Yellow+Black)										
GL9C3310001CD	1W	6500K	-	95x20x20	NA	-	-	-	270.00	100
TORCIA 06 - Rechargeable Torch - (Yellow+Black)										
GL9C3311004CD	4W	6500K	-	128x32x32	NA	-	-	-	500.00	50
TORCIA 07 - Rechargeable Torch - (Yellow)										
GL9C3312003CD	3W	6500K	-	198x63x63	NA	-	-	-	610.00	50
TORCIA 08 - 1W LED RECHARGEABLE TORCH (ABS + PC)										
GL9C3323001CD	1W	6500K	-	21x105	NA	-	-	-	290.00	100
TORCIA 09 - 1W LED RECHARGEABLE TORCH (ABS + PC)										
GL9C3324001CD	1W	6500K	-	30x125	NA	-	-	-	380.00	100
TORCIA 10 - LED Battery Torch (with 2AA batteries)										
GL9C3325001CD	1W	6500K	-	35x138	NA	-	-	-	220.00	50
TORCIA 30 - LED Rechargeable Torch (ABS + PC)										
GL9C3321003CD	3W	6500K	-	46x167	NA	-	-	-	1640.00	50
TORCIA 40 - LED Rechargeable Torch (ABS + PC)										
GL9C3322005CD	5W	6500K	-	42x163	NA	-	-	-	1750.00	50
TORCIA 50 - LED Rechargeable Torch (ABS + PC)										
GL9C3328006CD	6W	6500K	-	109x175	NA	-	-	-	860.00	24



All dimensions & cut outs are in mm

ARCOS

The Arcos wall lights combine style and durability with its pressure die-cast aluminum construction and IP54 rating. Perfect for enhancing outdoor spaces, these lights are available in various designs to suit any aesthetic. They provide reliable and elegant illumination, making them an ideal choice for patios, gardens, and exterior walls.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
ARCOS 007 - Outdoor Wall Light (PDC - Aluminium) - IP54 - (Grey)										
GL9U098WW	2x1W	3000K	≥0.5	ø42x44	NA	>80	90lm/W	60°	1480.00	50
ARCOS 009 - Outdoor Wall Light (PDC - Aluminium) - IP54 - (Grey)										
GL9U099WW	4x1W	3000K	≥0.9	64x64x30	NA	>80	95lm/W	60°	2180.00	50
ARCOS 018 - Outdoor Wall Light (PDC - Aluminium) - IP54 - (Grey)										
GL9U103WW	2x1W	3000K	≥0.5	50x41x41	NA	>80	90lm/W	60°	1640.00	50
ARCOS 027 - Outdoor Wall Light (PDC - Aluminium) - IP54 - (Grey)										
GL9U110WW	2x1W	3000K	≥0.5	25x25x83	NA	>80	90lm/W	60°	1690.00	50
ARCOS 045 - Outdoor Wall Light (PDC - Aluminium) - IP54 - (Grey)										
GL9U119WW	2x1W	3000K	≥0.5	70x65x28	NA	>80	90lm/W	60°	1710.00	50
ARCOS 090 - Outdoor Wall Light (PDC - Aluminium) - IP54 - (Grey)										
GL9U124WW	2x1W	3000K	≥0.5	35x35x64	NA	>80	90lm/W	60°	1710.00	50
ARCOS 080 - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Black)										
GL9U123WW	2x1+1W	3000K	>0.9	98x45x55	NA	>80	80lm/W	110°	1340.00	50
ARCOS 36 - 1W Outdoor Wall Light - IP65										
GL9U111WW	1W	3000K	≥0.5	ø42x35	NA	>80	70lm/W	NA	1060.00	50
Arcos 54 - 2W Outdoor Wall Light - IP 65										
GL9U120WW	2x1W	3000K	≥0.5	ø42x35	NA	>80	70lm/W	NA	1370.00	50
Arcos 63 - 4W Outdoor Wakk Light - IP 65										
GL9U125WW	4x1W	3000K	≥0.5	58x58x33	NA	>80	70lm/W	NA	1870.00	20

All dimensions & cut outs are in mm



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
ARCOS 010 - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Black)										
GL9U100WW	3W	3000K	>0.5	75x78x65	NA	>80	70lm/W	90°	1130.00	50
ARCOS 010 - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Black)										
GL9U102WW	2x3W	3000K	>0.5	142x78x65	NA	>80	70lm/W	90°	1600.00	20
ARCOS 020 - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Black)										
GL9U106WW	3W	3000K	>0.5	68x80x80	NA	>80	70lm/W	60°	1640.00	50
ARCOS 020 - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Black)										
GL9U108WW	2x3W	3000K	>0.5	65x80x150	NA	>80	70lm/W	60°	2110.00	20
ARCOS 030 - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Black)										
GL9U112WW	2x3W	3000K	>0.5	87x70x42	NA	>80	50lm/W	160°	2620.00	50
ARCOS 040 - Outdoor Wall Light (PDC - Aluminium) Round - IP65 - (Black) #										
GL9U115WW	5W	3000K	>0.5	125x148x45	NA	>80	45lm/W	160°	3190.00	20
ARCOS 040 - Outdoor Wall Light (PDC - Aluminium) Square - IP65 - (Black) #										
GL9U118WW	5W	3000K	>0.5	127x148x45	NA	>80	45lm/W	160°	3190.00	20
ARCOS 070 - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Black)										
GL9U121WW	2x3W	3000K	>0.5	ø65x160	NA	>80	80lm/W	60°	2570.00	20
ARCOS 070 - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Black)										
GL9U122WW	2x7W	3000K	>0.5	ø90x260	NA	>80	80lm/W	60°	4200.00	20



STELLA



SONATA

Optimize your lighting with our sleek wall lights – Stella and Sonata – that are ideal for residential, commercial, and outdoor spaces. Stella’s robust powder-coated aluminium die-cast housing ensures efficient heat dissipation, while its high-quality LEDs deliver up to 67 lm/W for bright, even lighting. Sonata, with its sleek black-and-gold finish, high-performance IP65 COB LED, and 65° beam angle, casts a brilliant up-and-down illumination — perfect for modern architectural spaces. Designed for easy mounting, both lights offer a seamless blend of form, function, and longevity.

All dimensions & cut outs are in mm



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
SONATA - Outdoor Updown Wall Light (PC) - IP54 - (Black+Gold) #										
GAWLAKS006Z01BGWW	2x3W	3000K	0.5	100x87x200	NA	80	30lm/W	60°	1720.00	20



SONATA+ - Outdoor Updown Wall Light (PDC - Aluminium) - IP65- (Black+Gold) #										
GAWLACS006Z01BGWW	2x3W	3000K	0.5	69x60x151	NA	80	48lm/W	60°	2190.00	50
GAWLACS010Z01BGWW	2x5W	3000K	0.5	100x87x200	NA	80	55lm/W	60°	2680.00	20



DITTO - OutdoorD Updown Wall Light (PDC - Aluminium) - IP54 - (Gold) #										
GAWLABS004Z01GLWW	2x2W	3000K	0.5	315x60x65	NA	80	75lm/W	35°	3120.00	20



STELLA - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Black) #										
GAWLADS012RC01BKWW	2x6W	3000K	0.9	240x130x47	NA	80	67lm/W	-	4320.00	20



DIVA - Outdoor Updown Wall Light (PDC - Aluminium) - IP54 - (Black) #										
GAWLAAS012Z01BKWW	2x5+2W	3000K	0.5	200x73x45	NA	80	65lm/W	45°	3060.00	20

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
LAVA 01 - Outdoor Wall Light (PDC - Aluminium) - IP44 - (Grey) #										
GAWLARS009Z01GYN.A	9W	NA	NA	210x188x238	NA	NA	NA	NA	2890.00	6



LAVA 02 - Outdoor Wall Light (PDC - Aluminium) - IP44 - (Grey) #										
GAWLARS009Z02GYN.A	9W	NA	NA	210x188x238	NA	NA	NA	NA	2890.00	6



NOVA - Outdoor Wall Light (PDC - Aluminium) - IP44 - (Grey) #										
GAWLAQS009Z01GYN.A	9W	NA	NA	235x165x280	NA	NA	NA	NA	5540.00	6



CIELO - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Grey) #										
GAWLAES012R01GYWW	12W	3000K	0.9	ø165X98	NA	>80	56lm/W	-	4240.00	20



LYRRA - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Grey) #										
GAWLAFS012S01GYWW	12W	3000K	0.9	160x160x100	NA	>80	58lm/W	-	4240.00	20



TRINITY - Outdoor Wall Light (PDC - Aluminium) - IP65 - (Grey) #										
GAWLAGS005S01GYWW	5W	3000K	0.5	107x96x86	NA	>80	60lm/W	-	2060.00	50



Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm



LOOP



UMI

LED wall lights by Goldmedal combine modern design with reliable outdoor performance, making them ideal for entrances, balconies, corridors, and facades. Built with durable, weather-resistant construction and IP65 protection, they ensure long-lasting use in outdoor conditions. Energy-efficient LEDs deliver bright, uniform illumination while enhancing the architectural appeal of any space—offering a perfect balance of style, durability, and efficient lighting for contemporary environments.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
LOOP - Outdoor Wall Light (PDC - Aluminium) - IP65 (Grey) #										
GL9C2706018GYWW	18W	3000K	≥0.9	170x212x340	NA	>80	100lm/W	NA	13360.00	8
CUBOX - Outdoor Wall Light (PDC - Aluminium) - IP65 (Grey) #										
GL9C1710012GYWW	12W	3000K	≥0.9	140x140x230	NA	>80	100lm/W	NA	11660.00	10
UMI - Outdoor Wall Light (PDC - Aluminium) - IP65 (Grey) #										
GL9C1711012GYWW	12W	3000K	≥0.9	195x172x240	NA	>80	100lm/W	NA	9010.00	12
QUBIX - Outdoor Wall Light (PDC - Aluminium) - IP54 - Round (Grey) #										
GL9C1713106GYWW	6W	3000K	≥0.5	65x80x120	NA	>80	100lm/W	-	5760.00	30
QUBIX - Outdoor Wall Light (PDC - Aluminium) - IP54 - Round (Grey) #										
GL9C1713112GYWW	2x6W	3000K	≥0.9	65x80x180	NA	>80	100lm/W	-	7620.00	20
QUBIX - Outdoor Wall Light (PDC - Aluminium) - IP54 - Square (Grey) #										
GL9C1714106GYWW	6W	3000K	≥0.5	65x80x125	NA	>80	100lm/W	-	5760.00	30
QUBIX - Outdoor Wall Light (PDC - Aluminium) - IP54 - Square (Grey) #										
GL9C1714112GYWW	2x6W	3000K	≥0.9	65x80x175	NA	>80	100lm/W	-	7620.00	20
QRYON - Outdoor Wall Light (PDC - Aluminium) - IP65 (Grey) #										
GL9C1722015GYWW	15W	3000K	≥0.9	125x110x135	NA	>80	100lm/W	-	7620.00	20





ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

BLOK - Outdoor Wall Light with Switch Driver (PDC - Aluminium) - IP65 (Grey) #

GL9C1721008GYSDCNW	8W	CNW	≥0.9	170x105x90	NA	>80	100lm/W	NA	9010.00	30
--------------------	----	-----	------	------------	----	-----	---------	----	---------	----

GL9C1721012GYSDCNW	12W	CNW	≥0.9	200x105x90	NA	>80	100lm/W	NA	9940.00	20
--------------------	-----	-----	------	------------	----	-----	---------	----	---------	----

GL9C1721025GYSDCNW	25W	CNW	≥0.9	360x105x90	NA	>80	100lm/W	NA	13670.00	12
--------------------	-----	-----	------	------------	----	-----	---------	----	----------	----

BRELLA - Outdoor Wall Light (PDC - Aluminium) - IP65 (Grey) #

GL9C1715025GYWW	25W	3000K	≥0.9	300x100	NA	>80	90lm/W	NA	13520.00	8
-----------------	-----	-------	------	---------	----	-----	--------	----	----------	---

DOMO - Outdoor Wall Light (PDC - Aluminium) - IP65 (Stone Grey) #

GL9C1716112SGWW	12W	3000K	≥0.9	140x80	NA	>80	85lm/W	NA	7150.00	30
-----------------	-----	-------	------	--------	----	-----	--------	----	---------	----

DOMO - Outdoor Wall Light (PDC - Aluminium) - IP65 (Stone Grey) #

GL9C1716012SGWW	12W	3000K	≥0.9	140x200x200	NA	>80	85lm/W	NA	9790.00	12
-----------------	-----	-------	------	-------------	----	-----	--------	----	---------	----

SLYCE - Outdoor Wall Light (PDC - Aluminium) - IP65 (Grey) #

GL9C1717012GYWW	12W	3000K	≥0.9	240x78x125	NA	>80	100lm/W	NA	9550.00	20
-----------------	-----	-------	------	------------	----	-----	---------	----	---------	----

SLYCE - Outdoor Wall Light (PDC - Aluminium) - IP65 (Grey) #

GL9C1717018GYWW	18W	3000K	≥0.9	360x78x125	NA	>80	100lm/W	NA	11800.00	10
-----------------	-----	-------	------	------------	----	-----	---------	----	----------	----

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

DOLO - Outdoor Wall Light (PDC - Aluminium) - IP54 (Grey) #

GL9C1718006GYWW	6W	3000K	≥0.9	100x110x140	NA	>80	100lm/W	NA	5450.00	20
-----------------	----	-------	------	-------------	----	-----	---------	----	---------	----

DOLO - Outdoor Wall Light (PDC - Aluminium) - IP65 (Grey) #

GL9C1718012GYWW	2x6W	3000K	≥0.9	100x110x180	NA	>80	100lm/W	NA	5900.00	20
-----------------	------	-------	------	-------------	----	-----	---------	----	---------	----

TUBO - Outdoor Wall Light (PDC - Aluminium) - IP65 (Grey) #

GL9C1719018GYWW	18W	3000K	≥0.9	125x70x200	NA	>80	100lm/W	NA	7770.00	20
-----------------	-----	-------	------	------------	----	-----	---------	----	---------	----

SWIV - Outdoor Wall Light (PDC - Aluminium) - IP65 - Round (Grey) #

GL9C1720112GYWW	12W	3000K	≥0.9	120x150x200	NA	>80	100lm/W	NA	7620.00	20
-----------------	-----	-------	------	-------------	----	-----	---------	----	---------	----

SWIV - Outdoor Wall Light (PDC - Aluminium) - IP65 - Square (Grey) #

GL9C1720212GYWW	12W	3000K	≥0.9	130x100x200	NA	>80	100lm/W	NA	7620.00	20
-----------------	-----	-------	------	-------------	----	-----	---------	----	---------	----

RIVO - Outdoor Wall Light (PDC - Aluminium) - IP65 (Stone Grey) #

GL9C1712103SGWW	3W	3000K	≥0.5	ø160x28	NA	>80	85lm/W	NA	5650.00	20
-----------------	----	-------	------	---------	----	-----	--------	----	---------	----

OLEO - Outdoor Wall Light (PDC - Aluminium) - IP65 (Grey) #

GAWLAPS006R01GYWW	6W	3000K	≥0.9	ø80	NA	>90	85lm/W	120°	9440.00	20
-------------------	----	-------	------	-----	----	-----	--------	------	---------	----

SLIT - LED Wall Light - IP54 (Grey) #

GL9C1723018GYWW	18W	3000K	≥0.9	160x150x50	NA	>80	100lm/W	NA	7880.00	20
-----------------	-----	-------	------	------------	----	-----	---------	----	---------	----



All dimensions & cut outs are in mm



NITEHALWK



BORO

Reliable and durable, the Boro and NiteHawk LED Bulkhead lights deliver powerful illumination for modern outdoor spaces. Boro stands out with its 100 lm/W high-lumen efficiency, offering bright and energy-saving light for residential and commercial areas. In contrast, NiteHawk features smart Day/Night and motion sensor options for automatic control and enhanced convenience. Both lights are IP65 weather-resistant with durable polycarbonate housing, ensuring long-lasting performance in any environment.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
BORO - Bulkhead Light with switch driver (PC) - IP65 - (Grey) #										
GL9C1104118SDCNW	18W	CNW	>0.9	ø214x79	NA	>80	100lm/W	120°	2180.00	24
BORO - Bulkhead Light with Motion Sensor (PC) - IP65 - (Grey) #										
GL9C1104118MSCD	18W	6500K	>0.9	ø214x79	NA	>80	100lm/W	120°	3060.00	24
NITEHAWK - Bulkhead Light - IP65 - (Grey) #										
GL92967WW	20W	3000K	>0.95	211x82x67	NA	>80	110lm/W	120°	860.00	30
GL92967CD	20W	6500K	>0.95	211x82x67	NA	>80	110lm/W	120°	860.00	30
NITEHAWK - Bulkhead Light - (Daylight Sensor) IP65 - (Grey) #										
GL92968CD	20W	6500K	>0.95	211x82x67	NA	>80	110lm/W	120°	1180.00	30
NITEHAWK - Bulkhead Light - (Motion Sensor Dimming) IP65 - (Grey) #										
GL92969CD	20W	6500K	>0.95	211x82x67	NA	>80	110lm/W	120°	1490.00	30
LOOP - Outdoor Surface Light (PDC - Aluminium) - IP65 (Grey) #										
GL9C3501018GYWW	18W	3000K	≥0.9	ø170x135	NA	>80	100lm/W	NA	11660.00	8
LOOP - Outdoor Surface Light (PDC - Aluminium) - IP65 (Grey) #										
GL9C1709018GYWW	18W	3000K	≥0.9	ø170x225	NA	>80	100lm/W	NA	13360.00	8

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

All dimensions & cut outs are in mm





Aesthetically crafted, Goldmedal's gate lights combine contemporary design with reliable performance to beautifully illuminate outdoor spaces. Built with robust, weather-resistant materials and advanced LED technology, they deliver bright, energy-efficient lighting that enhances both safety and ambience. Ideal for gates, pathways, gardens, and building entrances, these lights offer lasting durability and style. Designed to complement modern architecture, these gate lights embody elegance, efficiency, and endurance—making every entrance truly stand out.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

STORME - Gate Light (PDC - Aluminium) - IP65 (Grey) #

GAGLACS012R01GYWW	12W	3000K	0.9	ø170x135	NA	80	32lm/W	-	4690.00	18
-------------------	-----	-------	-----	----------	----	----	--------	---	---------	----

MAGNUX - Gate Light (PDC - Aluminium) - IP65 (Grey) #

GAGLAAS010R01GYWW	10W	3000K	0.9	ø108x140	NA	80	40lm/W	360°	6390.00	20
-------------------	-----	-------	-----	----------	----	----	--------	------	---------	----

LUCIA - Gate Light (PDC - Aluminium) - IP65 (Grey) #

GAGLABS012S01GYWW	12W	3000K	0.9	160x160x135	NA	80	30lm/W	-	4690.00	18
-------------------	-----	-------	-----	-------------	----	----	--------	---	---------	----

FREEDOM - Gate Light (PC) - IP65 (Grey) #

GL9C2701024WW	24W	3000K	>0.95	ø230x320	NA	>80	85lm/W	NA	2230.00	8
---------------	-----	-------	-------	----------	----	-----	--------	----	---------	---

HEAVEN - Gate Light (PC) - IP65 (Grey) #

GL9C2702024WW	24W	3000K	>0.95	ø166x260	NA	>80	80lm/W	NA	1870.00	16
---------------	-----	-------	-------	----------	----	-----	--------	----	---------	----

CUBO - Gate Light (PC) - IP65 (Grey) #

GL9C2703020WW	20W	3000K	>0.95	148x148x145	NA	>80	45lm/W	NA	1600.00	20
---------------	-----	-------	-------	-------------	----	-----	--------	----	---------	----

FLOTUS - Gate Light (PC) - IP65 (Grey) #

GL9C2704024WW	24W	3000K	>0.95	255x255x265	NA	>80	100lm/W	NA	2830.00	8
---------------	-----	-------	-------	-------------	----	-----	---------	----	---------	---

YONIC - LED Gate Light - IP65 #

GL9C2705020WW	20W	3000K	>0.95	288x131x92	NA	>80	70lm/W	NA	3060.00	16
---------------	-----	-------	-------	------------	----	-----	--------	----	---------	----

BARON - LED Inground Light - IP65 #

GAILAAR003R01GYWW	2W	3000K	0.5	ø61x91	NA	80	7.5lm/W	45°x4	1870.00	100
-------------------	----	-------	-----	--------	----	----	---------	-------	---------	-----





PYLON

Built for durability, the Pylon LED Bollard light is a contemporary outdoor lighting solution that blends sleek design with reliable performance. Its robust construction ensures weather resistance and long-lasting operation. Engineered for pathways, gardens, driveways, and landscapes, Pylon delivers uniform illumination through its optimised 80° beam angle. Combining elegance with efficiency, the Pylon light enhances outdoor ambience while improving safety and visibility—making it an ideal choice for residential complexes, hotels, resorts, and modern architectural spaces.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

PYLON 01 - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GABLAAS006R01GYWW	6W	3000K	≥0.9	ø80x520	NA	>90	65lm/W	120°	10050.00	10
-------------------	----	-------	------	---------	----	-----	--------	------	----------	----

PYLON 01 - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GABLAAS006R02GYWW	6W	3000K	≥0.9	ø80x750	NA	>90	65lm/W	120°	12240.00	10
-------------------	----	-------	------	---------	----	-----	--------	------	----------	----

PYLON 02 - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GABLABS018S01GYWW	2x9W	3000K	≥0.9	80x210x600	NA	>80	65lm/W	40°	13370.00	10
GABLABS018S02GYWW	2x9W	3000K	≥0.9	80x210x300	NA	>80	65lm/W	40°	12640.00	10

PYLON 03 - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GABLACS006L01GYWW	6W	3000K	≥0.9	60x90x400	NA	>90	20lm/W	24°	13690.00	8
-------------------	----	-------	------	-----------	----	-----	--------	-----	----------	---

PYLON 03 - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GABLACS006L02GYWW	6W	3000K	≥0.9	60x90x600	NA	>90	20lm/W	24°	16690.00	8
-------------------	----	-------	------	-----------	----	-----	--------	-----	----------	---

PYLON 04 - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GABLADS005R01GYWW	1x5W	3000K	≥0.9	120x90x600	NA	>80	65lm/W	60°	9080.00	10
-------------------	------	-------	------	------------	----	-----	--------	-----	---------	----

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

PYLON 04 - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GABLADS010R01GYWW	2x5W	3000K	≥0.9	120x90x600	NA	>90	65lm/W	60°	13210.00	10
GABLADS010R02GYWW	2x5W	3000K	≥0.9	120x90x300	NA	>90	65lm/W	60°	12640.00	10

PYLON 05 - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GABLAES005R01GYWW	5W	3000K	≥0.9	ø138x600	NA	>80	35lm/W	120°	7780.00	10
-------------------	----	-------	------	----------	----	-----	--------	------	---------	----

PYLON 06 - LED Bollard Light (PDC - Aluminium) - IP54 - (Grey) #

GABLAFS003Z01GYWW	3W	3000K	≥0.5	120x90x800	NA	>80	75lm/W	80°	7290.00	10
-------------------	----	-------	------	------------	----	-----	--------	-----	---------	----

PYLON 07 - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GABLAGS005Z01GYWW	5W	3000K	≥0.5	ø160x600	NA	>80	30lm/W	120°	9400.00	10
-------------------	----	-------	------	----------	----	-----	--------	------	---------	----

LOOP - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GL9C1902035GYWW	2x18W	3000K	≥0.9	170x900	NA	>90	90lm/W	NA	26560.00	6
-----------------	-------	-------	------	---------	----	-----	--------	----	----------	---

All dimensions & cut outs are in mm

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

LOOP - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GL9C1901018GYWW	18W	3000K	≥0.9	170x276x800	NA	>90	100lm/W	NA	17870.00	6
-----------------	-----	-------	------	-------------	----	-----	---------	----	----------	---

CUBOX - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GL9C1903012GYWW	12W	3000K	≥0.9	140x140x600	NA	>90	100lm/W		14760.00	10
GL9C1904012GYWW	12W	3000K	≥0.9	140x140x800	NA	>90	100lm/W		16770.00	10

UMI - LED Bollard Light (PDC - Aluminium) - IP65 - (Grey) #

GL9C1905012GYWW	12W	3000K	≥0.9	172x600	NA	>90	100lm/W		11340.00	12
GL9C1906012GYWW	12W	3000K	≥0.9	172x800	NA	>90	100lm/W		13050.00	12

Domo - LED Bollard Light (PDC - Aluminium) - IP65 - (Stone Grey) #

GL9C1907012SGWW	12W	3000K	≥0.9	140x200	NA	>80	85lm/W		8390.00	20
GL9C1908012SGWW	12W	3000K	≥0.9	140x300	NA	>80	85lm/W		9170.00	10

Domo - LED Bollard (PDC - Aluminium) - IP65 - (Stone Grey) #

GL9C1909018SGWW	12+6W	3000K	≥0.9	140x600	NA	>80	85lm/W		14450.00	10
-----------------	-------	-------	------	---------	----	-----	--------	--	----------	----

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

BRELLA - Post Top Lamp (PDC - Aluminium) - IP65 - (Grey) #

GL9C3601025GYWW	25W	3000K	≥0.9	360x1500	NA	>80	100lm/W		27950.00	1
GL9C3602025GYWW	25W	3000K	≥0.9	360x2300	NA	>80	100lm/W		51240.00	1

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis



LEDNX

Lighting that does more

The LED NX range by Goldmedal is a distinctive collection of luminaires. It consists of a wide range of high-performance COB lights, downlights, track lights, sleek LED panels, elegant wall lights, durable torches, powerful high bay lights, floodlights, and more. Stylish and functional, these lights are designed to meet every lighting need.

The LED NX range is made with durable materials to perform efficiently and to last long. Whether it's a cozy bedroom, a living room, a contemporary workplace, a large warehouse, or an outdoor seating area, these lights complement every décor with style and efficiency. From everyday essentials to niche lighting, LED NX is your go-to solution for smart, reliable, and complete illumination.



EVO
LED COB Module with Rings



EVO

Evo 01, 02, and 03 LED COB modules are designed to integrate seamlessly with the Evo rings, creating a comprehensive and adaptable lighting system. These modules, each featuring durable housing and specialized lenses for optimal light quality, pair perfectly with the Evo's adjustable focus ring. This combination allows for enhanced control and customization, fitting a variety of indoor environments and lighting needs.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

EVO 01 - LED COB Module - (White) #

GL9C2302105WW	5W	3000K	>0.9	ø51x39	NA	>80	80lm/W	36°	250.00	40
GL9C2302105NW	5W	4000K	>0.9	ø51x39	NA	>80	80lm/W	36°	250.00	40

EVO 02 - LED COB Module with external driver (PDC Aluminium) - (Black) #

GL9C2302107BKWW	7W	3000K	>0.5	ø66x40	NA	>80	90lm/W	36°	630.00	30
GL9C2302107BKNW	7W	4000K	>0.5	ø66x40	NA	>80	90lm/W	36°	630.00	30

EVO 02 - LED COB Module with external driver (PDC Aluminium) - (Black) #

GL9C2302110BKWW	10W	3000K	>0.85	ø66x50	NA	>80	90lm/W	36°	760.00	30
GL9C2302110BKNW	10W	4000K	>0.85	ø66x50	NA	>80	90lm/W	36°	760.00	30

EVO 02 - 15W LED COB Module with external driver (PDC Aluminium) - (Black) #

GL9C2302115BKWW	15W	3000K	>0.85	ø66x76	NA	>80	90lm/W	36°	990.00	30
GL9C2302115BKNW	15W	4000K	>0.85	ø66x76	NA	>80	90lm/W	36°	990.00	30

EVO 03 - LED COB Module with external driver (PDC Aluminium) - (Grey) #

GL9C2303015GYWW	15W	3000K	>0.85	ø50x90	NA	>80	90lm/W	36°	1330.00	30
GL9C2303015GYNW	15W	4000K	>0.85	ø50x90	NA	>80	90lm/W	36°	1330.00	30

EVO - A01 Module Ring (Black + Silver) #

GL9C24101BKSL	NA	NA	NA	ø90x29	ø75	NA	NA	NA	210.00	50
---------------	----	----	----	--------	-----	----	----	----	--------	----

EVO - A01 Module Ring (White + Silver) #

GL9C24101WHSL	NA	NA	NA	ø90x29	ø75	NA	NA	NA	210.00	50
---------------	----	----	----	--------	-----	----	----	----	--------	----

EVO - A02 Module Ring (Black + Gun Black) #

GL9C24111BKGB	NA	NA	NA	ø90x34	ø75	NA	NA	NA	250.00	50
---------------	----	----	----	--------	-----	----	----	----	--------	----



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
EVO - A02 Module Ring (White + Gun Black) #										
GL9C24111WHGB	NA	NA	NA	ø90x34	ø75	NA	NA	NA	250.00	50
EVO - A03 Module Ring (Black) #										
GL9C24121BK	NA	NA	NA	ø90x27	ø75	NA	NA	NA	150.00	50
EVO - A03 Module Ring (White) #										
GL9C24121	NA	NA	NA	ø90x27	ø75	NA	NA	NA	150.00	50
EVO - A04 Module Ring (Black + Silver) #										
GL9C24131BKSL	NA	NA	NA	ø93x53	ø85	NA	NA	NA	250.00	50
EVO - A04 Module Ring (White + Silver) #										
GL9C24131WHSL	NA	NA	NA	ø93x53	ø85	NA	NA	NA	250.00	50
EVO - A04 Module Ring (Black + Gold) #										
GL9C24131BKGL	NA	NA	NA	ø93x53	ø85	NA	NA	NA	250.00	50
EVO - A04 Module Ring (White + Gold) #										
GL9C24131WHGL	NA	NA	NA	ø93x53	ø85	NA	NA	NA	250.00	50
EVO - A05 Module Ring (Black) #										
GL9C24141BK	NA	NA	NA	ø90x34	ø75	NA	NA	NA	220.00	50
EVO - A05 Module Ring (White) #										
GL9C24141	NA	NA	NA	ø90x34	ø75	NA	NA	NA	220.00	50

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
EVO - A06 Module Ring (Black+Copper Gold) #										
GL9C24151BKCG	NA	NA	NA	ø88x39	ø75	NA	NA	NA	300.00	50
EVO - A06 Module Ring (White+Copper Gold) #										
GL9C24151WHCG	NA	NA	NA	ø88x39	ø75	NA	NA	NA	300.00	50
EVO - A07 Module Ring IP65 (Black) #										
GL9C24161BK	NA	NA	NA	ø82x45	ø75	NA	NA	NA	290.00	50
EVO - A07 Module Ring IP65 (White) #										
GL9C24161	NA	NA	NA	ø82x45	ø75	NA	NA	NA	290.00	50
EVO - A08 Module Ring (Black) #										
GL9C24171BK	NA	NA	NA	ø93x51	ø85	NA	NA	NA	260.00	50
EVO - A08 Module Ring (White) #										
GL9C24171	NA	NA	NA	ø93x51	ø85	NA	NA	NA	260.00	50
EVO - A09 1x3 Module Ring - Rectangle (Black) #										
GL9C24185BK	NA	NA	NA	255x93x71	228x75	NA	NA	NA	630.00	20
EVO - A09 1x3 Module Ring - Rectangle (White) #										
GL9C24185	NA	NA	NA	255x93x71	228x75	NA	NA	NA	630.00	20
EVO - A10 Module Ring (Black) #										
GL9C24191BK	NA	NA	NA	ø97x29	ø75	NA	NA	NA	300.00	50
EVO - A10 Module Ring (White) #										
GL9C24191	NA	NA	NA	ø97x29	ø75	NA	NA	NA	300.00	50

All dimensions & cut outs are in mm



DIVINE

ARIO PLUS

ARIO

Perfect for accent lighting, LED COB spotlights Divine, Ario, and Ario Plus bring both depth and style to your spaces. Ario offers a sleek design with focussed illumination and energy-efficient output while Ario Plus features an attractive rose gold reflector and 90lm/W efficacy for enhanced lighting experience. Divine stands out with its 36° beam angle for focused lighting effect along with clear lenses, and a polycarbonate reflector for bold accent lighting.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ARIO - LED COB Light with external driver (PDC - Aluminium) - Black

GL9C0705107BKWW	7W	3000K	0.9	ø65x61	ø55	>80	90lm/W	36°	690.00	30
GL9C0705107BKNW	7W	4000K	0.9	ø65x61	ø55	>80	90lm/W	36°	690.00	30
GL9C0705107BKCNCW	7W	CNW	0.9	ø65x61	ø55	>80	90lm/W	36°	880.00	30
GL9C0705112BKWW	12W	3000K	0.9	ø87x77	ø75	>80	90lm/W	36°	910.00	30
GL9C0705112BKNW	12W	4000K	0.9	ø87x77	ø75	>80	90lm/W	36°	910.00	30
GL9C0705112BKCNCW	12W	CNW	0.9	ø87x77	ø75	>80	90lm/W	36°	1030.00	30
GL9C0705112SMBKCNCW	12W	CNW	0.9	ø87x77	ø75	>80	90lm/W	36°	2610.00	30
GL9C0705118BKWW	18W	3000K	0.9	ø90x89	ø80	>80	90lm/W	36°	1220.00	20
GL9C0705118BKNCW	18W	4000K	0.9	ø90x89	ø80	>80	90lm/W	36°	1220.00	20

ARIO - LED COB Light with external driver (PDC - Aluminium) - White

GL9C0705107WW	7W	3000K	0.9	ø65x61	ø55	>80	90lm/W	36°	690.00	30
GL9C0705107NW	7W	4000K	0.9	ø65x61	ø55	>80	90lm/W	36°	690.00	30
GL9C0705107CD	7W	6500K	0.9	ø65x61	ø55	>80	90lm/W	36°	690.00	30
GL9C0705107CNCW	7W	CNW	0.9	ø65x61	ø55	>80	90lm/W	36°	880.00	30
GL9C0705112WW	12W	3000K	0.9	ø87x77	ø75	>80	90lm/W	36°	910.00	30
GL9C0705112NW	12W	4000K	0.9	ø87x77	ø75	>80	90lm/W	36°	910.00	30
GL9C0705112CD	12W	6500K	0.9	ø87x77	ø75	>80	90lm/W	36°	910.00	30
GL9C0705112CNCW	12W	CNW	0.9	ø87x77	ø75	>80	90lm/W	36°	1030.00	30
GL9C0705112SMCNCW	12W	CNW	0.9	ø87x77	ø75	>80	90lm/W	36°	2610.00	30
GL9C0705118WW	18W	3000K	0.9	ø90x89	ø80	>80	90lm/W	36°	1220.00	20
GL9C0705118NW	18W	4000K	0.9	ø90x89	ø80	>80	90lm/W	36°	1220.00	20
GL9C0705118CD	18W	6500K	0.9	ø90x89	ø80	>80	90lm/W	36°	1220.00	20

ARIO PLUS - LED COB Light with external driver (PDC - Aluminium) - Black+Rose Gold

GL9C0718107BKRGNCW	7W	4000K	>0.9	ø72x60	ø68	>80	90lm/W	60°	940.00	80
GL9C0718112BKRGNCW	12W	4000K	>0.9	ø87x75	ø82	>80	100lm/W	60°	1230.00	60
GL9C0718118BKRGNCW	18W	4000k	>0.9	ø95x83	ø90	>80	100lm/W	60°	1650.00	40

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

DIVINE - LED COB Light (PDC - Aluminium) - Black+Gun Black

GL9C0704107BKGBWW	7W	3000K	0.9	ø70x56	ø60	>80	60lm/W	36°	950.00	30
GL9C0704107BKGBNW	7W	4000K	0.9	ø70x56	ø60	>80	60lm/W	36°	950.00	30

DIVINE - LED COB Light (PDC - Aluminium) - Black+Gun Black

GL9C0704112BKGBWW	12W	3000K	0.9	ø86x65	ø76	>80	65lm/W	36°	1260.00	30
GL9C0704112BKGBNW	12W	4000K	0.9	ø86x65	ø76	>80	65lm/W	36°	1260.00	30
GL9C0704112BKGBCNW	12W	CNW	0.9	ø86x65	ø76	>80	65lm/W	36°	1620.00	30

DIVINE - LED COB Light (PDC - Aluminium) - Black+Gun Black

GL9C0704118BKGBWW	18W	3000K	0.9	ø95x81	ø85	>80	70lm/W	36°	1800.00	20
GL9C0704118BKGBNW	18W	4000K	0.9	ø95x81	ø85	>80	70lm/W	36°	1800.00	20

DIVINE - LED COB Light (PDC - Aluminium) - Black+Rose Gold

GL9C0704107BKRGNW	7W	4000K	0.9	ø70x56	ø60	>80	60lm/W	36°	950.00	30
GL9C0704112BKRGNW	12W	4000K	0.9	ø86x65	ø76	>80	65lm/W	36°	1260.00	30
GL9C0704118BKRGNW	18W	4000K	0.9	ø95x81	ø85	>80	70lm/W	36°	1800.00	20

DIVINE - LED COB Light (PDC - Aluminium) - White+Gun Black

GL9C0704107GBWW	7W	3000K	0.9	ø70x56	ø60	>80	60lm/W	36°	950.00	30
GL9C0704107GBNW	7W	4000K	0.9	ø70x56	ø60	>80	60lm/W	36°	950.00	30

DIVINE - LED COB Light (PDC - Aluminium) - White+Gun Black

GL9C0704112GBWW	12W	3000K	0.9	ø86x65	ø76	>80	65lm/W	36°	1260.00	30
GL9C0704112GBNW	12W	4000K	0.9	ø86x65	ø76	>80	65lm/W	36°	1260.00	30

DIVINE - LED COB Light (PDC - Aluminium) - White+Gun Black

GL9C0704118GBWW	18W	3000K	0.9	ø95x81	ø85	>80	70lm/W	36°	1800.00	20
GL9C0704118GBNW	18W	4000K	0.9	ø95x81	ø85	>80	70 m/W	36°	1800.00	20



ORBIX



NEXON

Introducing the next generation of COB lighting fixtures – Orbix and Nexon. Featuring a sleek die-cast aluminium exterior with high-grade powder coating and a polycarbonate diffuser, Orbix delivers glare-free light. Its innovative heat sink ensures optimal heat dissipation. Nexon, with a special anti-glare diffuser and separate LED driver, ensures super-bright illumination and energy-efficient performance. Additionally, its swivel mechanism enables a focused light beam in the desired direction.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

NEXON - COB Light (PDC - Aluminium)

GL91979WW	3W	3000K	>0.5	ø65x42	ø55	>80	70lm/W	36°	530.00	20
GL91979NW	3W	4000K	>0.5	ø65x42	ø55	>80	70lm/W	36°	530.00	20
GL91979CD	3W	6500K	>0.5	ø65x42	ø55	>80	70lm/W	36°	530.00	20
GL91980WW	6W	3000K	>0.5	ø85x55	ø70	>80	90lm/W	36°	750.00	20
GL91980NW	6W	4000K	>0.5	ø85x55	ø70	>80	90lm/W	36°	750.00	20
GL91980CD	6W	6500K	>0.5	ø85x55	ø70	>80	90lm/W	36°	750.00	20

NEXON - LCOB Light (PDC - Aluminium)

GL91981WW	9W	3000K	>0.9	ø100x70	ø78	>80	90lm/W	36°	1050.00	20
GL91981NW	9W	4000K	>0.9	ø100x70	ø78	>80	90 lm/W	36°	1050.00	20
GL91981CD	9W	6500K	>0.9	ø100x70	ø78	>80	90lm/W	36°	1050.00	20
GL91982WW	12W	3000K	>0.9	ø100x70	ø78	>80	90lm/W	36°	1100.00	20
GL91982NW	12W	4000K	>0.9	ø100x70	ø78	>80	90lm/W	36°	1100.00	20
GL91982CD	12W	6500K	>0.9	ø100x70	ø78	>80	90lm/W	36°	1100.00	20
GL91982CCT	12W	CCT	>0.9	ø100x70	ø78	>80	90lm/W	36°	1675.00	20

NEXON - COB Light (PDC - Aluminium)

GL91983WW	18W	3000K	>0.9	ø115x72	ø92	>80	90lm/W	36°	1270.00	20
GL91983NW	18W	4000K	>0.9	ø115x72	ø92	>80	90lm/W	36°	1270.00	20
GL91983CD	18W	6500K	>0.9	ø115x72	ø92	>80	90lm/W	36°	1270.00	20
GL91984WW	24W	3000K	>0.9	ø135x85	ø120	>80	90lm/W	36°	1780.00	10
GL91984NW	24W	4000K	>0.9	ø135x85	ø120	>80	90lm/W	36°	1780.00	10
GL91984CD	24W	6500K	>0.9	ø135x85	ø120	>80	90lm/W	36°	1780.00	10

ORBIX - COB Light (PDC - Aluminium)

GL91926WW	3W	3000K	>0.5	ø70x40	ø59	>80	80lm/W	36°	640.00	60
GL91926NW	3W	4000K	>0.5	ø70x40	ø59	>80	80lm/W	36°	640.00	60
GL91926CD	3W	6500K	>0.5	ø70x40	ø59	>80	80lm/W	36°	640.00	60
GL91927WW	6W	3000K	>0.9	ø85x50	ø74	>80	80lm/W	36°	880.00	60
GL91927NW	6W	4000K	>0.9	ø85x50	ø74	>80	80lm/W	36°	880.00	60
GL91927CD	6W	6500K	>0.9	ø85x50	ø74	>80	80lm/W	36°	880.00	60

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ORBIX - COB Light (PDC - Aluminium)

GL91928WW	9W	3000K	>0.95	ø100x60	ø82	>80	85lm/W	36°	1140.00	30
GL91928NW	9W	4000K	>0.95	ø100x60	ø82	>80	85lm/W	36°	1140.00	30
GL91928CD	9W	6500K	>0.95	ø100x60	ø82	>80	85lm/W	36°	1140.00	30
GL91929WW	12W	3000K	>0.95	ø100x60	ø82	>80	85lm/W	36°	1260.00	30
GL91929NW	12W	4000K	>0.95	ø100x60	ø82	>80	85lm/W	36°	1260.00	30
GL91929CD	12W	6500K	>0.95	ø100x60	ø82	>80	85lm/W	36°	1260.00	30

ORBIX - COB Light (PDC - Aluminium)

GL91930WW	18W	3000K	>0.95	ø110x72	ø100	>80	100lm/W	36°	1530.00	30
GL91930NW	18W	4000K	>0.95	ø110x72	ø100	>80	100lm/W	36°	1530.00	30
GL91930CD	18W	6500K	>0.95	ø110x72	ø100	>80	100lm/W	36°	1530.00	30
GL91931WW	25W	3000K	>0.95	ø125x85	ø110	>80	100lm/W	36°	2140.00	20
GL91931NW	25W	4000K	>0.95	ø125x85	ø110	>80	100lm/W	36°	2140.00	20
GL91931CD	25W	6500K	>0.95	ø125x85	ø110	>80	100lm/W	36°	2140.00	20

ORBIX - COB Light (PDC - Aluminium)

GL91932WW	30W	3000K	>0.95	ø135x85	ø121	>80	100lm/W	36°	2490.00	20
GL91932NW	30W	4000K	>0.95	ø135x85	ø121	>80	100lm/W	36°	2490.00	20
GL91932CD	30W	6500K	>0.95	ø135x85	ø121	>80	100lm/W	36°	2490.00	20
GL91933WW	35W	3000K	>0.95	ø135x85	ø121	>80	100lm/W	36°	3110.00	20
GL91933NW	35W	4000K	>0.95	ø135x85	ø121	>80	100lm/W	36°	3110.00	20
GL91933CD	35W	6500K	>0.95	ø135x85	ø121	>80	100lm/W	36°	3110.00	20



DIVO

JEWEL

G-TILT

Designed to elevate modern interiors, Divo, Jewel and G-Tilt are versatile and stylish LED lighting solutions. Divo, a sleek junction box spot, light with polycarbonate housing and vibrant colour options, features a 3-in-1 CCT setting for customizable ambience. Jewel is a recessed COB downlight with a patterned acrylic diffuser and slim design, ideal for low-ceiling spaces. G-Tilt is a spotlight that comes in round and square shapes, with 3W, 6W, and 12W options. It has a swivel feature, so you can easily adjust the light where you need it. Together, these luminaires blend form and function, delivering efficient, glare-free illumination for contemporary spaces.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

G-TILT - LED COB Downlight with external driver (PDC - Aluminium) - Round

GL91600WW	3W	3000K	>0.4	ø55x23	ø45	>80	70lm/W	120°	570.00	50
GL91600CD	3W	6500K	>0.4	ø55x23	ø45	>80	80lm/W	120°	570.00	50
GL91601WW	6W	3000K	>0.9	ø85x26	ø75	>80	70lm/W	120°	910.00	40
GL91601CD	6W	6500K	>0.9	ø85x26	ø75	>80	80lm/W	120°	910.00	40
GL91602WW	12W	3000K	>0.9	ø125x29	ø110	>80	70lm/W	120°	1500.00	30
GL91602CD	12W	6500K	>0.9	ø125x29	ø110	>80	80lm/W	120°	1500.00	30

G-TILT - LED COB Downlight with external driver (PDC - Aluminium) - Square

GL92600WW	3W	3000K	>0.4	55x55x23	45x45	>80	70lm/W	120°	500.00	50
GL92600CD	3W	6500K	>0.4	55x55x23	45x45	>80	80lm/W	120°	500.00	50
GL92601WW	6W	3000K	>0.9	85x85x26	75x75	>80	70lm/W	120°	800.00	40
GL92601CD	6W	6500K	>0.9	85x85x26	75x75	>80	80lm/W	120°	800.00	40
GL92602WW	12W	3000K	>0.9	125x125x29	110x110	>80	70lm/W	120°	1310.00	30
GL92602CD	12W	6500K	>0.9	125x125x29	110x110	>80	80lm/W	120°	1310.00	30

JEWEL - LED COB Downlight with external driver (PDC - Aluminium)

GL9C0708106WW	6W	3000K	>0.9	ø85x20	ø75	>80	80lm/W	45°	650.00	40
GL9C0708106NW	6W	4000K	>0.9	ø85x20	ø75	>80	80lm/W	45°	650.00	40
GL9C0708112WW	12W	3000K	>0.9	ø105x23	ø95	>80	80lm/W	45°	910.00	30
GL9C0708112NW	12W	4000K	>0.9	ø105x23	ø95	>80	80lm/W	45°	910.00	30
GL9C0708118WW	18W	3000K	>0.9	ø130x23	ø115	>80	80lm/W	45°	1220.00	20
GL9C0708118NW	18W	4000K	>0.9	ø130x23	ø115	>80	80lm/W	45°	1220.00	20

DIVO - LED COB Light (PC)

GL9C1305103WW	3W	3000K	>0.95	ø80x35	ø45	>80	70lm/W	36°	180.00	100
GL9C1305103NW	3W	4000K	>0.95	ø80x35	ø45	>80	70lm/W	36°	180.00	100
GL9C1305103CD	3W	6500K	>0.95	ø80x35	ø45	>80	70lm/W	36°	180.00	100
GL9C1305103RD	3W	RED	>0.95	ø80x35	ø45	>80	70lm/W	36°	180.00	100
GL9C1305103GN	3W	GREEN	>0.95	ø80x35	ø45	>80	70lm/W	36°	180.00	100
GL9C1305103BL	3W	BLUE	>0.95	ø80x35	ø45	>80	70lm/W	36°	180.00	100
GL9C1305103PN	3W	PINK	>0.95	ø80x35	ø45	>80	70lm/W	36°	180.00	100
GL9C1305103CNW	3W	CD+NW+WW	>0.95	ø80x35	ø45	>80	70lm/W	36°	250.00	100
GL9C1305103RBP	3W	RD+BL+PN	>0.95	ø80x35	ø45	>80	70lm/W	36°	250.00	100
GL9C1305103PCG	3W	PN+CD+GN	>0.95	ø80x35	ø45	>80	70lm/W	36°	250.00	100

All dimensions & cut outs are in mm

GIOSTAR



ECOSTAR

ECOSTAR

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
ECOSTAR - LED Spot Light - Diffused										
GL91947WW	1W	3000K	0.9	ø38x20	ø28	>80	60lm/W	-	110.00	400
GL91947CD	1W	6500K	0.9	ø38x20	ø28	>80	60lm/W	-	110.00	400
GL91947RD	1W	RED	0.9	ø38x20	ø28	>80	60lm/W	-	110.00	400
GL91947GN	1W	GREEN	0.9	ø38x20	ø28	>80	60lm/W	-	110.00	400
GL91947BL	1W	BLUE	0.9	ø38x20	ø28	>80	60lm/W	-	110.00	400
GL91947PN	1W	PINK	0.9	ø38x20	ø28	>80	60lm/W	-	110.00	400
GL91947AM	1W	AMBER	0.9	ø38x20	ø28	>80	60lm/W	-	110.00	400
GL91947IB	1W	ICE BLUE	0.9	ø38x20	ø28	>80	60lm/W	-	110.00	400
ECOSTAR - LED Spotlight - Diffused										
GL91948WW	3W	3000K	0.9	ø42x22	ø34	>80	70lm/W	-	140.00	400
GL91948CD	3W	6500K	0.9	ø42x22	ø34	>80	70lm/W	-	140.00	400
GL91948RD	3W	RED	0.9	ø42x22	ø34	>80	70lm/W	-	140.00	400
GL91948GN	3W	GREEN	0.9	ø42x22	ø34	>80	70lm/W	-	140.00	400
GL91948BL	3W	BLUE	0.9	ø42x22	ø34	>80	70lm/W	-	140.00	400
GL91948PN	3W	PINK	0.9	ø42x22	ø34	>80	70lm/W	-	140.00	400
GL91948AM	3W	AMBER	0.9	ø42x22	ø34	>80	70lm/W	-	140.00	400
GL91948IB	3W	ICE BLUE	0.9	ø42x22	ø34	>80	70lm/W	-	140.00	400

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
ECOSTAR - LED Spotlight										
GL91945WW	1W	3000K	0.9	ø38x23	ø28	>80	60lm/W	90°	110.00	400
GL91945CD	1W	6500K	0.9	ø38x23	ø28	>80	60lm/W	90°	110.00	400
GL91945RD	1W	RED	0.9	ø38x23	ø28	>80	60lm/W	90°	110.00	400
GL91945GN	1W	GREEN	0.9	ø38x23	ø28	>80	60lm/W	90°	110.00	400
GL91945BL	1W	BLUE	0.9	ø38x23	ø28	>80	60lm/W	90°	110.00	400
GL91945AM	1W	AMBER	0.9	ø38x23	ø28	>80	60lm/W	90°	110.00	400
GL91945PN	1W	PINK	0.9	ø38x23	ø28	>80	60lm/W	90°	110.00	400
GL91945IB	1W	ICE BLUE	0.9	ø38x23	ø28	>80	60lm/W	90°	110.00	400
ECOSTAR - LED Spotlight										
GL91946WW	3W	3000K	0.9	ø44x22	ø34	>80	70lm/W	90°	140.00	400
GL91946CD	3W	6500K	0.9	ø44x22	ø34	>80	70lm/W	90°	140.00	400
GL91946RD	3W	RED	0.9	ø44x22	ø34	>80	70lm/W	90°	140.00	400
GL91946GN	3W	GREEN	0.9	ø44x22	ø34	>80	70lm/W	90°	140.00	400
GL91946BL	3W	BLUE	0.9	ø44x22	ø34	>80	70lm/W	90°	140.00	400
GL91946AM	3W	AMBER	0.9	ø44x22	ø34	>80	70lm/W	90°	140.00	400
GL91946PN	3W	PINK	0.9	ø44x22	ø34	>80	70lm/W	90°	140.00	400
GL91946IB	3W	ICE BLUE	0.9	ø44x22	ø34	>80	70lm/W	90°	140.00	400
ECOSTAR PRO - LED COB Spotlight (PDC - Aluminium)										
GL9C0714103WW	3W	3000K	>0.5	ø40x33	ø32	>80	70lm/W	90°	210.00	400
GIOSTAR - LED COB Spotlight (PDC - Aluminium) - (Black)										
GL9C0711101BKWW	1W	3000K	>0.9	ø32x22	ø27	>80	60lm/W	24°	270.00	100
GIOSTAR - LED COB Spotlight (PDC - Aluminium) - (White)										
GL9C0711101WW	1W	3000K	>0.9	ø32x22	ø27	>80	60lm/W	24°	270.00	100
G-CELL - LED Spotlight										
GL91647WW	2W	3000K	>0.9	ø42x18	ø33	>80	50lm/W	45°	110.00	300
GL91647CD	2W	6500K	>0.9	ø42x18	ø33	>80	50lm/W	45°	110.00	300
GL91647RD	2W	RED	>0.9	ø42x18	ø33	>80	50lm/W	45°	110.00	300
GL91647GN	2W	GREEN	>0.9	ø42x18	ø33	>80	50lm/W	45°	110.00	300
GL91647BL	2W	BLUE	>0.9	ø42x18	ø33	>80	50lm/W	45°	110.00	300
GL91647PN	2W	PINK	>0.9	ø42x18	ø33	>80	50lm/W	45°	110.00	300

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

G-SPIN - LED Spotlight with inbuilt driver

GL91640WW	3W	3000K	0.9	ø74x42	ø57	>80	70lm/W	70°	270.00	40
GL91640NW	3W	4000K	0.9	ø74x42	ø57	>80	70lm/W	70°	270.00	40
GL91640CD	3W	6500K	0.9	ø74x42	ø57	>80	70lm/W	70°	270.00	40

G-SPIN - LED Spotlight with inbuilt driver

GL91641WW	6W	3000K	0.9	ø95x42	ø70	>80	70lm/W	70°	360.00	40
GL91641NW	6W	4000K	0.9	ø95x42	ø70	>80	70lm/W	70°	360.00	40
GL91641CD	6W	6500K	0.9	ø95x42	ø70	>80	70lm/W	70°	360.00	40

G-SPIN - LED Spotlight with inbuilt driver

GL91645WW	9W	3000K	0.9	ø116x51	ø90	>80	70lm/W	70°	450.00	40
GL91645NW	9W	4000K	0.9	ø116x51	ø90	>80	70lm/W	70°	450.00	40
GL91645CD	9W	6500K	0.9	ø116x51	ø90	>80	70lm/W	70°	450.00	40

G-SPIN - LED Spotlight with inbuilt driver

GL91642WW	12W	3000K	0.9	ø140x52	ø115	>80	70lm/W	70°	650.00	40
GL91642NW	12W	4000K	0.9	ø140x52	ø115	>80	70lm/W	70°	650.00	40
GL91642CD	12W	6500K	0.9	ø140x52	ø115	>80	70lm/W	70°	650.00	40

G-SPIN MINI - LED COB Spotlight with inbuilt drivert

GL9C0703103WW	3W	3000K	≥0.5	ø70x36	ø55	≥70	85lm/W	36°	180.00	100
GL9C0703103NW	3W	4000K	≥0.5	ø70x36	ø55	≥70	85lm/W	36°	180.00	100
GL9C0703103CD	3W	6500K	≥0.5	ø70x36	ø55	≥70	85lm/W	36°	180.00	100
GL9C0703103RD	3W	RED	≥0.5	ø70x36	ø55	≥70	85lm/W	36°	180.00	100
GL9C0703103GN	3W	GREEN	≥0.5	ø70x36	ø55	≥70	85lm/W	36°	180.00	100
GL9C0703103BL	3W	BLUE	≥0.5	ø70x36	ø55	≥70	85lm/W	36°	180.00	100
GL9C0703103PN	3W	PINK	≥0.5	ø70x36	ø55	≥70	85lm/W	36°	180.00	100
GL9C0703103CNW	3W	CNW	≥0.5	ø70x36	ø55	≥70	85lm/W	36°	260.00	100
GL9C0703103RBP	3W	RBP	≥0.5	ø70x36	ø55	≥70	85lm/W	36°	260.00	100

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

OSIO - LED COB Spot light with inbuilt driver

GL9C1301107WW	7W	3000K	>0.9	ø110x58	ø80	>80	90lm/W	90°	340.00	50
GL9C1301107NW	7W	4000K	>0.9	ø110x58	ø80	>80	90lm/W	90°	340.00	50
GL9C1301107CD	7W	6500K	>0.9	ø110x58	ø80	>80	90lm/W	90°	340.00	50
GL9C1301107RD	7W	RED	>0.9	ø110x58	ø80	>80	90lm/W	90°	340.00	50
GL9C1301107GN	7W	GREEN	>0.9	ø110x58	ø80	>80	90lm/W	90°	340.00	50
GL9C1301107BL	7W	BLUE	>0.9	ø110x58	ø80	>80	90lm/W	90°	340.00	50
GL9C1301107PN	7W	PINK	>0.9	ø110x58	ø80	>80	90lm/W	90°	340.00	50
GL9C1301107CNW	7W	CNW	>0.9	ø110x58	ø80	>80	90lm/W	90°	400.00	50
GL9C1301107RBPL	7W	RED BLUE PURPLE	>0.9	ø110x58	ø80	>80	90lm/W	90°	500.00	50

OSIO SWIVEL - LED COB Spot light with inbuilt driver

GL9C1303107SDCNW	7W	3000K	>0.9	ø110x58	ø80	>80	110lm/W	90°	610.00	50
------------------	----	-------	------	---------	-----	-----	---------	-----	--------	----

NEOS - LED Spotlight - Black

GL9C0726107BKNW	7W	4000K	>0.9	90x45	ø75	>80	70lm/W	36°	400.00	20
GL9C0726107BKWW	7W	3000K	>0.9	90x45	ø75	>80	70lm/W	36°	400.00	20
GL9C0726107BKCD	7W	6500K	>0.9	90x45	ø75	>80	70lm/W	36°	400.00	20
GL9C0726112BKNW	12W	4000K	>0.9	120x55	ø100	>80	70lm/W	36°	770.00	50
GL9C0726112BKWW	12W	3000K	>0.9	120x55	ø100	>80	70lm/W	36°	770.00	50
GL9C0726112BKCD	12W	65000K	>0.9	120x55	ø100	>80	70lm/W	36°	770.00	50

NEOS - LED Spotlight - Rose Gold

GL9C0726107RGNW	7W	4000K	>0.9	90x45	ø75	>80	70lm/W	36°	400.00	20
GL9C0726107RGWW	7W	3000K	>0.9	90x45	ø75	>80	70lm/W	36°	400.00	20
GL9C0726107RGCD	7W	6500K	>0.9	90x45	ø75	>80	70lm/W	36°	400.00	20
GL9C0726112RGNW	12W	4000K	>0.9	120*55	ø100	>80	70lm/W	36°	770.00	50
GL9C0726112RGWW	12W	3000K	>0.9	120*55	ø100	>80	70lm/W	36°	770.00	50
GL9C0726112RGCD	12W	65000K	>0.9	120*55	ø100	>80	70lm/W	36°	770.00	50



TRON

Tron is an LED downlight that is ideal for low rise ceilings. Designed with durable polycarbonate housing, this LED offers long-lasting performance. It has a lumen efficacy of 90lm/W that makes it suitable for both indoor and domestic usage. Tron is available in a variety of individual colours and temperatures including 3000K, 4000K, 6500K, Red, Green, Blue, Pink, as well as CNW options. It's the perfect light for those who like to personalise their surroundings.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

TRON - LED Downlight (PC) - Round

GL9C0311106WW	6W	3000K	> 0.9	ø93x30	ø72	>80	75lm/W	-	260.00	40
GL9C0311106NW	6W	4000K	> 0.9	ø93x30	ø72	>80	75lm/W	-	260.00	40
GL9C0311106CD	6W	6500K	> 0.9	ø93x30	ø72	>80	75lm/W	-	260.00	40
GL9C0311106RD	6W	RED	> 0.9	ø93x30	ø72	>80	75lm/W	-	260.00	40
GL9C0311106GN	6W	GREEN	> 0.9	ø93x30	ø72	>80	75lm/W	-	260.00	40
GL9C0311106BL	6W	BLUE	> 0.9	ø93x30	ø72	>80	75lm/W	-	260.00	40
GL9C0311106PN	6W	PINK	> 0.9	ø93x30	ø72	>80	75lm/W	-	260.00	40
GL9C0311106CNW	6W	CNW	> 0.9	ø93x30	ø72	>80	75lm/W	-	300.00	40

TRON - LED Downlight (PC) - Round

GL9C0311112WW	12W	3000K	> 0.9	ø128x30	ø100	>80	80lm/W	-	340.00	40
GL9C0311112NW	12W	4000K	> 0.9	ø128x30	ø100	>80	80lm/W	-	340.00	40
GL9C0311112CD	12W	6500K	> 0.9	ø128x30	ø100	>80	80lm/W	-	340.00	40
GL9C0311112RD	12W	RED	> 0.9	ø128x30	ø100	>80	80lm/W	-	340.00	40
GL9C0311112GN	12W	GREEN	> 0.9	ø128x30	ø100	>80	80lm/W	-	340.00	40
GL9C0311112BL	12W	BLUE	> 0.9	ø128x30	ø100	>80	80lm/W	-	340.00	40
GL9C0311112PN	12W	PINK	> 0.9	ø128x30	ø100	>80	80lm/W	-	340.00	40
GL9C0311112CNW	12W	CNW	> 0.9	ø128x30	ø100	>80	80lm/W	-	480.00	40

TRON - LED Downlight (PC) - Round

GL9C0311115WW	15W	3000K	> 0.9	ø143x30	ø122	>80	80lm/W	-	500.00	40
GL9C0311115NW	15W	4000K	> 0.9	ø143x30	ø122	>80	80lm/W	-	500.00	40
GL9C0311115CD	15W	6500K	> 0.9	ø143x30	ø122	>80	80lm/W	-	500.00	40
GL9C0311115CNW	15W	CNW	> 0.9	ø143x30	ø122	>80	80lm/W	-	630.00	40
GL9C03111156WW	15W	3000K	> 0.9	ø170x30	ø149	>80	80lm/W	-	630.00	20
GL9C03111156NW	15W	4000K	> 0.9	ø170x30	ø149	>80	80lm/W	-	630.00	20
GL9C03111156CD	15W	6500K	> 0.9	ø170x30	ø149	>80	80lm/W	-	630.00	20
GL9C03111156CNW	15W	CNW	> 0.9	ø170x30	ø149	>80	80lm/W	-	680.00	20

All dimensions & cut outs are in mm

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

TRON - LED Downlight (PC) - Round

GL9C0311118WW	18W	3000K	> 0.9	ø170x30	ø149	>80	85lm/W	-	630.00	20
GL9C0311118NW	18W	4000K	> 0.9	ø170x30	ø149	>80	85lm/W	-	630.00	20
GL9C0311118CD	18W	6500K	> 0.9	ø170x30	ø149	>80	85lm/W	-	630.00	20
GL9C0311118CNW	18W	CNW	> 0.9	ø170x30	ø149	>80	85lm/W	-	680.00	20
GL9C0311120WW	20W	3000K	> 0.9	ø220x30	ø200	>80	80lm/W	-	1020.00	20
GL9C0311120NW	20W	4000K	> 0.9	ø220x30	ø200	>80	80lm/W	-	1020.00	20
GL9C0311120CD	20W	6500K	> 0.9	ø220x30	ø200	>80	80lm/W	-	1020.00	20
GL9C0311124WW	24W	3000K	> 0.9	ø220x30	ø200	>80	90lm/W	-	1020.00	20
GL9C0311124NW	24W	4000K	> 0.9	ø220x30	ø200	>80	90lm/W	-	1020.00	20
GL9C0311124CD	24W	6500K	> 0.9	ø220x30	ø200	>80	90lm/W	-	1020.00	20

TRON - LED Downlight (PC) - Square

GL9C0311206WW	6W	3000K	>0.9	93x30	72	>80	75lm/W	-	260.00	40
GL9C0311206NW	6W	4000K	>0.9	93x30	72	>80	75lm/W	-	260.00	40
GL9C0311206CD	6W	6500K	>0.9	93x30	72	>80	75lm/W	-	260.00	40
GL9C0311206RD	6W	RED	>0.9	93x30	72	>80	75lm/W	-	260.00	40
GL9C0311206GN	6W	GREEN	>0.9	93x30	72	>80	75lm/W	-	260.00	40
GL9C0311206BL	6W	BLUE	>0.9	93x30	72	>80	75lm/W	-	260.00	40
GL9C0311206PN	6W	PINK	>0.9	93x30	72	>80	75lm/W	-	260.00	40
GL9C0311206CNW	6W	CNW	>0.9	93x30	72	>80	75lm/W	-	300.00	40

TRON - LED Downlight (PC) - Square

GL9C0311212WW	12W	3000K	>0.9	128x30	100	>80	75lm/W	-	340.00	40
GL9C0311212NW	12W	4000K	>0.9	128x30	100	>80	75lm/W	-	340.00	40
GL9C0311212CD	12W	6500K	>0.9	128x30	100	>80	75lm/W	-	340.00	40
GL9C0311212RD	12W	RED	>0.9	128x30	100	>80	75lm/W	-	340.00	40
GL9C0311212GN	12W	GREEN	>0.9	128x30	100	>80	75lm/W	-	340.00	40
GL9C0311212BL	12W	BLUE	>0.9	128x30	100	>80	75lm/W	-	340.00	40
GL9C0311212PN	12W	PINK	>0.9	128x30	100	>80	75lm/W	-	340.00	40
GL9C0311212CNW	12W	CNW	>0.9	128x30	100	>80	75lm/W	-	480.00	40

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

TRON - LED Downlight (PC) - Square

GL9C0311215WW	15W	3000K	>0.9	143x30	122	>80	75lm/W	-	500.00	40
GL9C0311215NW	15W	4000K	>0.9	143x30	122	>80	75lm/W	-	500.00	40
GL9C0311215CD	15W	6500K	>0.9	143x30	122	>80	75lm/W	-	500.00	40
GL9C0311215CNW	15W	CNW	>0.9	143x30	122	>80	75lm/W	-	630.00	40

GLAZZ - LED Downlight (PC) - Round

GL91333WW	6W	3000K	≥0.90	ø120x37	ø102	>80	90lm/W	120°	440.00	40
GL91333NW	6W	4000K	≥0.90	ø120x37	ø102	>80	90lm/W	120°	440.00	40
GL91333CD	6W	6500K	≥0.90	ø120x37	ø102	>80	100lm/W	120°	440.00	40
GL91333CCT	6W	CCT	≥0.90	ø120x37	ø102	>80	90lm/W	120°	530.00	40
GL91338WW	10W	3000K	≥0.90	ø120x37	ø102	>80	90lm/W	120°	450.00	40
GL91338NW	10W	4000K	≥0.90	ø120x37	ø102	>80	90lm/W	120°	450.00	40
GL91338CD	10W	6500K	≥0.90	ø120x37	ø102	>80	100lm/W	120°	450.00	40
GL91338CCT	10W	CCT	≥0.90	ø120x37	ø102	>80	90lm/W	120°	530.00	40

GLAZZ - LED Downlight (PC) - Round

GL91334WW	12W	3000K	≥0.90	ø170x37	ø153	>80	90lm/W	120°	690.00	40
GL91334NW	12W	4000K	≥0.90	ø170x37	ø153	>80	90lm/W	120°	690.00	40
GL91334CD	12W	6500K	≥0.90	ø170x37	ø153	>80	100lm/W	120°	690.00	40
GL91334CCT	12W	CCT	≥0.90	ø170x37	ø153	>80	90lm/W	120°	860.00	40
GL91335WW	15W	3000K	≥0.90	ø170x37	ø153	>80	90lm/W	120°	710.00	40
GL91335NW	15W	4000K	≥0.90	ø170x37	ø153	>80	90lm/W	120°	710.00	40
GL91335CD	15W	6500K	≥0.90	ø170x37	ø153	>80	100lm/W	120°	710.00	40
GL91335CCT	15W	CCT	≥0.90	ø170x37	ø153	>80	90lm/W	120°	860.00	40
GL9C0315115CNW	15W	CNW	≥0.90	ø170x37	ø153	>80	90lm/W	120°	2000.00	40

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

GLAZZ - LED Downlight (PC) - Round

GL91336WW	18W	3000K	≥0.90	ø220x37	ø204	>80	90lm/W	120°	1070.00	40
GL91336NW	18W	4000K	≥0.90	ø220x37	ø204	>80	90lm/W	120°	1070.00	40
GL91336CD	18W	6500K	≥0.90	ø220x37	ø204	>80	100lm/W	120°	1070.00	40
GL91337WW	22W	3000K	≥0.90	ø220x37	ø204	>80	90lm/W	120°	1250.00	40
GL91337NW	22W	4000K	≥0.90	ø220x37	ø204	>80	90lm/W	120°	1250.00	40
GL91337CD	22W	6500K	≥0.90	ø220x37	ø204	>80	100lm/W	120°	1250.00	40

GLAZZ - LED Downlight (PC) - Square

GL92333WW	6W	3000K	≥0.90	120x120x37	102x102	>80	90lm/W	120°	440.00	40
GL92333NW	6W	4000K	≥0.90	120x120x37	102x102	>80	90lm/W	120°	440.00	40
GL92333CD	6W	6500K	≥0.90	120x120x37	102x102	>80	100lm/W	120°	440.00	40
GL92333CCT	6W	CCT	≥0.90	120x120x37	102x102	>80	90lm/W	120°	530.00	40
GL92338WW	10W	3000K	≥0.90	120x120x37	102x102	>80	90lm/W	120°	450.00	40
GL92338NW	10W	4000K	≥0.90	120x120x37	102x102	>80	90lm/W	120°	450.00	40
GL92338CD	10W	6500K	≥0.90	120x120x37	102x102	>80	100lm/W	120°	450.00	40
GL92338CCT	10W	CCT	≥0.90	120x120x37	102x102	>80	90lm/W	120°	530.00	40

GLAZZ - LED Downlight (PC) - Square

GL92334WW	12W	3000K	≥0.90	170x170x37	153x153	>80	90lm/W	120°	690.00	40
GL92334NW	12W	4000K	≥0.90	170x170x37	153x153	>80	90lm/W	120°	690.00	40
GL92334CD	12W	6500K	≥0.90	170x170x37	153x153	>80	100lm/W	120°	690.00	40
GL92334CCT	12W	CCT	≥0.90	170x170x37	153x153	>80	90lm/W	120°	860.00	40
GL92335WW	15W	3000K	≥0.90	170x170x37	153x153	>80	90lm/W	120°	710.00	40
GL92335NW	15W	4000K	≥0.90	170x170x37	153x153	>80	90lm/W	120°	710.00	40
GL92335CD	15W	6500K	≥0.90	170x170x37	153x153	>80	100lm/W	120°	710.00	40
GL92335CCT	15W	CCT	≥0.90	170x170x37	153x153	>80	90lm/W	120°	860.00	40

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

GLAZZ - LED Downlight (PC) - Square

GL92336WW	18W	3000K	≥0.90	220x220x37	204x204	>80	90lm/W	120°	1070.00	40
GL92336NW	18W	4000K	≥0.90	220x220x37	204x204	>80	90lm/W	120°	1070.00	40
GL92336CD	18W	6500K	≥0.90	220x220x37	204x204	>80	100lm/W	120°	1070.00	40
GL92337WW	22W	3000K	≥0.90	220x220x37	204x204	>80	90lm/W	120°	1250.00	40
GL92337NW	22W	4000K	≥0.90	220x220x37	204x204	>80	90lm/W	120°	1250.00	40
GL92337CD	22W	6500K	≥0.90	220x220x37	204x204	>80	100lm/W	120°	1250.00	40

Glazz Senso - LED Downlight with Motion Sensor - Round

GL91333MSWW	6W	3000K	>0.9	ø120x37	ø120	>80	100lm/W	180°	860.00	40
GL91333MSNW	6W	4000K	>0.9	ø120x37	ø120	>80	100lm/W	180°	860.00	40
GL91333MSCD	6W	6500K	>0.9	ø120x37	ø120	>80	100lm/W	180°	860.00	40
GL91335MSWW	15W	3000K	>0.9	ø170x37	ø155	>80	100lm/W	180°	1340.00	40
GL91335MSCD	15W	6500K	>0.9	ø170x37	ø155	>80	100lm/W	180°	1340.00	40



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

GLAZZ PLUS - LED Downlight (PC) - Round

GL9C0319106WW	6W	3000K	>0.9	ø98x31	ø73	>80	100lm/W	120°	320.00	20
GL9C0319106NW	6W	4000K	>0.9	ø98x31	ø73	>80	100lm/W	120°	320.00	20
GL9C0319106CD	6W	6500K	>0.9	ø98x31	ø73	>80	100lm/W	120°	320.00	20
GL9C0319106CNW	6W	CNW	>0.9	ø98x31	ø73	>80	100lm/W	120°	-	20
GL9C0319110WW	10W	3000K	>0.9	ø124x31	ø100	>80	100lm/W	120°	410.00	20
GL9C0319110NW	10W	4000K	>0.9	ø124x31	ø100	>80	100lm/W	120°	410.00	20
GL9C0319110CD	10W	6500K	>0.9	ø124x31	ø100	>80	100lm/W	120°	410.00	20
GL9C0319110CNW	10W	CNW	>0.9	ø124x31	ø100	>80	100lm/W	120°	-	20

GLAZZ PLUS - LED Downlight (PC) - Round

GL9C0319112WW	12W	3000K	>0.9	ø148x31	ø122	>80	100lm/W	120°	530.00	20
GL9C0319112NW	12W	4000K	>0.9	ø148x31	ø122	>80	100lm/W	120°	530.00	20
GL9C0319112CD	12W	6500K	>0.9	ø148x31	ø122	>80	100lm/W	120°	530.00	20
GL9C0319112CNW	12W	CNW	>0.9	ø148x31	ø122	>80	100lm/W	120°	-	20

GLAZZ PLUS - LED Downlight (PC) - Round

GL9C0319115WW	15W	3000K	>0.9	ø175x31	ø150	>80	100lm/W	120°	690.00	20
GL9C0319115NW	15W	4000K	>0.9	ø175x31	ø150	>80	100lm/W	120°	690.00	20
GL9C0319115CD	15W	6500K	>0.9	ø175x31	ø150	>80	100lm/W	120°	690.00	20
GL9C0319115CNW	15W	CNW	>0.9	ø175x31	ø150	>80	100lm/W	120°	-	20
GL9C0319120WW	20W	3000K	>0.9	ø224x31	ø200	>80	100lm/W	120°	1100.00	10
GL9C0319120NW	20W	4000K	>0.9	ø224x31	ø200	>80	100lm/W	120°	1100.00	10
GL9C0319120CD	20W	6500K	>0.9	ø224x31	ø200	>80	100lm/W	120°	1100.00	10
GL9C0319120CNW	20W	CNW	>0.9	ø224x31	ø200	>80	100lm/W	120°	-	10

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

GLAZZ PLUS - LED Downlight (PC) - Square

GL9C0319206WW	6W	3000K	>0.9	98x98x31	73x73	>80	100lm/W	120°	320.00	20
GL9C0319206NW	6W	4000K	>0.9	98x98x31	73x73	>80	100lm/W	120°	320.00	20
GL9C0319206CD	6W	6500K	>0.9	98x98x31	73x73	>80	100lm/W	120°	320.00	20
GL9C0319206CNW	6W	CNW	>0.9	98x98x31	73x73	>80	100lm/W	120°	-	20
GL9C0319210WW	10W	3000K	>0.9	125x125x31	100x100	>80	100lm/W	120°	410.00	20
GL9C0319210NW	10W	4000K	>0.9	125x125x31	100x100	>80	100lm/W	120°	410.00	20
GL9C0319210CD	10W	6500K	>0.9	125x125x31	100x100	>80	100lm/W	120°	410.00	20
GL9C0319210CNW	10W	CNW	>0.9	125x125x31	100x100	>80	100lm/W	120°	-	20

GLAZZ PLUS - LED Downlight (PC) - Square

GL9C0319212WW	12W	3000K	>0.9	148x148x31	122x122	>80	100lm/W	120°	530.00	20
GL9C0319212NW	12W	4000K	>0.9	148x148x31	122x122	>80	100lm/W	120°	530.00	20
GL9C0319212CD	12W	6500K	>0.9	148x148x31	122x122	>80	100lm/W	120°	530.00	20
GL9C0319212CNW	12W	CNW	>0.9	148x148x31	122x122	>80	100lm/W	120°	-	20
GL9C0319215WW	15W	3000K	>0.9	175x175x31	150x150	>80	100lm/W	120°	690.00	20
GL9C0319215NW	15W	4000K	>0.9	175x175x31	150x150	>80	100lm/W	120°	690.00	20
GL9C0319215CD	15W	6500K	>0.9	175x175x31	150x150	>80	100lm/W	120°	690.00	20
GL9C0319215CNW	15W	CNW	>0.9	175x175x31	150x150	>80	100lm/W	120°	-	20
GL9C0319220WW	20W	3000K	>0.9	224x224x31	200x200	>80	100lm/W	120°	1100.00	10
GL9C0319220NW	20W	4000K	>0.9	224x224x31	200x200	>80	100lm/W	120°	1100.00	10
GL9C0319220CD	20W	6500K	>0.9	224x224x31	200x200	>80	100lm/W	120°	1100.00	10
GL9C0319220CNW	20W	CNW	>0.9	224x224x31	200x200	>80	100lm/W	120°	-	10





WELLA

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

WELLA - Slim LED Downlight (PC) - Round										
GL91363WW	5W	3000K	>0.9	ø90x33	ø75	>80	80lm/W	120°	330.00	50
GL91363NW	5W	4000K	>0.9	ø90x33	ø75	>80	80lm/W	120°	330.00	50
GL91363CD	5W	6500K	>0.9	ø90x33	ø75	>80	80lm/W	120°	330.00	50
GL91364WW	10W	3000K	>0.9	ø115x30	ø100	>80	100lm/W	120°	490.00	30
GL91364NW	10W	4000K	>0.9	ø115x30	ø100	>80	100lm/W	120°	490.00	30
GL91364CD	10W	6500K	>0.9	ø115x30	ø100	>80	100lm/W	120°	490.00	30

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

WELLA - Slim LED Downlight (PC) - Round										
GL91366WW	15W	3000K	>0.9	ø140x30	ø125	>80	100lm/W	120°	650.00	30
GL91366NW	15W	4000K	>0.9	ø140x30	ø125	>80	100lm/W	120°	650.00	30
GL91366CD	15W	6500K	>0.9	ø140x30	ø125	>80	100lm/W	120°	650.00	30
GL91369WW	15W	3000K	>0.9	ø170x30	ø150	>80	100lm/W	120°	940.00	20
GL91369NW	15W	4000K	>0.9	ø170x30	ø150	>80	100lm/W	120°	940.00	20
GL91369CD	15W	6500K	>0.9	ø170x30	ø150	>80	100lm/W	120°	940.00	20
GL91367WW	18W	3000K	>0.9	ø170x30	ø150	>80	100lm/W	120°	940.00	20
GL91367NW	18W	4000K	>0.9	ø170x30	ø150	>80	100lm/W	120°	940.00	20
GL91367CD	18W	6500K	>0.9	ø170x30	ø150	>80	100lm/W	120°	940.00	20
GL91368WW	24W	3000K	>0.9	ø215x30	ø195	>80	100lm/W	120°	1260.00	20
GL91368NW	24W	4000K	>0.9	ø215x30	ø195	>80	100lm/W	120°	1260.00	20
GL91368CD	24W	6500K	>0.9	ø215x30	ø195	>80	100lm/W	120°	1260.00	20

WELLA - Slim LED Downlight (PC) - Square										
GL92363WW	5W	3000K	>0.9	90x90x33	75x75	>80	80lm/W	120°	330.00	50
GL92363NW	5W	4000K	>0.9	90x90x33	75x75	>80	80lm/W	120°	330.00	50
GL92363CD	5W	6500K	>0.9	90x90x33	75x75	>80	80lm/W	120°	330.00	50
GL92364WW	10W	3000K	>0.9	115x115x30	100x100	>80	100lm/W	120°	490.00	30
GL92364NW	10W	4000K	>0.9	115x115x30	100x100	>80	100lm/W	120°	490.00	30
GL92364CD	10W	6500K	>0.9	115x115x30	100x100	>80	100lm/W	120°	490.00	30
GL92366WW	15W	3000K	>0.9	140x140x30	125x125	>80	100lm/W	120°	650.00	30
GL92366NW	15W	4000K	>0.9	140x140x30	125x125	>80	100lm/W	120°	650.00	30
GL92366CD	15W	6500K	>0.9	140x140x30	125x125	>80	100lm/W	120°	650.00	30
GL92369WW	15W	3000K	>0.9	170x170x30	150x150	>80	100lm/W	120°	940.00	20
GL92369NW	15W	4000K	>0.9	170x170x30	150x150	>80	100lm/W	120°	940.00	20
GL92369CD	15W	6500K	>0.9	170x170x30	150x150	>80	100lm/W	120°	940.00	20
GL92367WW	18W	3000K	>0.9	170x170x30	150x150	>80	100lm/W	120°	940.00	20
GL92367NW	18W	4000K	>0.9	170x170x30	150x150	>80	100lm/W	120°	940.00	20
GL92367CD	18W	6500K	>0.9	170x170x30	150x150	>80	100lm/W	120°	940.00	20
GL92368WW	24W	3000K	>0.9	215x215x30	195x195	>80	100lm/W	120°	1260.00	20
GL92368NW	24W	4000K	>0.9	215x215x30	195x195	>80	100lm/W	120°	1260.00	20
GL92368CD	24W	6500K	>0.9	215x215x30	195x195	>80	100lm/W	120°	1260.00	20

All dimensions & cut outs are in mm



PLANO

Plano is a recessed downlight made up of CRCA powder coated housing for better heat dissipation and polycarbonate ring with an external driver . It is available in two shapes: round and square. The light offers a lumen efficacy of Upto 90 lumens per watt and comes in five wattage options: 6W, 9W, 12W, 18W, and 24W, to suit various indoor lighting requirements. Plano is also suitable for low-depth ceilings, ensuring easy installation.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

PLANO - LED Downlight with external driver (CRCA + PC ring) - Round

GL9C0208106CD	6W	6500K	≥0.9	ø120x27	ø102	>80	70lm/W	-	400.00	20
GL9C0208109CD	9W	6500K	≥0.9	ø150x27	ø135	>80	75lm/W	-	480.00	20
GL9C0208112CD	12W	6500K	≥0.9	ø170x27	ø150	>80	80lm/W	-	530.00	20
GL9C0208118CD	18W	6500K	≥0.9	ø225x27	ø205	>80	90lm/W	-	680.00	20
GL9C0208124CD	24W	6500K	≥0.9	ø300x27	ø280	>80	90lm/W	-	1000.00	10

PLANO - LED Downlight with external driver (CRCA + PC ring) - Square

GL9C0208206CD	6W	6500K	≥0.9	120x120x27	102x102	>80	70lm/W	-	400.00	20
GL9C0208209CD	9W	6500K	≥0.9	150x150x27	135x135	>80	75lm/W	-	480.00	20
GL9C0208212CD	12W	6500K	≥0.9	170x170x27	150x150	>80	80lm/W	-	530.00	20
GL9C0208218CD	18W	6500K	≥0.9	225x225x27	205x205	>80	90lm/W	-	680.00	20
GL9C0208224CD	24W	6500K	≥0.9	300x300x27	280x280	>80	90lm/W	-	1000.00	10

ENZO - LED Downlight with external driver (PC)

GL9C0304110NW	10W	4000K	>0.9	ø120x55	ø110	>80	90lm/W	-	590.00	40
GL9C0304110CD	10W	6500K	>0.9	ø120x55	ø110	>80	90lm/W	-	590.00	40
GL9C0304110CNW	10W	CNW	>0.9	ø120x55	ø110	>80	90lm/W	-	750.00	40

ENZO - LED Downlight with external driver (PC)

GL9C0304115NW	15W	4000K	>0.9	ø151x65	ø143	>80	95lm/W	-	870.00	40
GL9C0304115CD	15W	6500K	>0.9	ø151x65	ø143	>80	95lm/W	-	870.00	40
GL9C0304115CNW	15W	CNW	>0.9	ø151x65	ø143	>80	95lm/W	-	1130.00	40
GL9C0304115SMCNW	15W	CNW	>0.9	ø151x65	ø143	>80	95lm/W	-	2530.00	40



G-WORLD |





BRILLO

Meet Brillo, our new LED Downlight with a polycarbonate housing and an anti-glare diffuser. It features a 2-in-1 light option with two color choices, easily switched with a simple on/off switch. Brillo also comes with a colorful outer ring available in shades like pink and amber. With a high lumen efficacy of 100lm/W, it delivers bright, efficient lighting. Its stylish design includes a bright light and an external driver for optimal performance. Perfect for low ceilings and easy to install, Brillo is a standout choice for modern lighting.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

BRILLO - LED Downlight with external driver (PC)

GL9C0310103CWW	3W	6500K+3000K	>0.9	ø83x34	ø69	>80	100lm/W	-	370.00	50
GL9C0310103CPN	3W	6500K+PINK	>0.9	ø83x34	ø69	>80	100lm/W	-	370.00	50
GL9C0310103CAM	3W	6500K+AMBER	>0.9	ø83x34	ø69	>80	100lm/W	-	370.00	50
GL9C0310103CPGB	3W	6500K+PN+GN+BL	>0.9	ø83x34	ø69	>80	100lm/W	-	370.00	50

BRILLO - LED Downlight with external driver (PC)

GL9C0310106CWW	6W	6500K+3000K	>0.9	ø110x34	ø76	>80	100lm/W	-	440.00	50
GL9C0310106CPN	6W	6500K+PINK	>0.9	ø110x34	ø76	>80	100lm/W	-	440.00	50
GL9C0310106CAM	6W	6500K+AMBER	>0.9	ø110x34	ø76	>80	100lm/W	-	440.00	50
GL9C0310106CPGB	6W	6500K+PN+GN+BL	>0.9	ø110x34	ø76	>80	100lm/W	-	440.00	50

BRILLO - LED Downlight with external driver (PC)

GL9C0310109CWW	9W	6500K+3000K	>0.9	ø120x35	ø106	>80	100lm/W	-	520.00	30
GL9C0310109CPN	9W	6500K+PINK	>0.9	ø120x35	ø106	>80	100lm/W	-	520.00	30
GL9C0310109CAM	9W	6500K+AMBER	>0.9	ø120x35	ø106	>80	100lm/W	-	520.00	30
GL9C0310109CPGB	9W	6500K+PN+GN+BL	>0.9	ø120x35	ø106	>80	100lm/W	-	520.00	30

BRILLO - LED Downlight with external driver (PC)

GL9C0310112CWW	12W	6500K+3000K	>0.9	ø175x35	ø157	>80	100lm/W	-	750.00	20
GL9C0310112CPN	12W	6500K+PINK	>0.9	ø175x35	ø157	>80	100lm/W	-	750.00	20
GL9C0310112CAM	12W	6500K+AMBER	>0.9	ø175x35	ø157	>80	100lm/W	-	750.00	20
GL9C0310112CPGB	12W	6500K+PN+GN+BL	>0.9	ø175x35	ø157	>80	100lm/W	-	750.00	20





QUORO

Quoro is an ultra-slim, recessed LED panel light that is perfect for stylish interiors. Featuring an aesthetically designed PDC aluminum housing, the Quoro is also equipped with an anti-glare diffuser and an external energy-efficient LED driver. Environmentally friendly and extremely durable, Quoro is available in both round and square shapes, making it an excellent choice for any modern space.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

QUORO - LED Panel Light with external driver (PDC - Aluminium) - Round

GL9C0204104WW	4W	3000K	>0.9	ø86x17	ø70	>80	70lm/W	110°	410.00	40
GL9C0204104NW	4W	4000K	>0.9	ø86x17	ø70	>80	70lm/W	110°	410.00	40
GL9C0204104CD	4W	6500K	>0.9	ø86x17	ø70	>80	70lm/W	110°	410.00	40

QUORO - LED Panel Light with external driver (PDC - Aluminium) - Round

GL9C0204108WW	8W	3000K	>0.9	ø120x17	ø105	>80	75lm/W	110°	560.00	40
GL9C0204108NW	8W	4000K	>0.9	ø120x17	ø105	>80	75lm/W	110°	560.00	40
GL9C0204108CD	8W	6500K	>0.9	ø120x17	ø105	>80	75lm/W	110°	560.00	40
GL9C0204108CNW	8W	CNW	>0.9	ø120x17	ø105	>80	75lm/W	110°	640.00	40

QUORO - LED Panel Light with external driver (PDC - Aluminium) - Round

GL9C0204112WW	12W	3000K	>0.9	ø170x17	ø155	>80	90lm/W	110°	750.00	20
GL9C0204112NW	12W	4000K	>0.9	ø170x17	ø155	>80	90lm/W	110°	750.00	20
GL9C0204112CD	12W	6500K	>0.9	ø170x17	ø155	>80	90lm/W	110°	750.00	20

QUORO - LED Panel Light with external driver (PDC - Aluminium) - Round

GL9C0204115WW	15W	3000K	>0.9	ø170x17	ø155	>80	90lm/W	110°	800.00	20
GL9C0204115NW	15W	4000K	>0.9	ø170x17	ø155	>80	90lm/W	110°	800.00	20
GL9C0204115CD	15W	6500K	>0.9	ø170x17	ø155	>80	90lm/W	110°	800.00	20
GL9C0204115CNW	15W	CNW	>0.9	ø170x17	ø155	>80	90lm/W	110°	980.00	20

QUORO - LED Panel Light with external driver (PDC - Aluminium) - Round

GL9C0204118WW	18W	3000K	>0.9	ø190x17	ø175	>80	90lm/W	110°	920.00	20
GL9C0204118NW	18W	4000K	>0.9	ø190x17	ø175	>80	90lm/W	110°	920.00	20
GL9C0204118CD	18W	6500K	>0.9	ø190x17	ø175	>80	90lm/W	110°	920.00	20



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
QUORO - LED Panel Light with external driver (PDC - Aluminium) - Square										
GL9C0204204WW	4W	3000K	>0.9	86x86x16	70x70	>80	70lm/W	110°	410.00	40
GL9C0204204NW	4W	4000K	>0.9	86x86x16	70x70	>80	70lm/W	110°	410.00	40
GL9C0204204CD	4W	6500K	>0.9	86x86x16	70x70	>80	70lm/W	110°	410.00	40
QUORO - LED Panel Light with external driver (PDC - Aluminium) - Square										
GL9C0204208WW	8W	3000K	>0.9	120x120x17	105x105	>80	80lm/W	110°	560.00	40
GL9C0204208NW	8W	4000K	>0.9	120x120x17	105x105	>80	80lm/W	110°	560.00	40
GL9C0204208CD	8W	6500K	>0.9	120x120x17	105x105	>80	80lm/W	110°	560.00	40
GL9C0204208CNW	8W	CNW	>0.9	120x120x17	105x105	>80	80lm/W	110°	640.00	40
QUORO - LED Panel Light with external driver (PDC - Aluminium) - Square										
GL9C0204212WW	12W	3000K	>0.9	170x170x17	155x155	>80	90lm/W	110°	750.00	20
GL9C0204212NW	12W	4000K	>0.9	170x170x17	155x155	>80	90lm/W	110°	750.00	20
GL9C0204212CD	12W	6500K	>0.9	170x170x17	155x155	>80	90lm/W	110°	750.00	20
QUORO - LED Panel Light with external driver (PDC - Aluminium) - Square										
GL9C0204215WW	15W	3000K	>0.9	170x170x17	155x155	>80	90lm/W	110°	800.00	20
GL9C0204215NW	15W	4000K	>0.9	170x170x17	155x155	>80	90lm/W	110°	800.00	20
GL9C0204215CD	15W	6500K	>0.9	170x170x17	155x155	>80	90lm/W	110°	800.00	20
GL9C0204215CNW	15W	CNW	>0.9	170x170x17	155x155	>80	90lm/W	110°	980.00	20
QUORO - LED Panel Light with external driver (PDC - Aluminium) - Square										
GL9C0204218WW	18W	3000K	>0.9	190x190x17	175x175	>80	90lm/W	110°	920.00	20
GL9C0204218NW	18W	4000K	>0.9	190x190x17	175x175	>80	90lm/W	110°	920.00	20
GL9C0204218CD	18W	6500K	>0.9	190x190x17	175x175	>80	90lm/W	110°	920.00	20



TORRO

The Torro LED panel light combines style and functionality in a sleek, recessed design with an anti-glare diffuser. Made from aluminium & polycarbonate, Torro is aesthetically pleasing and functionally superior. This energy-efficient lighting solution with an inbuilt LED driver and is available in round as well as square designs. Torro is a perfect choice for enhancing any modern interior.

*PDC - Pressure Die Cast
All dimensions & cut outs are in mm

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

TORRO - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Round

GL9C0203104WW	4W	3000K	>0.9	ø86x30	ø70	>80	70lm/W	110°	360.00	40
GL9C0203104NW	4W	4000K	>0.9	ø86x30	ø70	>80	70lm/W	110°	360.00	40
GL9C0203104CD	4W	6500K	>0.9	ø86x30	ø70	>80	70lm/W	110°	360.00	40
GL9C0203104RD	4W	RED	>0.9	ø86x30	ø70	>80	70lm/W	110°	360.00	40
GL9C0203104GN	4W	GREEN	>0.9	ø86x30	ø70	>80	70lm/W	110°	360.00	40
GL9C0203104BL	4W	BLUE	>0.9	ø86x30	ø70	>80	70lm/W	110°	360.00	40
GL9C0203104PN	4W	PINK	>0.9	ø86x30	ø70	>80	70lm/W	110°	360.00	40

TORRO - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Round

GL9C0203108WW	8W	3000K	>0.9	ø120x30	ø105	>80	70lm/W	110°	500.00	40
GL9C0203108NW	8W	4000K	>0.9	ø120x30	ø105	>80	70lm/W	110°	500.00	40
GL9C0203108CD	8W	6500K	>0.9	ø120x30	ø105	>80	70lm/W	110°	500.00	40
GL9C0203108RD	8W	RED	>0.9	ø120x30	ø105	>80	70lm/W	110°	500.00	40
GL9C0203108GN	8W	GREEN	>0.9	ø120x30	ø105	>80	70lm/W	110°	500.00	40
GL9C0203108BL	8W	BLUE	>0.9	ø120x30	ø105	>80	70lm/W	110°	500.00	40
GL9C0203108PN	8W	PINK	>0.9	ø120x30	ø105	>80	70lm/W	110°	500.00	40

TORRO - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Round

GL9C0203112WW	12W	3000K	>0.9	ø170x30	ø155	>80	90lm/W	110°	720.00	20
GL9C0203112NW	12W	4000K	>0.9	ø170x30	ø155	>80	90lm/W	110°	720.00	20
GL9C0203112CD	12W	6500K	>0.9	ø170x30	ø155	>80	90lm/W	110°	720.00	20

TORRO - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Round

GL9C0203115WW	15W	3000K	>0.9	ø170x30	ø155	>80	90lm/W	110°	760.00	20
GL9C0203115NW	15W	4000K	>0.9	ø170x30	ø155	>80	90lm/W	110°	760.00	20
GL9C0203115CD	15W	6500K	>0.9	ø170x30	ø155	>80	90lm/W	110°	760.00	20

TORRO - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Round

GL9C0203118WW	18W	3000K	>0.9	ø190x30	ø175	>80	90lm/W	110°	900.00	20
GL9C0203118NW	18W	4000K	>0.9	ø190x30	ø175	>80	90lm/W	110°	900.00	20
GL9C0203118CD	18W	6500K	>0.9	ø190x30	ø175	>80	90lm/W	110°	900.00	20

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

TORRO - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Square

GL9C0203204WW	4W	3000K	>0.9	86x86x30	70x70	>80	60lm/W	110°	360.00	40
GL9C0203204NW	4W	4000K	>0.9	86x86x30	70x70	>80	60lm/W	110°	360.00	40
GL9C0203204CD	4W	6500K	>0.9	86x86x30	70x70	>80	60lm/W	110°	360.00	40

TORRO - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Square

GL9C0203208WW	8W	3000K	>0.9	120x120x30	105x105	>80	70lm/W	110°	500.00	40
GL9C0203208NW	8W	4000K	>0.9	120x120x30	105x105	>80	70lm/W	110°	500.00	40
GL9C0203208CD	8W	6500K	>0.9	120x120x30	105x105	>80	70lm/W	110°	500.00	40

TORRO - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Square

GL9C0203212WW	12W	3000K	>0.9	170x170x30	155x155	>80	90lm/W	110°	720.00	20
GL9C0203212NW	12W	4000K	>0.9	170x170x30	155x155	>80	90lm/W	110°	720.00	20
GL9C0203212CD	12W	6500K	>0.9	170x170x30	155x155	>80	90lm/W	110°	720.00	20

TORRO - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Square

GL9C0203215WW	15W	3000K	>0.9	170x170x30	155x155	>80	90lm/W	110°	760.00	20
GL9C0203215NW	15W	4000K	>0.9	170x170x30	155x155	>80	90lm/W	110°	760.00	20
GL9C0203215CD	15W	6500K	>0.9	170x170x30	155x155	>80	90lm/W	110°	760.00	20

TORRO - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Square

GL9C0203218WW	18W	3000K	>0.9	190x190x30	175x175	>80	90lm/W	110°	900.00	20
GL9C0203218NW	18W	4000K	>0.9	190x190x30	175x175	>80	90lm/W	110°	900.00	20
GL9C0203218CD	18W	6500K	>0.9	190x190x30	175x175	>80	90lm/W	110°	900.00	20



GEOLITE

Geolite is a slim, recessed LED panel that can be used as a concealed light or a surface light. It is available in round as well as square shapes. Manufactured with pressure die cast aluminium housing and anti-glare diffusers along with integrated energy efficient drivers, these LEDs can be used to create the perfect ambience in any indoor space. A separate frame is available to convert the LED for surface application.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

GEOLITE - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Round

GL91256WW	3W	3000K	>0.9	ø85x30	ø75	>80	55lm/W	120°	290.00	50
GL91256NW	3W	4000K	>0.9	ø85x30	ø75	>80	55lm/W	120°	290.00	50
GL91256CD	3W	6500K	>0.9	ø85x30	ø75	>80	65lm/W	120°	290.00	50
GL91256RD	3W	RED	>0.9	ø85x30	ø75	>80	55lm/W	120°	290.00	50
GL91256GN	3W	GREEN	>0.9	ø85x30	ø75	>80	55lm/W	120°	290.00	50
GL91256BL	3W	BLUE	>0.9	ø85x30	ø75	>80	55lm/W	120°	290.00	50
GL91256PN	3W	PINK	>0.9	ø85x30	ø75	>80	55lm/W	120°	290.00	50



GEOLITE - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Round

GL91257WW	6W	3000K	>0.9	ø120x30	ø105	>80	55lm/W	120°	410.00	50
GL91257NW	6W	4000K	>0.9	ø120x30	ø105	>80	55lm/W	120°	410.00	50
GL91257CD	6W	6500K	>0.9	ø120x30	ø105	>80	65lm/W	120°	410.00	50
GL91257RD	6W	RED	>0.9	ø120x30	ø105	>80	55lm/W	120°	410.00	50
GL91257GN	6W	GREEN	>0.9	ø120x30	ø105	>80	55lm/W	120°	410.00	50
GL91257BL	6W	BLUE	>0.9	ø120x30	ø105	>80	55lm/W	120°	410.00	50
GL91257PN	6W	PINK	>0.9	ø120x30	ø105	>80	55lm/W	120°	410.00	50



GEOLITE - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Round

GL91258WW	12W	3000K	>0.9	ø170x30	ø155	>80	65lm/W	120°	590.00	30
GL91258NW	12W	4000K	>0.9	ø170x30	ø155	>80	65lm/W	120°	590.00	30
GL91258CD	12W	6500K	>0.9	ø170x30	ø155	>80	75lm/W	120°	590.00	30
GL91259WW	15W	3000K	>0.9	ø170x30	ø155	>80	65lm/W	120°	680.00	30
GL91259NW	15W	4000K	>0.9	ø170x30	ø155	>80	65lm/W	120°	680.00	30
GL91259CD	15W	6500K	>0.9	ø170x30	ø155	>80	75lm/W	120°	680.00	30
GL91260WW	18W	3000K	>0.9	ø220x30	ø203	>80	65lm/W	120°	870.00	30
GL91260NW	18W	4000K	>0.9	ø220x30	ø203	>80	65lm/W	120°	870.00	30
GL91260CD	18W	6500K	>0.9	ø220x30	ø203	>80	75lm/W	120°	870.00	30



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

GEOLITE - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Square

GL92256WW	3W	3000K	>0.9	85x85x30	75x75	>80	55lm/W	120°	290.00	50
GL92256NW	3W	4000K	>0.9	85x85x30	75x75	>80	55lm/W	120°	290.00	50
GL92256CD	3W	6500K	>0.9	85x85x30	75x75	>80	65lm/W	120°	290.00	50
GL92256RD	3W	RED	>0.9	85x85x30	75x75	>80	55lm/W	120°	290.00	50
GL92256GN	3W	GREEN	>0.9	85x85x30	75x75	>80	55lm/W	120°	290.00	50
GL92256BL	3W	BLUE	>0.9	85x85x30	75x75	>80	55lm/W	120°	290.00	50
GL92256PN	3W	PINK	>0.9	85x85x30	75x75	>80	55lm/W	120°	290.00	50

GEOLITE - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Square

GL92257WW	6W	3000K	>0.9	120x120x30	105x105	>80	55lm/W	120°	410.00	50
GL92257NW	6W	4000K	>0.9	120x120x30	105x105	>80	55lm/W	120°	410.00	50
GL92257CD	6W	6500K	>0.9	120x120x30	105x105	>80	65lm/W	120°	410.00	50
GL92257RD	6W	RED	>0.9	120x120x30	105x105	>80	55lm/W	120°	410.00	50
GL92257GN	6W	GREEN	>0.9	120x120x30	105x105	>80	55lm/W	120°	410.00	50
GL92257BL	6W	BLUE	>0.9	120x120x30	105x105	>80	55lm/W	120°	410.00	50
GL92257PN	6W	PINK	>0.9	120x120x30	105x105	>80	55lm/W	120°	410.00	50

GEOLITE - LED Panel Light with inbuilt driver (PDC - Aluminium + PC) - Square

GL92258WW	12W	3000K	>0.9	170x170x30	155x155	>80	65lm/W	120°	590.00	30
GL92258NW	12W	4000K	>0.9	170x170x30	155x155	>80	65lm/W	120°	590.00	30
GL92258CD	12W	6500K	>0.9	170x170x30	155x155	>80	75lm/W	120°	590.00	30
GL92259WW	15W	3000K	>0.9	170x170x30	155x155	>80	65lm/W	120°	680.00	30
GL92259NW	15W	4000K	>0.9	170x170x30	155x155	>80	65lm/W	120°	680.00	30
GL92259CD	15W	6500K	>0.9	170x170x30	155x155	>80	75lm/W	120°	680.00	30
GL92260WW	18W	3000K	>0.9	220x220x30	203x203	>80	65lm/W	120°	870.00	30
GL92260NW	18W	4000K	>0.9	220x220x30	203x203	>80	65lm/W	120°	870.00	30
GL92260CD	18W	6500K	>0.9	220x220x30	203x203	>80	75lm/W	120°	870.00	30

GEOLITE - Surface Frame - Round

GLR91257	6W	-	-	ø156x30	-	-	-	-	140.00	30
GLR91258	12/15W	-	-	ø205x30	-	-	-	-	180.00	30
GLR91260	18W	-	-	ø257x31	-	-	-	-	210.00	30

GEOLITE - Surface Frame - Square

GLR92257	6W	-	-	156x156x30	-	-	-	-	140.00	30
GLR92258	12/15W	-	-	205x205x30	-	-	-	-	180.00	30
GLR92260	18W	-	-	259x259x31	-	-	-	-	210.00	30



ZOLO

The extremely slim and lightweight Zolo LED panel with its high power factor is an excellent choice for stylish interiors. With its aesthetically designed polycarbonate housing, anti glare diffuser, energy-efficient integrated driver, and ultra-slim shape, the Zolo is cost efficient, environment-friendly and extremely durable. The Zolo can thus be the perfect choice for anyone looking for something new and inspiring!

All dimensions & cut outs are in mm

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ZOLO - Slim LED Panel Light with inbuilt driver (PC) - Round

GL91240WW	3W	3000K	>0.5	ø87x27	ø70	>80	60lm/W	120°	300.00	50
GL91240NW	3W	4000K	>0.5	ø87x27	ø70	>80	60lm/W	120°	300.00	50
GL91240CD	3W	6500K	>0.5	ø87x27	ø70	>80	60lm/W	120°	300.00	50
GL91240RD	3W	RED	>0.5	ø87x27	ø70	>80	60lm/W	120°	300.00	50
GL91240GN	3W	GREEN	>0.5	ø87x27	ø70	>80	60lm/W	120°	300.00	50
GL91240BL	3W	BLUE	>0.5	ø87x27	ø70	>80	60lm/W	120°	300.00	50
GL91240PN	3W	PINK	>0.5	ø87x27	ø70	>80	60lm/W	120°	300.00	50

ZOLO - Slim LED Panel Light with inbuilt driver (PC) - Round

GL91241WW	6W	3000K	>0.9	ø120x27	ø97	>80	65lm/W	120°	400.00	50
GL91241NW	6W	4000K	>0.9	ø120x27	ø97	>80	65lm/W	120°	400.00	50
GL91241CD	6W	6500K	>0.9	ø120x27	ø97	>80	65lm/W	120°	400.00	50
GL91241RD	6W	RED	>0.9	ø120X27	ø97	>80	65lm/W	120°	400.00	50
GL91241GN	6W	GREEN	>0.9	ø120x27	ø97	>80	65lm/W	120°	400.00	50
GL91241BL	6W	BLUE	>0.9	ø120x27	ø97	>80	65lm/W	120°	400.00	50
GL91241PN	6W	PINK	>0.9	ø120x27	ø97	>80	65lm/W	120°	400.00	50

ZOLO - Slim LED Panel Light with inbuilt driver (PC) - Round

GL91242WW	10W	3000K	>0.9	ø144x27	ø125	>80	70lm/W	120°	560.00	30
GL91242NW	10W	4000K	>0.9	ø144x27	ø125	>80	70lm/W	120°	560.00	30
GL91242CD	10W	6500K	>0.9	ø144x27	ø125	>80	70lm/W	120°	560.00	30
GL91242CCT	10W	CCT	>0.9	ø144x27	ø125	>80	70lm/W	120°	680.00	30
GL91243WW	15W	3000K	>0.9	ø170x27	ø149	>80	75lm/W	120°	710.00	30
GL91243NW	15W	4000K	>0.9	ø170x27	ø149	>80	75lm/W	120°	710.00	30
GL91243CD	15W	6500K	>0.9	ø170x27	ø149	>80	75lm/W	120°	710.00	30
GL91243CCT	15W	CCT	>0.9	ø170x27	ø149	>80	75lm/W	120°	770.00	30
GL91244WW	20W	3000K	>0.9	ø220x27	ø199	>80	75lm/W	120°	920.00	20
GL91244NW	20W	4000K	>0.9	ø220x27	ø199	>80	75lm/W	120°	920.00	20
GL91244CD	20W	6500K	>0.9	ø220x27	ø199	>80	75lm/W	120°	920.00	20

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ZOLO - Slim LED Panel Light with inbuilt driver (PC) - Square

GL92240WW	3W	3000K	>0.5	87x87x27	70x70	>80	60lm/W	120°	300.00	50
GL92240NW	3W	4000K	>0.5	87x87x27	70x70	>80	60lm/W	120°	300.00	50
GL92240CD	3W	6500K	>0.5	87x87x27	70x70	>80	60lm/W	120°	300.00	50
GL92240RD	3W	RED	>0.5	87x87x27	70x70	>80	60lm/W	120°	300.00	50
GL92240GN	3W	GREEN	>0.5	87x87x27	70x70	>80	60lm/W	120°	300.00	50
GL92240BL	3W	BLUE	>0.5	87x87x27	70x70	>80	60lm/W	120°	300.00	50
GL92240PN	3W	PINK	>0.5	87x87x27	70x70	>80	60lm/W	120°	300.00	50

ZOLO - Slim LED Panel Light with inbuilt driver (PC) - Square

GL92241WW	6W	3000K	>0.9	120x120x27	97x97	>80	65lm/W	120°	400.00	50
GL92241NW	6W	4000K	>0.9	120x120x27	97x97	>80	65lm/W	120°	400.00	50
GL92241CD	6W	6500K	>0.9	120x120x27	97x97	>80	65lm/W	120°	400.00	50
GL92241RD	6W	RED	>0.9	120x120x27	97x97	>80	65lm/W	120°	400.00	50
GL92241GN	6W	GREEN	>0.9	120x120x27	97x97	>80	65lm/W	120°	400.00	50
GL92241BL	6W	BLUE	>0.9	120x120x27	97x97	>80	65lm/W	120°	400.00	50
GL92241PN	6W	PINK	>0.9	120x120x27	97x97	>80	65lm/W	120°	400.00	50

ZOLO - Slim LED Panel Light with inbuilt driver (PC) - Square

GL92242WW	10W	3000K	>0.9	144x144x27	125x125	>80	70lm/W	120°	560.00	30
GL92242NW	10W	4000K	>0.9	144x144x27	125x125	>80	70lm/W	120°	560.00	30
GL92242CD	10W	6500K	>0.9	144x144x27	125x125	>80	70lm/W	120°	560.00	30
GL92242CCT	10W	CCT	>0.9	144x144x27	125x125	>80	70lm/W	120°	680.00	30
GL92243WW	15W	3000K	>0.9	170x170x27	149x149	>80	75lm/W	120°	710.00	30
GL92243NW	15W	4000K	>0.9	170x170x27	149x149	>80	75lm/W	120°	710.00	30
GL92243CD	15W	6500K	>0.9	170x170X27	149x149	>80	75lm/W	120°	710.00	30
GL92243CCT	15W	CCT	>0.9	170x170x27	149x149	>80	75lm/W	120°	770.00	30
GL92244WW	20W	3000K	>0.9	220x220x27	199x199	>80	75lm/W	120°	920.00	20
GL92244NW	20W	4000K	>0.9	220x220x27	199x199	>80	75lm/W	120°	920.00	20
GL92244CD	20W	6500K	>0.9	220x220x27	199x199	>80	75lm/W	120°	920.00	20



TODOS

This beautiful LED not only functions as a downlight but also emits light from its outer sides. You have a choice of three light combinations to choose from: you can opt to use the Todos as a simple LED downlight, or you could just use the blue, pink, warm white or RGB light on its side as a mood light, or you could use both the white downlight and the light on the side to create beautiful illumination all round. To make a choice, simply switch the light ON or OFF till you find the option that you need at that moment. Beautifully finished, its elegance and light weight adds to the overall convenience.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

TODOS - LED Panel Light with external driver (PDC - Aluminium) - Round

GL91283CWW	3W+3W	6500K+3000K	>0.9	ø103x25	ø70	>80	57lm/W	120°	440.00	50
GL91283CBL	3W+3W	6500K+BLUE	>0.9	ø103x25	ø70	>80	57lm/W	120°	440.00	50
GL91283CPN	3W+3W	6500K+PINK	>0.9	ø103x25	ø70	>80	57lm/W	120°	440.00	50
GL91283CPGB	3W+3W	6500K+PGB	>0.9	ø103x25	ø70	>80	57lm/W	120°	440.00	50
GL91284CWW	6W+6W	6500K+3000K	>0.9	ø145x25	ø106	>80	70lm/W	120°	630.00	40
GL91284CBL	6W+6W	6500K+BLUE	>0.9	ø145x25	ø106	>80	70lm/W	120°	630.00	40
GL91284CPN	6W+6W	6500K+PINK	>0.9	ø145x25	ø106	>80	70lm/W	120°	630.00	40
GL91284CPGB	6W+6W	6500K+PGB	>0.9	ø145x25	ø106	>80	70lm/W	120°	630.00	40
GL91285CWW	12W+12W	6500K+3000K	>0.9	ø195x25	ø155	>80	80lm/W	120°	940.00	40
GL91285CBL	12W+12W	6500K+BLUE	>0.9	ø195x25	ø155	>80	80lm/W	120°	940.00	40
GL91285CPN	12W+12W	6500K+PINK	>0.9	ø195x25	ø155	>80	80lm/W	120°	940.00	40

TODOS - LED Panel Light with external driver (PDC - Aluminium) - Square

GL92284CWW	6W+6W	6500K+3000K	>0.9	145x145x25	106x106	>80	70lm/W	120°	630.00	40
GL92284CBL	6W+6W	6500K+BLUE	>0.9	145x145x25	106x106	>80	70lm/W	120°	630.00	40
GL92284CPN	6W+6W	6500K+PINK	>0.9	145x145x25	106x106	>80	70lm/W	120°	630.00	40
GL92285CWW	12W+12W	6500K+3000K	>0.9	195x195x25	155x155	>80	80lm/W	120°	940.00	40
GL92285CBL	12W+12W	6500K+BLUE	>0.9	195x195x25	155x155	>80	80lm/W	120°	940.00	40
GL92285CPN	12W+12W	6500K+PINK	>0.9	195x195x25	155x155	>80	80lm/W	120°	940.00	40

TWINOS - 3W+3W - LED Panel Light

GL91286CPGB	3W+3W	6500K+PGB	>0.9	ø104x33	ø70	>80	50lm/W	120°	380.00	50
GL91286CPN	3W+3W	6500K+PN	>0.9	ø104x33	ø70	>80	50lm/W	120°	380.00	50
GL91286CBL	3W+3W	6500K+BL	>0.9	ø104x33	ø70	>80	50lm/W	120°	380.00	50
GL91286CWW	3W+3W	6500K+WW	>0.9	ø104x33	ø70	>80	50lm/W	120°	380.00	50
GL91287CPGB	6W+6W	6500K+PGB	>0.9	ø147x33	ø110	>80	70lm/W	120°	450.00	40
GL91287CPN	6W+6W	6500K+PN	>0.9	ø147x33	ø110	>80	70lm/W	120°	450.00	40
GL91287CBL	6W+6W	6500K+BL	>0.9	ø147x33	ø110	>80	70lm/W	120°	450.00	40
GL91287CWW	6W+6W	6500K+WW	>0.9	ø147x33	ø110	>80	70lm/W	120°	450.00	40

TWILITE - LED Panel Light

GL91357CBL	10W+2W	6500K+BLUE	>0.5	ø83x35	ø70	>80	85lm/W	170°	340.00	100
GL91358CBL	18W+4W	6500K+BLUE	>0.5	ø115x35	ø95	>80	85lm/W	170°	940.00	50

All dimensions & cut outs are in mm



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

SKY GLOW 2X2 - LED Panel Light

GL91824WW	36W	3000K	>0.9	595x595x40	585x585	>80	100lm/W	160°	2290.00	6
GL91824NW	36W	4000K	>0.9	595x595x40	585x585	>80	100lm/W	160°	2290.00	6
GL91824CD	36W	6500K	>0.9	595x595x40	585x585	>80	100lm/W	160°	2290.00	6

SKY GLOW 2X2 - Surface Frame

GLR91824N.A	36W	-	-	600x600x54	-	-	-	-	1170.00	4
-------------	-----	---	---	------------	---	---	---	---	---------	---



SKY-GLOW

A compact, ultra light, high quality backlit LED panel with CRCA housing, anti-glare diffuser and a separate energy efficient driver, the Sky-Glow produces a large pool of high lumen light that is smooth and even in quality. Easy to install and constructed to last, the Sky-Glow is a solid fixture that can withstand the wear and tear associated with busy commercial areas. Although slim and compact, the G-Sky is robustly built. Available in 36 Watt variants, these panels create an ambience that is soft and delightful to experience.

All dimensions & cut outs are in mm



TODOS



FROZEN

Light up your space as per your mood with unique LED luminaires - Todos and Frozen. Stylish and lightweight, Todos offers dual illumination—as a downlight and as a side-glow mood light in blue, pink, warm white, or RGB. You can easily switch between these lights with the help of a standard switch. Frozen is a rimless surface-mounted panel with an anti-glare diffuser and is available in a wide range of whites and vibrant colours like red, blue, green, and pink.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

TODOS - LED Surface Light with external driver (PDC - Aluminium)

GL9C0401103CPGB	3W+3W	6500K+PGB	0.9	ø106x34	NA	>80	50lm/W	120°	610.00	50
-----------------	-------	-----------	-----	---------	----	-----	--------	------	--------	----

TODOS - LED Surface Light with external driver (PDC - Aluminium)

GL9C0401106CWW	6W+6W	6500K+3000K	0.9	ø174x34	NA	>80	70lm/W	120°	910.00	40
GL9C0401106CBL	6W+6W	6500K+BLUE	0.9	ø174x34	NA	>80	70lm/W	120°	910.00	40
GL9C0401106CPN	6W+6W	6500K+PINK	0.9	ø174x34	NA	>80	70lm/W	120°	910.00	40
GL9C0401106CPGB	6W+6W	6500K+PGB	0.9	ø174x34	NA	>80	70lm/W	120°	910.00	40

TODOS - LED Surface Light with external driver (PDC - Aluminium)

GL9C0401112CPGB	12W+12W	6500K+PGB	0.9	ø196x34	NA	>80	80lm/W	120°	1340.00	40
-----------------	---------	-----------	-----	---------	----	-----	--------	------	---------	----

FROZEN - LED Surface Light (PC) - Round (White)

GL91416WW	3W	3000K	>0.9	ø60x22	NA	>80	80lm/W	120°	170.00	100
GL91416NW	3W	4000K	>0.9	ø60x22	NA	>80	80lm/W	120°	170.00	100
GL91416CD	3W	6500K	>0.9	ø60x22	NA	>80	90lm/W	120°	170.00	100
GL91416RD	3W	RED	>0.9	ø60x22	NA	>80	80lm/W	120°	170.00	100
GL91416GN	3W	GREEN	>0.9	ø60x22	NA	>80	80lm/W	120°	170.00	100
GL91416BL	3W	BLUE	>0.9	ø60x22	NA	>80	80lm/W	120°	170.00	100
GL91416PN	3W	PINK	>0.9	ø60x22	NA	>80	80lm/W	120°	170.00	100

FROZEN - LED Surface Light (PC) - Round (White)

GL91419BKWW	8W	3000K	>0.9	ø100x31	NA	>80	100lm/W	120°	440.00	50
GL91419BKNW	8W	4000K	>0.9	ø100x31	NA	>80	100lm/W	120°	440.00	50
GL91419BKCD	8W	6500K	>0.9	ø100x31	NA	>80	100lm/W	120°	440.00	50
GL91419BKWW	8W	RED	>0.9	ø100x31	NA	>80	100lm/W	120°	440.00	50
GL91419BKNW	8W	GREEN	>0.9	ø100x31	NA	>80	100lm/W	120°	440.00	50
GL91419BKCD	8W	BLUE	>0.9	ø100x31	NA	>80	100lm/W	120°	440.00	50
GL91419BKCD	8W	PINK	>0.9	ø100x31	NA	>80	100lm/W	120°	440.00	50
GL91423BKWW	15W	3000K	>0.9	ø125x31	NA	>80	100lm/W	120°	640.00	20
GL91423BKNW	15W	4000K	>0.9	ø125x31	NA	>80	100lm/W	120°	640.00	20
GL91423BKCD	15W	6500K	>0.9	ø125x31	NA	>80	100lm/W	120°	640.00	20
GL91423CNW	15W	CNW	>0.9	ø125x31	NA	>80	100lm/W	120°	-	20

All dimensions & cut outs are in mm

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

FROZEN - LED Surface Light (PC) - Round (White)

GL91425BKWW	22W	3000K	>0.9	ø148x31	NA	>80	100lm/W	120°	860.00	20
GL91425BKNW	22W	4000K	>0.9	ø148x31	NA	>80	100lm/W	120°	860.00	20
GL91425BKCD	22W	6500K	>0.9	ø148x31	NA	>80	100lm/W	120°	860.00	20
GL91421WW	24W	3000K	>0.9	ø200x31	NA	>80	90lm/W	120°	1270.00	20
GL91421NW	24W	4000K	>0.9	ø200x31	NA	>80	90lm/W	120°	1270.00	20
GL91421CD	24W	6500K	>0.9	ø200x31	NA	>80	100lm/W	120°	1270.00	20

FROZEN SENSO - LED Surface Light (PC) - Round (White)

GL91423MSWW	15W	3000K	>0.9	ø125x31	NA	>80	100lm/W	120°	1080.00	20
GL91423MSCD	15W	6500K	>0.9	ø125x31	NA	>80	100lm/W	120°	1080.00	20

FROZEN - LED Surface Light (PC) - Round (Black)

GL91419BKWW	8W	3000K	>0.9	ø100x31	NA	>80	100lm/W	120°	440.00	50
GL91419BKNW	8W	4000K	>0.9	ø100x31	NA	>80	100lm/W	120°	440.00	50
GL91419BKCD	8W	6500K	>0.9	ø100x31	NA	>80	100lm/W	120°	440.00	50
GL91423BKWW	15W	3000K	>0.9	ø125x31	NA	>80	100lm/W	120°	640.00	20
GL91423BKNW	15W	4000K	>0.9	ø125x31	NA	>80	100lm/W	120°	640.00	20
GL91423BKCD	15W	6500K	>0.9	ø125x31	NA	>80	100lm/W	120°	640.00	20

FROZEN - LED Surface Light (PC) - Round (Black)

GL91425BKWW	22W	3000K	>0.9	ø148x31	NA	>80	100lm/W	120°	860.00	20
GL91425BKNW	22W	4000K	>0.9	ø148x31	NA	>80	100lm/W	120°	860.00	20
GL91425BKCD	22W	6500K	>0.9	ø148x31	NA	>80	100lm/W	120°	860.00	20

FROZEN - LED Surface Light (PC) - Square (White)

GL92417WW	8W	3000K	>0.9	100x100x31	NA	>80	90lm/W	120°	440.00	50
GL92417NW	8W	4000K	>0.9	100x100x31	NA	>80	90lm/W	120°	440.00	50
GL92417CD	8W	6500K	>0.9	100x100x31	NA	>80	100lm/W	120°	440.00	50
GL92417RD	8W	RED	>0.9	100x100x31	NA	>80	90lm/W	120°	440.00	50
GL92417GN	8W	GREEN	>0.9	100x100x31	NA	>80	90lm/W	120°	440.00	50
GL92417BL	8W	BLUE	>0.9	100x100x31	NA	>80	90lm/W	120°	440.00	50
GL92417PN	8W	PINK	>0.9	100x100x31	NA	>80	90lm/W	120°	440.00	50

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

FROZEN - LED Surface Light (PC) - Square (White)

GL92418WW	15W	3000K	>0.9	125x125x31	NA	>80	90lm/W	120°	640.00	20
GL92418NW	15W	4000K	>0.9	125x125x31	NA	>80	90lm/W	120°	640.00	20
GL92418CD	15W	6500K	>0.9	125x125x31	NA	>80	100lm/W	120°	640.00	20
GL92420WW	22W	3000K	>0.9	150x150x31	NA	>80	90lm/W	120°	860.00	20
GL92420NW	22W	4000K	>0.9	150x150x31	NA	>80	90lm/W	120°	860.00	20
GL92420CD	22W	6500K	>0.9	150x150x31	NA	>80	100lm/W	120°	860.00	20
GL92421WW	24W	3000K	>0.9	200x200x31	NA	>80	90lm/W	120°	1270.00	20
GL92421NW	24W	4000K	>0.9	200x200x31	NA	>80	90lm/W	120°	1270.00	20
GL92421CD	24W	6500K	>0.9	200x200x31	NA	>80	100lm/W	120°	1270.00	20

Features: • Slim and lightweight • Inbuilt driver • Energy saving • Plastic + Aluminum housing
• Available in Multi colours



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
VOLT - LED Surface Light - Round										
GL9C0416103WW	3W	3000K	>0.85	ø60x16	NA	>80	75lm/W	NA	340.00	100
GL9C0416103NW	3W	4000K	>0.85	ø60x16	NA	>80	75lm/W	NA	340.00	100
GL9C0416103CD	3W	6500K	>0.85	ø60x16	NA	>80	75lm/W	NA	340.00	100
GL9C0416103RGBW	3W	RGBW	>0.85	ø60x16	NA	>80	75lm/W	NA	-	100

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
OYO - LED Surface Light										
GL9C0413105WW	5W	3000K	>0.9	ø64x17	NA	>80	75lm/W		180.00	100
GL9C0413105CD	5W	6500K	>0.9	ø64x17	NA	>80	75lm/W		180.00	100
GL9C0413105RD	5W	RED	>0.9	ø64x17	NA	>80	75lm/W		180.00	100
GL9C0413105GN	5W	GREEN	>0.9	ø64x17	NA	>80	75lm/W		180.00	100
GL9C0413105BL	5W	BLUE	>0.9	ø64x17	NA	>80	75lm/W		180.00	100
GL9C0413105PN	5W	BLUE	>0.9	ø64x17	NA	>80	75lm/W		180.00	100

CAMEO - Surface Light with inbuilt driver										
GL91422WW	7W	3000K	>0.9	ø85x52	NA	>80	80lm/W	120°	420.00	100
GL91422CD	7W	6500K	>0.9	ø85x52	NA	>80	80lm/W	120°	420.00	100
GL91422RD	7W	RED	>0.9	ø85x52	NA	>80	80lm/W	120°	420.00	100
GL91422GN	7W	GREEN	>0.9	ø85x52	NA	>80	80lm/W	120°	420.00	100
GL91422BL	7W	BLUE	>0.9	ø85x52	NA	>80	80lm/W	120°	420.00	100

NORA - Surface Light (PDC - Aluminium)										
GL91424WW	3W	3000K	>0.9	ø61x10	NA	>70	65lm/W	120°	170.00	400
GL91424CD	3W	6500K	>0.9	ø61x10	NA	>70	65lm/W	120°	170.00	400
GL91424RD	3W	RED	>0.9	ø61x10	NA	>70	65lm/W	120°	170.00	400
GL91424GN	3W	GREEN	>0.9	ø61x10	NA	>70	65lm/W	120°	170.00	400
GL91424BL	3W	BLUE	>0.9	ø61x10	NA	>70	65lm/W	120°	170.00	400
GL91424PN	3W	PINK	>0.9	ø61x10	NA	>70	65lm/W	120°	170.00	400

STRIKER NEO - LED Surface Light - Round										
GL91446WW	3W	3000K	>0.9	ø60x16	NA	≥80	55lm/W	NA	150.00	100
GL91446NW	3W	4000K	>0.9	ø60x16	NA	≥80	55lm/W	NA	150.00	100
G91446CD	3W	6500K	>0.9	ø60x16	NA	≥80	55lm/W	NA	150.00	100
GL91446BL	3W	RED	>0.9	ø60x16	NA	≥80	55lm/W	NA	150.00	100
GL91446RD	3W	GREEN	>0.9	ø60x16	NA	≥80	55lm/W	NA	150.00	100
GL91446GN	3W	BLUE	>0.9	ø60x16	NA	≥80	55lm/W	NA	150.00	100
GL91446PN	3W	PINK	>0.9	ø60x16	NA	≥80	55lm/W	NA	150.00	100

STRIKER PRO - LED Surface Light - Round										
GL91447CNW	3W	CNW	>0.9	ø61.5x17	NA	>80	50lm/W	NA	200.00	100

All dimensions & cut outs are in mm

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

PARKOS 01 - Outdoor Wall Light - IP54 (Black)

GL9C1702002WW	2x1W	3000K	>0.9	85x78x40	NA	>80	70lm/W	-	610.00	50
---------------	------	-------	------	----------	----	-----	--------	---	--------	----

PARKOS 01- Outdoor Wall Light - IP54 (Black)

GL9C1702004WW	4x1W	3000K	>0.9	120x78x43	NA	>80	70lm/W	-	830.00	40
---------------	------	-------	------	-----------	----	-----	--------	---	--------	----

PARKOS 01- Outdoor Wall Light - IP54 (Black)

GL9C1702006WW	6x1W	3000K	>0.9	168x78x45	NA	>80	75lm/W	-	960.00	30
GL9C1702006TRI	6x1W	TRI	>0.9	168x78x45	NA	>80	75lm/W	-	-	30
GL9C1702006RGB	6x1W	RGB	>0.9	168x78x45	NA	>80	75lm/W	-	-	30

PARKOS 01- Outdoor Wall Light - IP54 (Black)

GL9C1702008WW	8x1W	3000K	>0.9	208x78x50	NA	>80	75lm/W	-	1170.00	20
---------------	------	-------	------	-----------	----	-----	--------	---	---------	----

PARKOS 01-Outdoor Wall Light - IP54 (Black)

GL9C1702010WW	10x1W	3000K	>0.9	260x78x55	NA	>80	75lm/W	-	1450.00	20
---------------	-------	-------	------	-----------	----	-----	--------	---	---------	----

PARKOS 02 - Outdoor Wall Light - IP54 (Black)

GL9C1701002WW	2x1W	3000K	>0.9	77x68x49	NA	>80	80lm/W	-	730.00	50
---------------	------	-------	------	----------	----	-----	--------	---	--------	----

PARKOS 02 - Outdoor Wall Light - IP54 (Black)

GL9C1701004WW	4x1W	3000K	>0.9	77x77x49	NA	>80	80lm/W	-	840.00	50
GL9C1701004RGBW	4x1W	RGBW	>0.9	77x77x49	NA	>80	80lm/W	-	-	50

PARKOS 03 - Outdoor Wall Light - IP65 (Black)

GL9C1703003WW	1x3W	3000K	>0.9	85x85x65	NA	>80	80lm/W	-	530.00	30
---------------	------	-------	------	----------	----	-----	--------	---	--------	----

PARKOS 03 - Outdoor Wall Light - IP65 (Black)

GL9C1703006WW	2x3W	3000K	>0.9	160x88x65	NA	>80	80lm/W	-	860.00	20
---------------	------	-------	------	-----------	----	-----	--------	---	--------	----

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

PARKOS 04 - Outdoor Wall Light (PC) - Round - IP54 (Black)

GL9C1704210WW	10W	3000K	>0.9	ø118x57	NA	>80	50lm/W	-	1790.00	30
---------------	-----	-------	------	---------	----	-----	--------	---	---------	----

PARKOS 04 - Outdoor Wall Light (PC) - Square - IP54 (Black)

GL9C1704110WW	10W	3000K	>0.9	118x118x57	NA	>80	70lm/W	-	1790.00	30
---------------	-----	-------	------	------------	----	-----	--------	---	---------	----

PARKOS 05 - Outdoor Wall Light (PC) - Round - IP65 (Black)

GL9C1705115WW	15W	3000K	≥0.9	104x94x134	NA	>80	95lm/W	-	1190.00	10
---------------	-----	-------	------	------------	----	-----	--------	---	---------	----

PARKOS 06 - Outdoor Wall Light (PC) - Square - IP65 (Black)

GL9C1706215WW	15W	3000K	>0.9	105x97x133	NA	>80	95lm/W	-	1190.00	10
---------------	-----	-------	------	------------	----	-----	--------	---	---------	----

PARKOS 07 - Outdoor Wall Light (PC) - Oblong - IP65 (Black)

GL9C1707015WW	15W	3000K	≥0.9	160x75x122	NA	>80	95lm/W	-	1270.00	10
---------------	-----	-------	------	------------	----	-----	--------	---	---------	----

PARKOS 08 - Outdoor Wall Light (PC) - Round - IP65 (Black)

GL9C1708205WW	6W	3000K	≥0.9	ø107x81	NA	>80	70lm/W	-	860.00	20
---------------	----	-------	------	---------	----	-----	--------	---	--------	----

PARKOS 08 - Outdoor Wall Light (PC) - Square - IP65 (Black)

GL9C1708105WW	6W	3000K	≥0.9	107x107x81	NA	>80	70lm/W	-	910.00	20
---------------	----	-------	------	------------	----	-----	--------	---	--------	----

PARKOS 10 - Outdoor Wall Light (PC) - Round - IP65 (Black)

GL9C1726006WW	6W	3000K		75x75x38	NA		30lm/W	-		50
---------------	----	-------	--	----------	----	--	--------	---	--	----

PARKOS 11 - Outdoor Wall Light (PC) - Square - IP65 (Black)

GL9C1727004WW	4W	3000K	>0.9	96x48x30	NA	>80	NA	NA		20
---------------	----	-------	------	----------	----	-----	----	----	--	----

GL9C1727006WW	6W	3000K	>0.9	155x48x30	NA	>80	NA	NA		20
---------------	----	-------	------	-----------	----	-----	----	----	--	----

All dimensions & cut outs are in mm



GATE X



GATEWAY

The GateX and Gateway LED lights combine style, durability, and efficiency for both indoor and outdoor spaces. Designed with polycarbonate housing and anti-glare diffusers, they deliver bright, uniform illumination with excellent weather resistance. While GateX offers a compact, IP65-rated design ideal for outdoor walls and warehouses, Gateway provides high lumen output and a sleek surface-mounted finish—perfect for pathways and garden walls. Together, they ensure reliable, elegant lighting for every environment.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

GATE X - Bulkhead - IP65 (White)

GL9C1103510WW	10W	3000K	> 0.9	135x75x53	NA	≥ 80	80lm/W	120°	400.00	50
GL9C1103510CD	10W	6500K	> 0.9	135x75x53	NA	≥ 80	80lm/W	120°	400.00	50

GATE X - Bulkhead (Motion Sensor) - IP65 (White)

GL9C1103510MSCD	10W	6500K	> 0.9	135x75x53	NA	≥ 80	80lm/W	120°	680.00	50
-----------------	-----	-------	-------	-----------	----	------	--------	------	--------	----

GATEWAY MINI - Bulkhead - IP65 (White)

GL9C1101510CD	10W	6500K	>0.9	170x72.5x46	NA	>80	100lm/W	120°	330.00	50
---------------	-----	-------	------	-------------	----	-----	---------	------	--------	----

GATEWAY 20 - Bulkhead - IP54 (White)

GL9C1102520CD	20W	6500K	≥0.9	212x105x58	NA	>80	80lm/W	120°	500.00	30
---------------	-----	-------	------	------------	----	-----	--------	------	--------	----

GATEWAY - Bulkhead - Round - IP54 (Grey)

GL91892WW	15W	3000K	>0.9	ø178x59	NA	>80	100lm/W	120°	920.00	30
GL91892CD	15W	6500K	>0.9	ø178x59	NA	>80	100lm/W	120°	920.00	30
GL91893WW	20W	3000K	>0.9	ø177x63	NA	>80	100lm/W	120°	1020.00	30
GL91893CD	20W	6500K	>0.9	ø177x63	NA	>80	100lm/W	120°	1020.00	30

GATEWAY - Bulkhead - Ellipse - IP54 (Grey)

GL92891WW	12W	3000K	>0.9	220x100x60	NA	>80	100lm/W	120°	760.00	30
GL92891CD	12W	6500K	>0.9	220x100x60	NA	>80	100lm/W	120°	760.00	30
GL92892WW	15W	3000K	>0.9	219x101x60	NA	>80	100lm/W	120°	900.00	30
GL92892CD	15W	6500K	>0.9	219x101x60	NA	>80	100lm/W	120°	900.00	30





GIGAGLOW



SPEEDO

Presenting modern LED batten lights – Gigaglow and Speedo – designed for energy-efficient, bright, and long-lasting illumination to any contemporary space. Gigaglow is made of a durable polycarbonate body and offers cool daylight illumination. On the other hand, Speedo features a sleek aluminium housing and an impressive 100 lumens per watt, making it a perfect upgrade from older T5 tube lights. Both Gigaglow and Speedo are stylish and high-performing battens that enhance your home, office, or shop.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CRI	LUMEN EFFICACY	MRP ₹	MASTER CARTON
GIGAGLOW - LED Batten								
GL9C0105515CD	15W	6500K	>0.9	297x53x38	>80	100lm/W	590.00	20
GIGAGLOW - LED Batten								
GL9C0105530CD	30W	6500K	>0.9	596x53x38	>80	100lm/W	1030.00	10
GIGAGLOW - LED Batten								
GL9C0105550CD	50W	6500K	>0.9	1100x53x38	>80	100lm/W	1170.00	10
GL9C0105560CD	60W	6500K	>0.9	1100x53x38	>80	100lm/W	1460.00	10
SPEEDO - LED Batten								
GL90139CD	36W	6500K	>0.9	1200x30x38	>80	100lm/W	790.00	25





SPIDER

Brighten your outdoor areas like gardens, patios, swimming pool areas, balconies or yards with the sturdy and reliable Spider garden LEDs. These LEDs have IP 65 rating, making them dust and water resistant and thus perfect for all-weather use. Available in multiple wattages, the Spider spike light can be used for multiple purposes. Apart from illuminating outdoor spaces, they can also be used to highlight architectural details, sculptures, flower beds, driveways, etc.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

SPIDER 101 - LED Spike Light (PC) - IP65

GL9U202WW	5W	3000K	>0.5	ø60x72	NA	>80	60lm/W	60°	900.00	60
GL9U202RD	5W	RED	>0.5	ø60x72	NA	>80	60lm/W	60°	900.00	60
GL9U202BL	5W	BLUE	>0.5	ø60x72	NA	>80	60lm/W	60°	900.00	60
GL9U202GN	5W	GREEN	>0.5	ø60x72	NA	>80	60lm/W	60°	900.00	60
GL9U202RGB	5W	RGB	>0.5	ø60x72	NA	>80	60lm/W	60°	980.00	60

SPIDER 101 - LED Spike Light (PDC - Aluminium) - IP65

GL9U203WW	7W	3000K	>0.5	ø74x75	NA	>80	80lm/W	60°	1560.00	50
GL9U203GN	7W	GREEN	>0.5	ø74x75	NA	>80	80lm/W	60°	1560.00	50

SPIDER 201 - LED Spike Light (PDC - Aluminium) - IP65

GL9U207WW	3W	3000K	>0.5	ø42x64	NA	>80	70lm/W	30°	1180.00	60
GL9U207RD	3W	RED	>0.5	ø42x64	NA	>80	70lm/W	30°	1180.00	60
GL9U207GN	3W	GREEN	>0.5	ø42x64	NA	>80	70lm/W	30°	1180.00	60

GL9U208WW	5W	3000K	>0.5	ø42x64	NA	>80	70lm/W	30°	1215.00	60
GL9U208RD	5W	RED	>0.5	ø42x64	NA	>80	70lm/W	30°	1215.00	60
GL9U208GN	5W	GREEN	>0.5	ø42x64	NA	>80	70lm/W	30°	1215.00	60

GL9U211WW	12W	3000K	>0.5	ø96x71	NA	>80	80lm/W	60°	2150.00	30
GL9U211RD	12W	RED	>0.5	ø96x71	NA	>80	80lm/W	60°	2150.00	30
GL9U211GN	12W	GREEN	>0.5	ø96x71	NA	>80	80lm/W	60°	2150.00	30

SPIDER 301 - LED Spike Light (PDC - Aluminium) - IP65

GL9U212WW	6W	3000K	>0.9	ø51x95	NA	>80	80lm/W	38°	1190.00	50
GL9U212RGB	6W	RGB	>0.9	ø51x95	NA	>80	80lm/W	38°	1710.00	50

SPIDER 301 - LED Spike Light (PDC - Aluminium) - IP65

GL9U213WW	12W	3000K	>0.9	ø51x95	NA	>80	80lm/W	38°	1630.00	50
GL9U213RGB	12W	RGB	>0.9	ø51x95	NA	>80	80lm/W	38°	2375.00	50





LUXO

BEACON

Engineered for durability, the Beacon and Luxo LED flood lights feature a robust pressure die-cast (PDC) aluminium housing and an IP66 rating. While Luxo delivers high-intensity illumination, Beacon is equipped with advanced Fresnel lenses that enhance light distribution and clarity for superior illumination. Additionally, Beacon features an energy-efficient inbuilt driver, ensuring stable light output. Both Luxo and Beacon are perfect for outdoor and façade lighting, combining efficiency, durability, and superior illumination.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

NEO - LED FLOOD LIGHT 9 in 1

GL9C0905505RGB	5W	RGB	>0.9	122x90x27	NA	NA	NA	NA	960.00	40
----------------	----	-----	------	-----------	----	----	----	----	--------	----

BEACON - LED Flood Light (PDC - Aluminium) - IP66 (Grey)

GL9C0902530CD	30W	6500K	>0.9	120x180x35	NA	>80	100lm/W	90°	1720.00	20
GL9C0902550CD	50W	6500K	>0.9	141x201x35	NA	>80	100lm/W	90°	2260.00	20
GL9C0902550RGB	50W	RGB	>0.9	141x201x35	NA	>80	100lm/W	90°	2800.00	20
GL9C09025100CD	100W	6500K	>0.9	220x300x35	NA	>80	100lm/W	90°	4470.00	10
GL9C09025150CD	150W	6500K	>0.9	280x380x38	NA	>80	100lm/W	90°	7040.00	5
GL9C09025200CD	200W	6500K	>0.9	280x380x38	NA	>80	100lm/W	90°	9010.00	5

CRYSTALLINE - LED Flood Light (PDC - Aluminium) - IP66 (Grey)

GL9C0901530WW	30W	3000K	0.95	175x185x30	NA	>80	100lm/W	120°	1640.00	20
GL9C0901530CD	30W	6500K	0.95	175x185x30	NA	>80	100lm/W	120°	1640.00	20
GL9C0901550WW	50W	3000K	0.95	205x217x30	NA	>80	100lm/W	120°	2160.00	10
GL9C0901550CD	50W	6500K	0.95	205x217x30	NA	>80	100lm/W	120°	2160.00	10
GL9C09015100WW	100W	3000K	0.95	252x256x30	NA	>80	100lm/W	120°	4010.00	5
GL9C09015100CD	100W	6500K	0.95	252x256x30	NA	>80	100lm/W	120°	4010.00	5

ZYRON - LED Flood Light - IP66

GL9C0904530WW	30W	3000K	>0.95	164x123x24	NA	>80	105lm/W	120°	1250.00	20
GL9C0904530CD	30W	6500K	>0.95	164x123x24	NA	>80	105lm/W	120°	1250.00	20
GL9C0904550WW	50W	3000K	>0.95	192x136x25	NA	>80	105lm/W	120°	1570.00	20
GL9C0904550CD	50W	6500K	>0.95	192x136x25	NA	>80	105lm/W	120°	1570.00	20
GL9C09045100WW	100W	3000K	>0.95	241x186x26	NA	>80	105lm/W	120°	2730.00	10
GL9C09045100CD	100W	6500K	>0.95	241x186x26	NA	>80	105lm/W	120°	2730.00	10
GL9C09045150WW	150W	3000K	>0.95	254x319x26	NA	>80	105lm/W	120°		10
GL9C09045150CD	150W	6500K	>0.95	254x319x26	NA	>80	105lm/W	120°		10
GL9C09045200WW	200W	3000K	>0.95	350x256x28	NA	>80	105lm/W	120°	6480.00	10
GL9C09045200CD	200W	6500K	>0.95	350x256x28	NA	>80	105lm/W	120°	6480.00	10



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

NEXA - LED Flood Light (PDC - Aluminium) - IP65 (Black)

GL90867CD	20W	6500K	>0.9	140x157x28	NA	>80	80lm/W	120°	1290.00	20
GL90868CD	30W	6500K	>0.9	170x195x36	NA	>80	80lm/W	120°	1620.00	20

INSTA - LED Flood Light (PDC - Aluminium) - IP66 (Black)

GL90859WW	10W	3000K	>0.95	133x121x44	NA	>80	90lm/W	120°	1480.00	20
GL90859NW	10W	4000K	>0.95	133x121x44	NA	>80	90lm/W	120°	1480.00	20
GL90859CD	10W	6500K	>0.95	133x121x44	NA	>80	90lm/W	120°	1480.00	20
GL90858WW	20W	3000K	>0.95	133x121x44	NA	>80	95lm/W	120°	1570.00	20
GL90858CD	20W	6500K	>0.95	133x121x44	NA	>80	95lm/W	120°	1570.00	20
GL90860WW	30W	3000K	>0.95	150x142x43	NA	>80	100lm/W	120°	1880.00	20
GL90860CD	30W	6500K	>0.95	150x142x43	NA	>80	100lm/W	120°	1880.00	20
GL90860RD	30W	RED	>0.95	150x142x43	NA	>80	100lm/W	120°	1880.00	20
GL90860GN	30W	GREEN	>0.95	150x142x43	NA	>80	100lm/W	120°	1880.00	20
GL90860BL	30W	BLUE	>0.95	150x142x43	NA	>80	100lm/W	120°	1880.00	20

INSTA - LED Flood Light (PDC - Aluminium) - IP66 (Black)

GL90861WW	50W	3000K	>0.95	173x167x60	NA	>80	100lm/W	120°	2340.00	20
GL90861CD	50W	6500K	>0.95	173x167x60	NA	>80	100lm/W	120°	2340.00	20
GL90861RD	50W	RED	>0.95	173x167x60	NA	>80	100lm/W	120°	2340.00	20
GL90861GN	50W	GREEN	>0.95	173x167x60	NA	>80	100lm/W	120°	2340.00	20
GL90861BL	50W	BLUE	>0.95	173x167x60	NA	>80	100lm/W	120°	2340.00	20
GL90862WW	100W	3000K	>0.95	248x202x64	NA	>80	100lm/W	120°	4390.00	4
GL90862CD	100W	6500K	>0.95	248x202x64	NA	>80	100lm/W	120°	4390.00	4
GL90863WW	150W	3000K	>0.95	286x276x68	NA	>80	100lm/W	120°	6850.00	4
GL90863CD	150W	6500K	>0.95	286x276x68	NA	>80	100lm/W	120°	6850.00	4
GL90864WW	200W	3000K	>0.95	335x317x87	NA	>80	100lm/W	120°	9370.00	2
GL90864CD	200W	6500K	>0.95	335x317x87	NA	>80	100lm/W	120°	9370.00	2

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

MAXIM - LED Highbay Light (PDC - Aluminium) - IP65 (Grey)

GL90895CD	100W	6500K	>0.9	ø260x34	NA	>80	120lm/W	90°	5030.00	10
GL90898CD	150W	6500K	>0.9	ø302x34	NA	>80	120lm/W	90°	6810.00	10
GL90899CD	200W	6500K	>0.9	ø332x34	NA	>80	120lm/W	90°	9400.00	10





BLAZE

TORUS

Blaze and Torus are robust, modern street lights designed for roadways, parking lots, and outdoor spaces. Their sturdy aluminium die-cast housing ensures long-lasting durability. Blaze comes in a sleek black and grey finish, while Torus is available in elegant grey. With a luminous efficacy of 100lm/W, Blaze offers superior brightness, while Torus delivers efficient illumination at 100lm/W. Blaze is IP65-rated for durability, while Torus, with its IP66 rating, provides even greater protection against dust and water. Both models feature high-grade lenses for enhanced light distribution and optimal visibility.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

CORUS - LED Street Light - IP65

GL9C0806030CD	30W	6500K	>0.9	295x131x60	NA	>80	110lm/W		1100.00	10
GL9C0806050CD	50W	6500K	>0.9	345x144x63	NA	>80	110lm/W		1430.00	10
GL9C0806070CD	70W	6500K	>0.9	393x129x55	NA	>80	110lm/W		2970.00	10
GL9C0806050DSCD	50W	6500K	>0.9	345x144x63	NA	>80	110lm/W		2970.00	10

BLAZE - LED Street Light (PDC - Aluminium) - IP65 (Grey)

GL9C0802024GYBKCD	24W	6500K	>0.9	320x88x105	NA	>80	100lm/W	120°	1290.00	30
GL9C0802036GYBKCD	36W	6500K	>0.9	350x88x105	NA	>80	100lm/W	120°	1570.00	24
GL9C0802050GYBKCD	50W	6500K	>0.9	460x100x105	NA	>80	100lm/W	120°	2230.00	18

TORUS - LED Street Light (PDC - Aluminium) - IP66 (Grey)

GL9C0801424WW	24W	3000K	>0.95	272x120x57	NA	>80	100lm/W	120°	1350.00	30
GL9C0801424CD	24W	6500K	>0.95	272x120x57	NA	>80	100lm/W	120°	1350.00	30
GL9C0801436CD	36W	6500K	>0.95	310x136x57	NA	>80	100lm/W	120°	1790.00	24
GL9C0801450CD	50W	6500K	>0.95	351x170x57	NA	>80	100lm/W	120°	2340.00	18


TORUS SENSO - LED Street Light with Daylight Sensor (PDC - Aluminium) - IP66 (Grey)

GL9C0801424DSCD	24W	6500K	>0.95	272x120x57	NA	>80	100lm/W	120°	1870.00	30
GL9C0801436DSCD	36W	6500K	>0.95	310x136x57	NA	>80	100lm/W	120°	2180.00	24
GL9C0801450DSCD	50W	6500K	>0.95	351x170x57	NA	>80	100lm/W	120°	2910.00	18

VECTOR - LED Street Light (PDC - Aluminium) - IP65 (Black)

GL9C0803024CD	24W	6500K	>0.9	260x115x55	NA	>80	100lm/W	120°	1350.00	20
GL9C0803036CD	36W	6500K	>0.9	300x140x55	NA	>80	100lm/W	120°	1790.00	20
GL9C0803050CD	50W	6500K	>0.9	345x155x56	NA	>80	100lm/W	120°	2340.00	10
GL9C08030100CD	100W	6500K	>0.9	400x185x75	NA	>80	100lm/W	120°	3960.00	5





LED LIGHTS

The future is brighter when we switch to LED lights. They not only offer high power savings of more than 50%, they also use environment-friendly materials and ensure lower heat dissipation. LEDs are thus the de facto choice for lighting solutions. Switch to Goldmedal LEDs and make them a part of your daily living.

ITEM CODE	WATT	COLOUR TEMP	LENGTH (IN METER)	LED'S (PER METER)	LUMEN EFFICACY (PER LED)	IP RATING	MRP ₹	MASTER CARTON
-----------	------	-------------	----------------------	-------------------------	--------------------------------	--------------	-------	------------------

CRIMSON 2835 - 12V LED Strip Light

GL90701WW	30W	3000K	5	60	24	20	460.00	300
GL90701NW	30W	4000K	5	60	24	20	460.00	300
GL90701CD	30W	6500K	5	60	24	20	460.00	300
GL90701RD	30W	RED	5	60	24	20	460.00	300
GL90701GN	30W	GREEN	5	60	24	20	460.00	300
GL90701BL	30W	BLUE	5	60	24	20	460.00	300
GL90701PN	30W	PINK	5	60	24	20	460.00	300
GL90701AM	30W	AMBER	5	60	24	20	460.00	300
GL90701PL	30W	PURPLE	5	60	24	20	460.00	300
GL90701IB	30W	ICE BLUE	5	60	24	20	460.00	300

to be used with 12V, 2Amp LED power supply

CHAMPION 120 - 12V LED Strip Light (5mm)

GL9C06026120WW	42W	3000K	5	120	20	20	710.00	200
GL9C06026120NW	42W	4000K	5	120	20	20	710.00	200
GL9C06026120CD	42W	6500K	5	120	20	20	710.00	200

CHAMPION 120 - 12V LED Strip Light (8mm)

GL90702WW	42W	3000K	5	120	20	20	710.00	200
GL90702NW	42W	4000K	5	120	20	20	710.00	200
GL90702CD	42W	6500K	5	120	20	20	710.00	200

to be used with 12V, 2Amp LED power supply

CHAMPION 180 LED Strip Light - (5mm)

GL9C06026180WW	65W	3000K	5	180	90	20	1070.00	40
GL9C06026180NW	65W	4000K	5	180	90	20	1070.00	40
GL9C06026180CD	65W	6500K	5	180	90	20	1070.00	40

to be used with 12V, 5Amp LED power supply for 120 LEDs/M & 12V, 10Amp for 240 LEDs/M

CHAMPION 240 - 12V LED Strip Light (8mm)

GL90703WW	55W	3000K	5	240	24	20	1130.00	40
GL90703NW	55W	4000K	5	240	24	20	1130.00	40
GL90703CD	55W	6500K	5	240	24	20	1130.00	40

to be used with 12V, 5Amp LED power supply for 120 LEDs/M & 12V, 10Amp for 240 LEDs/M





ITEM CODE	WATT	COL. TEMP	LENGTH (IN METER)	LED'S (PER METER)	LUMEN EFFICACY (PER LED)	IP RATING	MRP ₹	MASTER CARTON
-----------	------	-----------	----------------------	-------------------------	--------------------------------	--------------	-------	------------------

CITRON 5050 - 12V LED Strip Light

GL90707RGB	35W	RGB	5	60	NA	20	1490.00	200
------------	-----	-----	---	----	----	----	---------	-----

CITRON IR RGB Controller with remote

GL90707ADN.A	NA	NA	NA	NA	NA	20	210.00	20
--------------	----	----	----	----	----	----	--------	----

CITRINE - 24V LED COB Strip Light

GL9C06016320WW	45W	3000K	5	320	3900lm	20	1270.00	100
GL9C06016320NW	45W	4000K	5	320	3900lm	20	1270.00	100
GL9C06016320GN	45W	GREEN	5	320	3900lm	20	1270.00	100
GL9C06016320BL	45W	BLUE	5	320	3900lm	20	1270.00	100
GL9C06016320PN	45W	PINK	5	320	3900lm	20	1270.00	100
GL9C06016320AM	45W	AMBER	5	320	3900lm	20	1270.00	100
GL9C06016320IB	45W	ICE BLUE	5	320	3900lm	20	1270.00	100

to be used with 12V, 2Amp LED power supply

ITEM CODE	WATT	COL. TEMP	LENGTH (IN METER)	LED'S (PER METER)	LUMEN EFFICACY (PER LED)	IP RATING	MRP ₹	MASTER CARTON
-----------	------	-----------	----------------------	-------------------------	--------------------------------	--------------	-------	------------------

PHOTON NEO - 220V LED Rope Light - IP65

GL9C1202672WW	315W	3000K	45	72	27	65	5500.00	3
GL9C1202672NW	315W	4000K	45	72	27	65	5500.00	3
GL9C1202672RD	315W	RED	45	72	27	65	5500.00	3
GL9C1202672GN	315W	GREEN	45	72	27	65	5500.00	3
GL9C1202672BL	315W	BLUE	45	72	27	65	5500.00	3
GL9C1202672PN	315W	PINK	45	72	27	65	5500.00	3
GL9C1202672AM	315W	AMBER	45	72	27	65	5500.00	3
GL9C1202672IB	315W	ICE BLUE	45	72	27	65	5500.00	3

PHOTON NEO - 10 mtr. - LED Rope Light - IP65

GL9C1203650WW	90W	3000K	10	120	70	65	1490.00	10
GL9C1203650NW	90W	4000K	10	120	70	65	1490.00	10
GL9C1203650CD	90W	6500K	10	120	70	65	1490.00	10
GL9C1203650GN	90W	GREEN	10	120	70	65	1490.00	10
GL9C1203650BL	90W	BLUE	10	120	70	65	1490.00	10
GL9C1203650PN	90W	PINK	10	120	70	65	1490.00	10
GL9C1203650AM	90W	AMBER	10	120	70	65	1490.00	10
GL9C1203650IB	90W	ICE BLUE	10	120	70	65	1490.00	10
GL9C1203650RD	90W	RED	10	120	70	65	1490.00	10

PHOTON NEO - 45 mtr. - LED Rope Light - IP65

GL9C1202672WW	315W	3000K	45	72	27	65	6690.00	3
GL9C1202672NW	315W	4000K	45	72	27	65	6690.00	3
GL9C1202672RD	315W	RED	45	72	27	65	6690.00	3
GL9C1202672GN	315W	GREEN	45	72	27	65	6690.00	3
GL9C1202672BL	315W	BLUE	45	72	27	65	6690.00	3
GL9C1202672PN	315W	PINK	45	72	27	65	6690.00	3
GL9C1202672AM	315W	AMBER	45	72	27	65	6690.00	3
GL9C1202672IB	315W	ICE BLUE	45	72	27	65	6690.00	3

ITEM CODE	WATT	COL. TEMP	LENGTH (IN METER)	LED'S (PER METER)	LUMEN EFFICACY (PER LED)	IP RATING	MRP ₹	MASTER CARTON
-----------	------	-----------	----------------------	-------------------------	--------------------------------	--------------	-------	------------------



Ribbon Neo - LED Rope Light - IP65								
GL9C120268RGB	225W	RGB	25	NA	NA	65	6440.00	4



TIRANGA 2835 - 220V LED Rope Light - IP65								
GL9C12016250.TRI	125W	TRI (OR+WH+GN)	18	120	12	65	2970.00	4



NEUTRON - LED COB Rope Light - IP65								
GL9C1204610WW	325W	3K	25	288	60	65	5940.00	4

ITEM CODE	RATING	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	--------	----------------	----	-----------	------------	-----	-------------------	---------------	-------	------------------

CONSTANT LED POWER SUPPLY - 12V (2A)										
GL9D705	12V, 2Amp	NA	NA	-	NA	NA	NA	NA	460.00	100
GL9D705B	12V, 2Amp	NA	NA	-	NA	NA	NA	NA	460.00	50



CONSTANT LED POWER SUPPLY - 12V (5A)										
GL9D707	12V, 5Amp	NA	NA	-	NA	NA	NA	NA	830.00	50



CONSTANT LED POWER SUPPLY - 12V (10A)										
GL9D708	12V, 10Amp	NA	NA	-	NA	NA	NA	NA	1410.00	30



CONSTANT LED POWER SUPPLY - 12V (16A & 20A)										
GL9C14401216N.A.	12V, 16Amp	NA	NA	-	NA	NA	NA	NA	2800.00	25
GL9C14411220N.A.	12V, 20Amp	NA	NA	-	NA	NA	NA	NA	2960.00	25



CONSTANT LED POWER SUPPLY - 24V (3A)										
GL9C1402243	24V, 3Amp	NA	NA	-	NA	NA	NA	NA	1040.00	50
GL9C1402245	24V, 5Amp	NA	NA	-	NA	NA	NA	NA	1445.00	30



PHOTON NEO Connector										
GL9C120168AD	NA	NA	NA	-	NA	NA	NA	NA	250.00	50



NEUTRON Connector										
GL9C120168AD	NA	NA	NA	-	NA	NA	NA	NA	210.00	50



RIBBON NEO Connector										
GL9C120168AD	NA	NA	NA	-	NA	NA	NA	NA	1020.00	50



SITARA

Introducing Jagmag Sphere, a fun string light. With round LEDs, Jagmag Sphere gives a soft and cozy light. It's easy to hang on walls, drape over furniture, or wrap around trees. Perfect for parties or cozy nights, this light brightens your home and brings a sense of joy to any occasion. Let your creativity shine with Jagmag Sphere!

ITEM CODE	WATT	COL. TEMP	MRP ₹	MASTER CARTON
JHILMIL- String Light				
GL9C29046WW	-	3000K	260.00	500
GL9C29046CD	-	6500K	260.00	500
GL9C29046RD	-	RED	260.00	500
GL9C29046GN	-	GREEN	260.00	500
GL9C29046BL	-	BLUE	260.00	500
GL9C29046PN	-	PNK	260.00	500
GL9C29046RGB	-	RGB	260.00	500
JAGMAG PORTABLE - String Light				
GL9C29056CRGB	NA	6500K+RED GREEN BLUE	990.00	100
JAGMAG SPHERE - String Light				
GL9C29066CRGB	NA	6500K+RED GREEN BLUE	1690.00	50
JAGMAG STAR -String Light				
GL9C29076CRGB	NA	6500K+RED GREEN BLUE	1690.00	50
JAGMAG BEADS - String Light				
GL9C29086CRGB	NA	6500K+RED GREEN BLUE	870.00	200
SITARA 3W - String Light				
GL9C29016WW	3W	3000K	770.00	40
DIYA 3W - String Light				
GL9C29026WW	3W	3000K	840.00	40
TWINKLE 3W - String Light				
GL9C29036WW	3W	3000K	840.00	40



LED ECO

Bright ideas for everyday living

Introducing the LED Eco range by Goldmedal, designed for energy-efficient lighting solutions. With a wide range of LED battens, bulbs, downlights, spotlights, LED panels, and more, the LED Eco range is crafted for comfort, convenience, and endurance. It is perfect for homes, small offices, shops, and other spaces. Multifunctional and fashionable, the LED Eco lights can serve as ambient lighting in your living room, task lighting in the kitchen, or as steady illumination for staircases and hallways. They are low in maintenance and built using durable materials. This range exclusively caters to lights that are used daily.

Smart and simple, the LED Eco range is perfect for those who seek long-lasting lighting solutions without compromising on efficiency.



The Duos is a uniquely-shaped LED that not only functions as a downlight but also emits light from its sides. You can choose to use it as a simple downlight or only the light along its side as a mood light – or you can use both lights to create beautiful illumination all round. The Droplet is a recess-type LED downlight made of polycarbonate housing and comprises an anti-glare diffuser that creates a soothing light. It also has an in-built driver and can be used in junction boxes at homes. In comparison, the TOTO is a low-depth, slim downlight that is available in warm white, cool daylight, as well as red, blue, green, and pink shades. It's the easiest way to create the right mood for your interiors.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

CORAL - LED Downlight (PC)

GL9C1304110CWW	10W	6500K+3000K	>0.9	ø101x57	ø75	>80	80lm/W	-	440.00	40
GL9C1304110CPN	10W	6500K+PINK	>0.9	ø101x57	ø75	>80	80lm/W	-	440.00	40
GL9C1304110CGN	10W	6500K+GREEN	>0.9	ø101x57	ø75	>80	80lm/W	-	440.00	40
GL9C1304110CBL	10W	6500K+BLUE	>0.9	ø101x57	ø75	>80	80lm/W	-	440.00	40
GL9C1304110PGBC	10W	PGB+6500K	>0.9	ø101x57	ø75	>80	80lm/W	-	440.00	40

DROPLET - LED Downlight (PC)

GL91459WW	3W	3000K	>0.95	ø76x60	ø43	>80	70lm/W	120°	130.00	50
GL91459CD	3W	6500K	>0.95	ø76x60	ø43	>80	80lm/W	120°	130.00	50
GL91459RD	3W	RED	>0.95	ø76x60	ø43	>80	70lm/W	120°	130.00	50
GL91459GN	3W	GREEN	>0.95	ø76x60	ø43	>80	70lm/W	120°	130.00	50
GL91459BL	3W	BLUE	>0.95	ø76x60	ø43	>80	70lm/W	120°	130.00	50

DUOS - LED Downlight (PC)

GL91512CWW	6W+3W	6500K+3000K	>0.5	ø110x65	ø75	>80	80lm/W	100°	290.00	100
GL91512CRD	6W+3W	6500K+RED	>0.5	ø110x65	ø75	>80	80lm/W	100°	290.00	100
GL91512CGN	6W+3W	6500K+GREEN	>0.5	ø110x65	ø75	>80	80lm/W	100°	290.00	100
GL91512CBL	6W+3W	6500K+BLUE	>0.5	ø110x65	ø75	>80	80lm/W	100°	290.00	100

FROZT - LED Downlight (PC)

GL91513WW	7W	3000K	>0.5	ø110x43	ø75	>80	70lm/W	120°	370.00	100
GL91513CD	7W	6500K	>0.5	ø110x43	ø75	>80	80lm/W	120°	370.00	100
GL91513RD	7W	RED	>0.5	ø110x43	ø75	>80	70lm/W	120°	370.00	100
GL91513GN	7W	GREEN	>0.5	ø110x43	ø75	>80	70lm/W	120°	370.00	100
GL91513BL	7W	BLUE	>0.5	ø110x43	ø75	>80	70lm/W	120°	370.00	100

All dimensions & cut outs are in mm

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

MIRO - LED Downlight (PC)

GL91514WW	7W	3000K	>0.9	ø83x57	ø40	>80	80lm/W	120°	290.00	150
GL91514CD	7W	6500K	>0.9	ø83x57	ø40	>80	90lm/W	120°	290.00	150
GL91514RD	7W	RED	>0.9	ø83x57	ø40	>80	80lm/W	120°	290.00	150
GL91514GN	7W	GREEN	>0.9	ø83x57	ø40	>80	80lm/W	120°	290.00	150
GL91514BL	7W	BLUE	>0.9	ø83x57	ø40	>80	80lm/W	120°	290.00	150
GL91514PN	7W	PINK	>0.9	ø83x57	ø40	>80	80lm/W	120°	290.00	150
GL91514CNW	7W	CNW	>0.9	ø83x57	ø40	>80	80lm/W	120°	360.00	150
GL91514RBP	7W	RBP	>0.9	ø83x57	ø40	>80	80lm/W	120°	360.00	150

PRISM - LED Downlight (PC)

GL91524WW	3W	3000K	>0.95	ø80x33	ø40	>80	60lm/W	120°	140.00	100
GL91524CD	3W	6500K	>0.95	ø80x33	ø40	>80	70lm/W	120°	140.00	100
GL91524RD	3W	RED	>0.95	ø80x33	ø40	>80	60lm/W	120°	140.00	100
GL91524GN	3W	GREEN	>0.95	ø80x33	ø40	>80	60lm/W	120°	140.00	100
GL91524BL	3W	BLUE	>0.95	ø80x33	ø40	>80	60lm/W	120°	140.00	100

ORRA - LED Downlight

GL91511WW	6W	3000K	>0.6	ø105x35	ø80	>70	70lm/W	120°	130.00	50
GL91511CD	6W	6500K	>0.6	ø105x35	ø80	>70	80lm/W	120°	130.00	50
GL91511RD	6W	RED	>0.6	ø105x35	ø80	>70	70lm/W	120°	130.00	50
GL91511GN	6W	GREEN	>0.6	ø105x35	ø80	>70	70lm/W	120°	130.00	50
GL91511BL	6W	BLUE	>0.6	ø105x35	ø80	>70	70lm/W	120°	130.00	50

ATOM NEO - LED Downlight (PC)

GL9C1307103WW	3W	3000K	>0.9	ø80x45	ø50	>80	70lm/W	120°	130.00	100
GL9C1307103NW	3W	4000K	>0.9	ø80x45	ø50	>80	70lm/W	120°	130.00	100
GL9C1307103CD	3W	6500K	>0.9	ø80x45	ø50	>80	70lm/W	120°	130.00	100
GL9C1307103RD	3W	RED	>0.9	ø80x45	ø50	>80	70lm/W	120°	130.00	100
GL9C1307103GN	3W	GREEN	>0.9	ø80x45	ø50	>80	70lm/W	120°	130.00	100
GL9C1307103BL	3W	BLUE	>0.9	ø80x45	ø50	>80	70lm/W	120°	130.00	100
GL9C1307103PN	3W	PINK	>0.9	ø80x45	ø50	>80	70lm/W	120°	130.00	100
GL9C1307103CNW	3W	CD+NW+WW	>0.9	ø80x45	ø50	>80	70lm/W	120°	210.00	100
GL9C1307103RBP	3W	RD+BL+PN	>0.9	ø80x45	ø50	>80	70lm/W	120°	210.00	100

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ATOM NEO - LED Downlight (PC)

GL9C1308110WW	10W	3000K	>0.9	ø110x51	ø75	>80	80lm/W	-	270.00	40
GL9C1308110NW	10W	4000K	>0.9	ø110x51	ø75	>80	80lm/W	-	270.00	40
GL9C1308110CD	10W	6500K	>0.9	ø110x51	ø75	>80	80lm/W	-	270.00	40
GL9C1308110RD	10W	RED	>0.9	ø110x51	ø75	>80	80lm/W	-	270.00	40
GL9C1308110GN	10W	GREEN	>0.9	ø110x51	ø75	>80	80lm/W	-	270.00	40
GL9C1308110BL	10W	BLUE	>0.9	ø110x51	ø75	>80	80lm/W	-	270.00	40
GL9C1308110PN	10W	PINK	>0.9	ø110x51	ø75	>80	80lm/W	-	270.00	40

ATOM NEO - LED Downlight (PC)

GL9C1308112WW	12W	3000K	>0.9	ø110x51	ø75	>80	100lm/W	-	360.00	40
GL9C1308112NW	12W	4000K	>0.9	ø110x51	ø75	>80	100lm/W	-	360.00	40
GL9C1308112CD	12W	6500K	>0.9	ø110x51	ø75	>80	100lm/W	-	360.00	40
GL9C1308112RD	12W	RED	>0.9	ø110x51	ø75	>80	100lm/W	-	410.00	40
GL9C1308112GN	12W	GREEN	>0.9	ø110x51	ø75	>80	100lm/W	-	410.00	40
GL9C1308112BL	12W	BLUE	>0.9	ø110x51	ø75	>80	100lm/W	-	410.00	40
GL9C1308112PN	12W	PINK	>0.9	ø110x51	ø75	>80	100lm/W	-	410.00	40

ATOM MINI - LED Downlight

GL91499CCT	3W	CCT	>0.9	ø80x32	ø55	>80	60lm/W	120°	190.00	100
GL91499RBP	3W	RBP	>0.9	ø80x32	ø55	>80	60lm/W	120°	190.00	100

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ATOM MINI NEO - LED Downlight

GL91498WW	3W	3000K	≥0.9	Ø80x22	Ø45	>80	70lm/W	NA	130.00	100
GL91498NW	3W	4000K	≥0.9	Ø80x22	Ø45	>80	70lm/W	NA	130.00	100
GL91498CD	3W	6500K	≥0.9	Ø80x22	Ø45	>80	70lm/W	NA	130.00	100
GL91498RD	3W	Red	≥0.9	Ø80x22	Ø45	>80	70lm/W	NA	130.00	100
GL91498BL	3W	Blue	≥0.9	Ø80x22	Ø45	>80	70lm/W	NA	130.00	100
GL91498PN	3W	Pink	≥0.9	Ø80x22	Ø45	>80	70lm/W	NA	130.00	100
GL91498GN	3W	Green	≥0.9	Ø80x22	Ø45	>80	70lm/W	NA	130.00	100

G-FIX DUO - LED Downlight

GL91530CWW	7W	6500K+3000K	>0.9	Ø86.5x43	Ø48	>80	70lm/W	110°	400.00	40
GL91530CRD	7W	6500K+RED	>0.9	Ø86.5x43	Ø48	>80	70lm/W	110°	400.00	40
GL91530CGN	7W	6500K+GREEN	>0.9	Ø86.5x43	Ø48	>80	70lm/W	110°	400.00	40
GL91530CBL	7W	6500K+BLUE	>0.9	Ø86.5x43	Ø48	>80	70lm/W	110°	400.00	40
GL91530CPN	7W	6500K+PINK	>0.9	Ø86.5x43	Ø48	>80	70lm/W	110°	400.00	40
GL91530CPGB	7W	6500K+PGB	>0.9	Ø86.5x43	Ø48	>80	70lm/W	110°	400.00	40
GL91522CWW	12W	6500K+3000K	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	670.00	40
GL91522CRD	12W	6500K+RED	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	670.00	40
GL91522CGN	12W	6500K+GREEN	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	670.00	40
GL91522CBL	12W	6500K+BLUE	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	670.00	40
GL91522CPN	12W	6500K+PINK	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	670.00	40
GL91522CPGB	12W	6500K+PGB	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	670.00	40

G-FIX DUO - LED Downlight w/o cap

GL91525CWW	12W	6500K+3000K	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	670.00	40
GL91525CRD	12W	6500K+RED	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	670.00	40
GL91525CGN	12W	6500K+GREEN	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	670.00	40
GL91525CBL	12W	6500K+BLUE	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	670.00	40
GL91525CPN	12W	6500K+PINK	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	670.00	40

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

G-FIX - LED Downlight

GL91523WW	12W	3000K	>0.9	Ø133x46	Ø48	>80	80lm/W	110°	530.00	40
GL91523NW	12W	4000K	>0.9	Ø133x46	Ø48	>80	80lm/W	110°	530.00	40
GL91523CD	12W	6500K	>0.9	Ø133x46	Ø48	>80	80lm/W	110°	530.00	40
GL91523RD	12W	RED	>0.9	Ø133x46	Ø48	>80	80lm/W	110°	530.00	40
GL91523GN	12W	GREEN	>0.9	Ø133x46	Ø48	>80	80lm/W	110°	530.00	40
GL91523BL	12W	BLUE	>0.9	Ø133x46	Ø48	>80	80lm/W	110°	530.00	40
GL91529CD	15W	6500K	>0.9	Ø133x46	Ø48	>80	80lm/W	110°	610.00	40

G-FIX - LED Downlight w/o cap

GL91521WW	12W	3000K	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	530.00	40
GL91521CD	12W	6500K	>0.9	Ø133x46	Ø48	>80	70lm/W	110°	530.00	40

BELO - LED Downlight (PDC - Aluminium+PC)

GL91526WW	7W	3500K	>0.95	Ø110x44	Ø76	>80	80lm/W	120°	210.00	50
GL91526NW	7W	4000K	>0.95	Ø110x44	Ø76	>80	80lm/W	120°	210.00	50
GL91526CD	7W	6500K	>0.95	Ø110x44	Ø76	>80	80lm/W	120°	210.00	50
GL91526RD	7W	RED	>0.95	Ø110x44	Ø76	>80	80lm/W	120°	210.00	50
GL91526GN	7W	GREEN	>0.95	Ø110x44	Ø76	>80	80lm/W	120°	210.00	50
GL91526BL	7W	BLUE	>0.95	Ø110x44	Ø76	>80	80lm/W	120°	210.00	50
GL91526PN	7W	PINK	>0.95	Ø110x44	Ø76	>80	80lm/W	120°	210.00	50

VIGO - LED Downlight (PC)

GL9C1302105WW	5W	3000K	>0.5	Ø110x32	Ø70	>80	80lm/W	-	170.00	40
GL9C1302105NW	5W	4000K	>0.5	Ø110x32	Ø70	>80	80lm/W	-	170.00	40
GL9C1302105CD	5W	6500K	>0.5	Ø110x32	Ø70	>80	80lm/W	-	170.00	40
GL9C1302105RD	5W	RED	>0.5	Ø110x32	Ø70	>80	80lm/W	-	170.00	40
GL9C1302105GN	5W	GREEN	>0.5	Ø110x32	Ø70	>80	80lm/W	-	170.00	40
GL9C1302105BL	5W	BLUE	>0.5	Ø110x32	Ø70	>80	80lm/W	-	170.00	40
GL9C1302105PN	5W	PINK	>0.5	Ø110x32	Ø70	>80	80lm/W	-	170.00	40
GL9C1302105CNW	5W	CNW	>0.5	Ø110x32	Ø70	>80	80lm/W	-	190.00	40
GL9C1302105RBP	5W	RBP	>0.5	Ø110x32	Ø70	>80	80lm/W	-	190.00	40
GL9C1302105PCG	5W	PCG	>0.5	Ø110x32	Ø70	>80	80lm/W	-	190.00	40

All dimensions & cut outs are in mm

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

VIGO - LED Downlight (PC)

GL9C1302107WW	7W	3000K	>0.9	ø110x32	ø70	>80	80lm/W	-	190.00	40
GL9C1302107NW	7W	4000K	>0.9	ø110x32	ø70	>80	80lm/W	-	190.00	40
GL9C1302107CD	7W	6500K	>0.9	ø110x32	ø70	>80	80lm/W	-	190.00	40
GL9C1302107RBP	7W	RBP	>0.9	ø110x32	ø70	>80	80lm/W	-	250.00	40
GL9C1302107CCT	7W	CCT	>0.9	ø110x32	ø70	>80	80lm/W	-	250.00	40
GL9C1302109WW	9W	3000K	>0.9	ø110x32	ø70	>80	80lm/W	-	210.00	40
GL9C1302109NW	9W	4000K	>0.9	ø110x32	ø70	>80	80lm/W	-	210.00	40
GL9C1302109CD	9W	6500K	>0.9	ø110x32	ø70	>80	80 lm/W	-	210.00	40

JUGN00 - LED Downlight (Acrylic + PC)

GL9C0303103CCT	3W	CCT	>0.9	ø80x35	ø47	>80	60lm/W	-	230.00	50
GL9C0303103RBP	3W	RBP	>0.9	ø80x35	ø47	>80	60 lm/W	-	230.00	50
GL9C0303107CCT	7W	CCT	>0.9	ø105x45	ø66	>80	75lm/W	-	320.00	40
GL9C0303107RBP	7W	RBP	>0.9	ø105x45	ø66	>80	75lm/W	-	320.00	40

TANGO - LED Downlight (PC)

GL9C0302112WW	12W	3000K	>0.9	ø130x24	ø102	>80	75lm/W	-	300.00	30
GL9C0302112NW	12W	4000K	>0.9	ø130x24	ø102	>80	75lm/W	-	300.00	30
GL9C0302112CD	12W	6500K	>0.9	ø130x24	ø102	>80	75lm/W	-	300.00	30
GL9C0302112RD	12W	RED	>0.9	ø130x24	ø102	>80	75lm/W	-	300.00	30
GL9C0302112GN	12W	GREEN	>0.9	ø130x24	ø102	>80	75lm/W	-	300.00	30
GL9C0302112BL	12W	BLUE	>0.9	ø130x24	ø102	>80	75lm/W	-	300.00	30
GL9C0302112PN	12W	PINK	>0.9	ø130x24	ø102	>80	75lm/W	-	300.00	30

TANGO+ - 12W LED Downlight with external driver (PC)

GL9C0308112WW	12W	3000K	>0.9	ø130x24	ø102	>80	90lm/W	-	420.00	30
GL9C0308112NW	12W	4000K	>0.9	ø130x24	ø102	>80	90lm/W	-	420.00	30
GL9C0308112CD	12W	6500K	>0.9	ø130x24	ø102	>80	90lm/W	-	420.00	30

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

TOTO - 3W LED Downlight (PC)

GL91528WW	3W	3000K	≥ 0.9	ø69x22	ø50	>80	45lm/W	120°	150.00	50
GL91528NW	3W	4000K	≥ 0.9	ø69x22	ø50	>80	55lm/W	120°	150.00	50
GL91528CD	3W	6500K	≥ 0.9	ø69x22	ø50	>80	55lm/W	120°	150.00	50
GL91528RD	3W	RED	≥ 0.9	ø69x22	ø50	>80	45lm/W	120°	150.00	50
GL91528GN	3W	GREEN	≥ 0.9	ø69x22	ø50	>80	45lm/W	120°	150.00	50
GL91528BL	3W	BLUE	≥ 0.9	ø69x22	ø50	>80	45lm/W	120°	150.00	50
GL91528PN	3W	PINK	≥ 0.9	ø69x22	ø50	>80	45lm/W	120°	150.00	50

MINZ - LED Downlight

GL91527WW	3W	3000K	≥ 0.9	ø80x33	Ø40	≥80	70lm/W	-	140.00	100
GL91527NW	3W	4000K	≥ 0.9	ø80x33	Ø40	≥80	70lm/W	-	140.00	100
GL91527CD	3W	6500K	≥ 0.9	ø80x33	Ø40	≥80	70lm/W	-	140.00	100
GL91527RD	3W	RED	≥ 0.9	ø80x33	Ø40	≥80	70lm/W	-	140.00	100
GL91527BL	3W	BLUE	≥ 0.9	ø80x33	Ø40	≥80	70lm/W	-	140.00	100
GL91527GN	3W	GREEN	≥ 0.9	ø80x33	Ø40	≥80	70lm/W	-	140.00	100

TGLO - LED Downlight

GL9C1310108CWW	8W	6500K+3000K	≥0.9	ø86x40	Ø75	>80	55lm/W	NA	270.00	50
GL9C1310108CPN	8W	6500K+PINK	≥0.9	ø86x40	Ø75	>80	55lm/W	NA	270.00	50
GL9C1310108CIB	8W	6500K+ICE BLUE	≥0.9	ø86x40	Ø75	>80	55lm/W	NA	270.00	50
GL9C1310108CAM	8W	6500K+AMBER	≥0.9	ø86x40	Ø75	>80	55lm/W	NA	270.00	50

GL9C1310108BKCWW	8W	6500K+3000K	≥0.9	ø86x40	Ø75	>80	55lm/W	NA	270.00	50
GL9C1310108BKCPN	8W	6500K+PINK	≥0.9	ø86x40	Ø75	>80	55lm/W	NA	270.00	50
GL9C1310108BKCIB	8W	6500K+ICE BLUE	≥0.9	ø86x40	Ø75	>80	55lm/W	NA	270.00	50
GL9C1310108BKCAM	8W	6500K+AMBER	≥0.9	ø86x40	Ø75	>80	55lm/W	NA	270.00	50



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CRI	LUMEN EFFICACY	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	-----	----------------	-------	---------------

MAGIC LINE - LED Batten

GL90100WW	5W	3000K	>0.90	302x23x37	>80	100lm/W	350.00	40
GL90100NW	5W	4000K	>0.90	302x23x37	>80	100lm/W	350.00	40
GL90100CD	5W	6500K	>0.90	302x23x37	>80	100lm/W	350.00	40

MAGIC LINE - LED Batten

GL9C101512WW	12W	3000K	>0.90	595x23x37	>80	100lm/W	400.00	40
GL9C101512NW	12W	4000K	>0.90	595x23x37	>80	100lm/W	400.00	40
GL9C101512CD	12W	6500K	>0.90	595x23x37	>80	100lm/W	400.00	40

MAGIC LINE - LED Batten

GL90103CT	20W	CCT	0.9	1100x23x37	>80	100lm/W	700.00	40
-----------	-----	-----	-----	------------	-----	---------	--------	----

POWER LINE - LED EMERGENCY LED Batten

GL9E102010CD	10W	6500K	>0.90	598x23x37	>80	100lm/W	820.00	20
GL9E102020CD	20W	6500K	>0.90	1100x23x37	>80	100lm/W	1230.00	20

MAGIC LINE NXT - LED Batten

GL9C0107520CD	20W	6500K	>0.90	590x24x37	>80	100lm/W	425.00	30
GL9C0107536CD	36W	6500K	>0.90	1135x24x38	>80	100lm/W	750.00	30
GL9C0107540CD	40W	6500K	>0.90	1182x23x38	>80	100lm/W	875.00	30

G-SENSE - LED Batten (Motion Sensor)

GL9C0102520MSCD	20W	6500K	>0.9	1120x24x38	>80	100lm/W	900.00	20
-----------------	-----	-------	------	------------	-----	---------	--------	----

LIFELINE - LED Batten

GL90155CD	22W	6500K	>0.9	1136x32	>80	100lm/W	600.00	40
-----------	-----	-------	------	---------	-----	---------	--------	----

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CRI	LUMEN EFFICACY	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	-----	----------------	-------	---------------

PROLINE - LED Batten

GL90157CD	26W	6500K	>0.9	1136x32	>80	100lm/W	700.00	40
-----------	-----	-------	------	---------	-----	---------	--------	----

MAGICLINE NEO - LED Batten

GL9C101520WW	20W	3000K	>0.9	1100x24x29	>80	100lm/W	395.00	30
GL9C101520NW	20W	4000K	>0.9	1100x24x29	>80	100lm/W	395.00	30
GL9C101520CD	20W	6500K	>0.9	1100x24x29	>80	100lm/W	395.00	30
GL9C101520RD	20W	RED	>0.9	1100x24x29	>80	100lm/W	395.00	30
GL9C101520GN	20W	GREEN	>0.9	1100x24x29	>80	100lm/W	395.00	30
GL9C101520BL	20W	BLUE	>0.9	1100x24x29	>80	100lm/W	395.00	30
GL9C101520PN	20W	PINK	>0.9	1100x24x29	>80	100lm/W	395.00	30
GL9C101522CD	22W	6500K	≥0.9	1100x24x29	>80	100lm/W	395.00	30

MAGICLINE NEO - Tiranga LED Batten

GL9C103520TRI	20W	TRI (OR+WH+GN)	>0.9	1132x24x32	>80	100lm/W	415.00	30
---------------	-----	----------------	------	------------	-----	---------	--------	----

MAGICLINE PLUS - LED Batten

GL9C0101536CD	36W	6500K	>0.9	1180x33x38	>80	100lm/W	750.00	30
GL9C0101550CD	50W	6500K	>0.9	1180x33x38	>80	100lm/W	880.00	30

BULLET - LED Batten

GL9C0106424CD	24W	6500K	>0.9	1140x25x36	>80	105lm/W	600.00	30
---------------	-----	-------	------	------------	-----	---------	--------	----

ZENLINE - LED Batten

GL9C0108545CD	45W	6500K	>0.9	1155x40x32	>80	100lm/W	980.00	20
---------------	-----	-------	------	------------	-----	---------	--------	----



ITEM CODE	WATT	COLOUR TEMP	PF	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----	----------------	------------	-------	---------------

WOW - LED Lamp (B22) - 2 Star								
GL91030WW	5W	3000K	>0.9	>80	94lm/W	120°	135.00	100
GL91030CD	5W	6500K	>0.9	>80	105lm/W	120°	135.00	100
GL91032WW	7W	3000K	>0.9	>80	94lm/W	120°	152.00	100
GL91032CD	7W	6500K	>0.9	>80	105lm/W	120°	152.00	100
GL91033WW	9W	3000K	>0.9	>80	94lm/W	120°	168.00	100
GL91033CD	9W	6500K	>0.9	>80	105lm/W	120°	168.00	100
GL91033MSCD	9W	6500K	>0.9	>80	105lm/W	120°	380.00	60
GL91038WW	12W	3000K	>0.9	>80	94lm/W	120°	257.00	100
GL91038CD	12W	6500K	>0.9	>80	105lm/W	120°	257.00	100
GL91038SMCNRWGB	12W	CNW+RGB	>0.9	>80	94lm/W	120°	600.00	60
GL91035WW	15W	3000K	>0.9	>80	94lm/W	120°	300.00	60
GL91035CD	15W	6500K	>0.9	>80	105lm/W	120°	300.00	60
GL91036WW	18W	3000K	>0.9	>80	94lm/W	120°	400.00	60
GL91036CD	18W	6500K	>0.9	>80	105lm/W	120°	400.00	60

WOW - LED Lamp (B22) - 1 Star								
GL91041CD	9W	6500K	>0.9	>80	105lm/W	120°	168.00	100
GL91042CD	12W	6500K	>0.9	>80	105lm/W	120°	257.00	100
GL91043CD	15W	6500K	>0.9	>80	105lm/W	120°	168.00	60
GL91044CD	18W	6500K	>0.9	>80	105lm/W	120°	257.00	60

WOW - LED Lamp (E27) - 2 Star								
GL91033E27WW	9W	3000K	>0.9	>80	94lm/W	120°	168.00	100
GL91033E27CD	9W	6500K	>0.9	>80	105lm/W	120°	168.00	100
GL91038E27WW	12W	3000K	>0.9	>80	94lm/W	120°	257.00	100
GL91038E27CD	12W	6500K	>0.9	>80	105lm/W	120°	257.00	100

THOR - LED Lamp (B22)								
GL9C0001115WW	15W	3000K	>0.9	>80	94lm/W	160°	250.00	60
GL9C0001115CD	15W	6500K	>0.9	>80	100lm/W	160°	250.00	60
GL9C0001120WW	20W	3000K	>0.9	>80	94lm/W	160°	340.00	30
GL9C0001120CD	20W	6500K	>0.9	>80	100lm/W	160°	340.00	30

ITEM CODE	WATT	COLOUR TEMP	PF	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----	----------------	------------	-------	---------------

THOR - LED Lamp (B22)								
GL9C001123WW	23W	3000K	>0.9	>80	94lm/W	160°	400.00	30
GL9C001123CD	23W	6500K	>0.9	>80	100lm/W	160°	400.00	30
GL9C001130WW	30W	3000K	>0.9	>80	94lm/W	160°	450.00	30
GL9C001130CD	30W	6500K	>0.9	>80	100lm/W	160°	450.00	30
GL9C001140WW	40W	3000K	>0.9	>80	94lm/W	160°	670.00	10
GL9C001140CD	40W	6500K	>0.9	>80	100lm/W	160°	670.00	20
GL9C001150WW	50W	3000K	>0.9	>80	94lm/W	160°	810.00	10
GL9C001150CD	50W	6500K	>0.9	>80	100lm/W	160°	810.00	20
GL9C001160WW	60W	3000K	>0.9	>80	100lm/W	160°	1100.00	10
GL9C001160CD	60W	6500K	>0.9	>80	100lm/W	160°	1100.00	10

INVERTO - LED LAMP (B22)								
GL91031CD	9W	6500K	>0.90	>80	100lm/W	120°	440.00	60
GL9E000012CD	12W	6500K	>0.90	>80	100lm/W	120°	540.00	60
GL9E001015CD	15W	6500K	>0.9	>80	100lm/W	120°	690.00	20

INVERTO - LED LAMP with Step Dimming (B22)								
GL9E002020CD	20W	6500K	>0.9	>80	100lm/W	120°	1070.00	20
GL9E002030CD	30W	6500K	>0.9	>80	100lm/W	120°	1530.00	20

INVERTO 20 - LED Rechargeable Lamp (B22)								
GL9L9C0002020CD	20W	6500K	>0.9	>80	100lm/W	120°	1190.00	60



ITEM CODE	WATT	COLOUR TEMP	PF	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----	----------------	------------	-------	---------------

CANDYLO 01 - LED LAMP (E14)

GL9C0003003WW	2.5W	3000K	>0.9	>80	90lm/W	-	150.00	100
GL9C0003005WW	4.5W	3000K	>0.9	>80	90lm/W	-	210.00	100

CANDYLO 02 - LED LAMP (E14)

GL9C0004003WW	2.5W	3000K	>0.9	>80	90lm/W	-	150.00	100
GL9C0004005WW	4.5W	3000K	>0.9	>80	90lm/W	-	210.00	100

FLARE 10 - LED Filament Lamp ST64

GL9C0006004WW	4W	3000K	≥0.9	>80	70lm/W	NA	210.00	50
---------------	----	-------	------	-----	--------	----	--------	----

FLARE 20 - LED Filament Lamp C35

GL9C0007003WW	3W	3000K	≥0.9	>80	70lm/W	NA	170.00	100
GL9C0007003AM	3W	AMBER	≥0.9	>80	70lm/W	NA	170.00	100

Flare 30 - LED Filament Lamp G45

GL9C0008003WW	3W	3000K	≥0.9	>80	70lm/W	NA	170.00	100
---------------	----	-------	------	-----	--------	----	--------	-----

ITEM CODE	WATT	COLOUR TEMP	PF	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----	----------------	------------	-------	---------------

GENIE - LED Lamp (B22)


GL91001WH	0.5W	WHITE	-	NA	NA	120°	50.00	84
GL91001RD	0.5W	RED	-	NA	NA	120°	50.00	84
GL91001GN	0.5W	GREEN	-	NA	NA	120°	50.00	84
GL91001BL	0.5W	BLUE	-	NA	NA	120°	50.00	84
GL91001PN	0.5W	PINK	-	NA	NA	120°	50.00	84
GL91001YL	0.5W	YELLOW	-	NA	NA	120°	50.00	84
GL91001OR	0.5W	ORANGE	-	NA	NA	120°	50.00	84
GL91001CCT	0.5W	CCT	-	NA	NA	120°	90.00	84
GL91001MIX	0.5W	MIX	-	NA	NA	120°	50.00	84

ALLADIN - Plug In LED Lamp

GL91002WH	0.5W	WHITE	-	NA	NA	120°	104.00	80
GL91002RD	0.5W	RED	-	NA	NA	120°	104.00	80
GL91002GN	0.5W	GREEN	-	NA	NA	120°	104.00	80
GL91002BL	0.5W	BLUE	-	NA	NA	120°	104.00	80
GL91002PN	0.5W	PINK	-	NA	NA	120°	104.00	80
GL91002YL	0.5W	YELLOW	-	NA	NA	120°	104.00	80
GL91002OR	0.5W	ORANGE	-	NA	NA	120°	104.00	80

RANGEELA - LED Coloured Lamp (B22)

GL91003RD	7W	RED	≥0.9	-	NA	-	170.00	24
GL91003GN	7W	GREEN	≥0.9	-	NA	-	170.00	24
GL91003BL	7W	BLUE	≥0.9	-	NA	-	170.00	24
GL91003PN	7W	PINK	≥0.9	-	NA	-	170.00	24
GL91003YL	7W	YELLOW	≥0.9	-	NA	-	170.00	24



VERTIGO
360° Track Light

THE POWER OF LIGHT

The right light can create the perfect ambience in any space. Whether it is a retail store or a commercial set up, having the right light can make a world of difference. In a retail store, the right lighting help you create a more pleasant and welcoming atmosphere that will attract your customers and influence them to spend more time in your store. In a commercial set up, the right lighting can create a better brand experience while increasing the focus and overall productivity of your employees. The right lighting can soothe, inspire, and keep your staff positive throughout the day. Investing in the right lights should therefore be part of your business plans. Goldmedal retail LED lights is the right way to achieve your business goals with the right lighting. All our LED lights are extremely energy efficient and easy to install and maintain. Our nationwide presence ensures ready availability of products and quick, efficient service any time you want it. Whether your business is big or small, make your retail and commercial space more inviting and productive with Goldmedal LEDs.



AMAZE

Amaze is a high efficient recess type LED Downlighter with 100lm/Watt efficacy along with white powder coated pressure die cast (PDC) aluminium heat sink, anti glare PC diffuser with energy efficient separate LED Driver.



AMAZE

Introducing the Amaze surface LED downlight that offers 100 lm/W efficacy for brilliant lighting. These downlights feature a white powder-coated, pressure die-cast aluminum housing and a separate energy-efficient LED driver. Designed for easy installation, the Amaze downlight provides superior illumination, making them a perfect choice for modern spaces.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

AMAZE - LED Downlight with external driver (PDC - Aluminium) - (White)

GPDLAAR010R01NW	10W	4000K	>0.9	ø137x31	ø125	>80	100lm/W	-	1940.00	24
GPDLAAR010R01CD	10W	6500K	>0.9	ø137x31	ø125	>80	100lm/W	-	1940.00	24

AMAZE - LED Downlight with external driver (PDC - Aluminium) - (White)

GPDLAAR015R01NW	15W	4000K	>0.9	ø137x31	ø125	>80	100lm/W	-	2030.00	24
GPDLAAR015R01CD	15W	6500K	>0.9	ø137x31	ø125	>80	100lm/W	-	2030.00	24

AMAZE - LED Downlight with external driver (PDC - Aluminium) - (White)

GPDLAAR018R01NW	18W	4000K	>0.9	ø161x31	ø150	>80	100lm/W	-	2350.00	24
GPDLAAR018R01CD	18W	6500K	>0.9	ø161x31	ø150	>80	100lm/W	-	2350.00	24

AMAZE - LED Downlight with external driver (PDC - Aluminium) - (White)

GPDLAAR024R01NW	24W	4000K	>0.9	ø161x31	ø150	>80	100lm/W	-	2430.00	24
GPDLAAR024R01CD	24W	6500K	>0.9	ø161x31	ø150	>80	100lm/W	-	2430.00	24

AMAZE - LED Surface Downlight (PDC - Aluminium) - (White)

GPDLAAS010R01NW	10W	4000K	>0.9	ø125x55	NA	>80	100lm/W	-	2270.00	24
GPDLAAS010R01CD	10W	6500K	>0.9	ø125x55	NA	>80	100lm/W	-	2270.00	24

AMAZE - LED Surface Downlight (PDC - Aluminium) - (White)

GPDLAAS015R01NW	15W	4000K	>0.9	ø125x55	NA	>80	100lm/W	-	2350.00	24
GPDLAAS015R01CD	15W	6500K	>0.9	ø125x55	NA	>80	100lm/W	-	2350.00	24

AMAZE - LED Surface Downlight (PDC - Aluminium) - (White)

GPDLAAS018R01NW	18W	4000K	>0.9	ø149x55	NA	>80	100lm/W	-	2720.00	24
GPDLAAS018R01CD	18W	6500K	>0.9	ø149x55	NA	>80	100lm/W	-	2720.00	24

AMAZE - LED Surface Downlight (PDC - Aluminium) - (White)

GPDLAAS024R01NW	24W	4000K	>0.9	ø149x55	NA	>80	100lm/W	-	2670.00	24
GPDLAAS024R01CD	24W	6500K	>0.9	ø149x55	NA	>80	100lm/W	-	2670.00	24





GRACE

GRACE+

Grace is recess mounting LED COB downlighter with aesthetically designed pressure die cast housing for better heat dissipation, aluminium reflector with 40° beam angle for focussed lighting effect along with energy efficient separate LED driver.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
GRACE - COB Downlight with external driver (PDC - Aluminium) - (White)										
GPDLABR015R01WW	15W	3000K	>0.9	ø82x78	ø72	>80	100lm/W	40°	3400.00	16
GPDLABR015R01NW	15W	4000K	>0.9	ø82x78	ø72	>80	100lm/W	40°	3400.00	16
GRACE - LED COB Downlight with external driver (PDC - Aluminium) - (White)										
GPDLABR020R01WW	20W	3000K	>0.9	ø82x78	ø72	>80	100lm/W	40°	3890.00	16
GPDLABR020R01NW	20W	4000K	>0.9	ø82x78	ø72	>80	100lm/W	40°	3890.00	16
GRACE - LED COB Downlight with external driver (PDC - Aluminium) - (White)										
GPDLABR025R01WW	25W	3000K	>0.9	ø109x96	ø90	>80	100lm/W	40°	4210.00	12
GPDLABR025R01NW	25W	4000K	>0.9	ø109x96	ø90	>80	100lm/W	40°	4210.00	12
GRACE - LED COB Downlight with external driver (PDC - Aluminium) - (White)										
GPDLABR030R01WW	30W	3000K	>0.9	ø115x104	ø100	>80	100lm/W	40°	4680.00	12
GPDLABR030R01NW	30W	4000K	>0.9	ø115x104	ø100	>80	100lm/W	40°	4680.00	12
GRACE - LED COB Downlight with external driver (PDC - Aluminium) - (White)										
GPDLABR036R01WW	36W	3000K	>0.9	ø115x104	ø100	>80	100lm/W	40°	5180.00	12
GPDLABR036R01NW	36W	4000K	>0.9	ø115x104	ø100	>80	100lm/W	40°	5180.00	12
GRACE+ - LED COB Downlight with external driver (PDC - Aluminium) - (White)										
GPDLACR015R01WW	15W	3000K	>0.9	ø94X78	ø80	>80	100lm/W	40°	3560.00	16
GPDLACR015R01NW	15W	4000K	>0.9	ø94X78	ø80	>80	100lm/W	40°	3560.00	16
GRACE+ - LED COB Downlight with external driver (PDC - Aluminium) - Round										
GPDLACR020R01WW	20W	3000K	>0.9	ø94X78	ø80	>80	100lm/W	40°	4050.00	16
GPDLACR020R01NW	20W	4000K	>0.9	ø94X78	ø80	>80	100lm/W	40°	4050.00	16
GRACE+ - LED COB Downlight with external driver (PDC - Aluminium) - (White)										
GPDLACR025R01WW	25W	3000K	>0.9	ø115X96	ø105	>80	100lm/W	40°	4370.00	12
GPDLACR025R01NW	25W	4000K	>0.9	ø115X96	ø105	>80	100lm/W	40°	4370.00	12
GRACE+ - LED COB Downlight with external driver (PDC - Aluminium) - (White)										
GPDLACR030R01WW	30W	3000K	>0.9	ø115x104	ø105	>80	100lm/W	40°	4700.00	12
GPDLACR030R01NW	30W	4000K	>0.9	ø115x104	ø105	>80	100lm/W	40°	4700.00	12





DAZZLE

Dazzle is recess mounted adjustable gimble type LED COB downlighter with aesthetically designed pressure die cast housing for better heat dissipation, aluminium reflector with 40° beam angle for focussed lighting effect along with energy efficient separate LED driver.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

DAZZLE - LED COB Downlight with external driver (PDC - Aluminium) - Square (White)

GPDLAER020S01WW	20W	3000K	>0.9	146x145x104	135x135	>80	100lm/W	40°	5830.00	12
GPDLAER020S01NW	20W	4000K	>0.9	146x145x104	135x135	>80	100lm/W	40°	5830.00	12

DAZZLE - LED COB Downlight with external driver (PDC - Aluminium) - Square (White)

GPDLAER030S01WW	30W	3000K	>0.9	146x145x104	135x135	>80	100lm/W	40°	6970.00	12
GPDLAER030S01NW	30W	4000K	>0.9	146x145x104	135x135	>80	100lm/W	40°	6970.00	12

DAZZLE - LED COB Downlight with external driver (PDC - Aluminium) - Square (White)

GPDLAER040S01WW	40W	3000K	>0.9	281x145x104	270x135	>80	100lm/W	40°	11340.00	8
GPDLAER040S01NW	40W	4000K	>0.9	281x145x104	270x135	>80	100lm/W	40°	11340.00	8

DAZZLE - LED COB Downlight with external driver (PDC - Aluminium) - Square (White)

GPDLAER060S01WW	60W	3000K	>0.9	281x145x104	270x135	>80	100lm/W	40°	12150.00	8
GPDLAER060S01NW	60W	4000K	>0.9	281x145x104	270x135	>80	100lm/W	40°	12150.00	8





ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

RADIAN - LED Downlight - Round - (White)

GPDLAFR015R01NW	15W	4000K	>0.9	ø130x52	ø120	>80	100lm/W	100°	6160.00	18
GPDLAFR015R01CD	15W	6000K	>0.9	ø130x52	ø120	>80	100lm/W	100°	6160.00	18
GPDLAFR020R01NW	20W	4000K	>0.9	ø184x58	ø170	>80	100lm/W	120°	8180.00	6
GPDLAFR020R01CD	20W	6000K	>0.9	ø184x58	ø170	>80	100lm/W	120°	8180.00	6
GPDLAFR030R01NW	30W	4000K	>0.9	ø225x60	ø210	>80	100lm/W	120°	10370.00	4
GPDLAFR030R01CD	30W	6000K	>0.9	ø225x60	ø210	>80	100lm/W	120°	10370.00	4



RADIAN

An elegantly crafted and highly efficient LED downlight, the Radian combines contemporary styling with powerful performance. Built with a pressure die-cast aluminium housing for superior heat dissipation and durability, it ensures long-lasting efficiency and comfort. The high-quality prismatic diffuser provides glare-free illumination with a Unified Glare Rating (UGR) of less than 19 that ensures comfortable, eye-friendly lighting even in extended use. With surge and over-voltage protection, low THD, and excellent CRI, Radian is ideal for offices, retail spaces, hospitality venues, and modern architectural environments.

All dimensions & cut outs are in mm



ZOOM+

The Zoom+ LEDs does an excellent job when you need to focus light on a particular task or a specific area in the room. Mounted on a swivel mechanism, this LED enjoys perfect maneuverability, allowing you to project the light at the perfect angle. Ruggedly built yet stylish in appearance, the Zoom+ LEDs can be easily mounted on ceilings in domestic as well as commercial settings.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

ZOOM+ - LED COB Wall Washer with external driver (PDC - Aluminium) - (Black)

GPDLADR020R01BKWW	20W	3000K	>0.9	ø150x26	ø135	>80	100lm/W	40°	5510.00	12
GPDLADR020R01BKNW	20W	4000K	>0.9	ø150x26	ø135	>80	100lm/W	40°	5510.00	12
GPDLADR030R01BKWW	30W	3000K	>0.9	ø150x26	ø135	>80	100lm/W	40°	5750.00	12
GPDLADR030R01BKNW	30W	4000K	>0.9	ø150x26	ø135	>80	100lm/W	40°	5750.00	12



ZOOM+ - LED COB Wall Washer with external driver (PDC - Aluminium) - (White)

GPDLADR020R01WW	20W	3000K	>0.9	ø150x26	ø135	>80	100lm/W	40°	5510.00	12
GPDLADR020R01NW	20W	4000K	>0.9	ø150x26	ø135	>80	100lm/W	40°	5510.00	12
GPDLADR030R01WW	30W	3000K	>0.9	ø150x26	ø135	>80	100lm/W	40°	5750.00	12
GPDLADR030R01NW	30W	4000K	>0.9	ø150x26	ø135	>80	100lm/W	40°	5750.00	12





AYRA

Presenting the Ayra LED COB spotlight, which delivers exceptional brightness, colour accuracy, and precision lighting. Crafted with a pressure die-cast aluminium housing, it ensures excellent heat dissipation and durability. Its high-efficiency COB LED offers superior luminous output with a CRI above 90, while the precision-engineered lens minimises glare for comfortable, focused illumination. Featuring surge and over-voltage protection along with a long 50,000-hour life, Ayra is ideal for designer studios, galleries, museums, airport lounges, and other modern architectural spaces.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

AYRA - LED COB Spotlight with external driver (PDC - Aluminium) - (White)

GPDLAGR010R01WW	10W	3000K	>0.9	ø63x50	ø55	>90	80lm/W	36°	3560.00	40
GPDLAGR010R01NW	10W	4000K	>0.9	ø63x50	ø55	>90	80lm/W	36°	3560.00	40
GPDLAGR010R01CD	10W	6000K	>0.9	ø63x50	ø55	>90	80lm/W	36°	3560.00	40
GPDLAGR015R01WW	15W	3000K	>0.9	ø85x65	ø75	>90	80lm/W	36°	4590.00	40
GPDLAGR015R01NW	15W	4000K	>0.9	ø85x65	ø75	>90	80lm/W	36°	4590.00	40
GPDLAGR015R01CD	15W	6000K	>0.9	ø85x65	ø75	>90	80lm/W	36°	4590.00	40
GPDLAGR025R01WW	25W	3000K	>0.9	ø103x80	ø95	>90	80lm/W	36°	6520.00	30
GPDLAGR025R01NW	25W	4000K	>0.9	ø103x80	ø95	>90	80lm/W	36°	6520.00	30
GPDLAGR025R01CD	25W	6000K	>0.9	ø103x80	ø95	>90	80lm/W	36°	6520.00	30

AYRA - LED COB Spotlight with external driver (PDC - Aluminium) - (White)

GPDLAGR030R01WW	30W	3000K	>0.9	ø113x88	ø105	>90	80lm/W	36°	9320.00	30
GPDLAGR030R01NW	30W	4000K	>0.9	ø113x88	ø105	>90	80lm/W	36°	9320.00	30
GPDLAGR030R01CD	30W	6000K	>0.9	ø113x88	ø105	>90	80lm/W	36°	9320.00	30
GPDLAGR050R01NW	50W	4000K	>0.9	ø175x122	ø145	>90	100lm/W	36°	19850.00	12
GPDLAGR050R01CD	50W	6000K	>0.9	ø175x122	ø145	>90	100lm/W	36°	19850.00	12
GPDLAGR080R01NW	80W	4000K	>0.9	ø224x143	ø200	>90	100lm/W	36°	28350.00	8
GPDLAGR080R01CD	80W	6000K	>0.9	ø224x143	ø200	>90	100lm/W	36°	28350.00	8

• The 50W and 80W products are IP65-rated.





HELIOS

Helios is an aesthetically robust, compact track-mounted COB LED light that provides focused lighting. The Helios can be mounted on a two-wired single phase power track. Special track locking enables retailers to focus light on their display as per their needs. Aluminum die cast housing ensures effective heat management.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

HELIOS-SR - LED COB Downlight with external driver (PDC - Aluminium) - White

GPTRAA020R01WW	20W	3000K	>0.9	ø115x144	ø100	>80	100lm/W	40°	5910.00	12
GPTRAA020R01NW	20W	4000K	>0.9	ø115x144	ø100	>80	100lm/W	40°	5910.00	12
GPTRAA030R01WW	30W	3000K	>0.9	ø115x144	ø100	>80	100lm/W	40°	6240.00	12
GPTRAA030R01NW	30W	4000K	>0.9	ø115x144	ø100	>80	100lm/W	40°	6240.00	12

HELIOS - LED COB Track Light (PDC - Aluminium) - Black

GPTRABS020R01BKWW	20W	3000K	>0.9	231x85x167	NA	>80	100lm/W	40°	5990.00	12
GPTRABS020R01BKNW	20W	4000K	>0.9	231x85x167	NA	>80	100lm/W	40°	5900.00	12
GPTRABS030R01BKWW	30W	3000K	>0.9	231x85x167	NA	>80	100lm/W	40°	6640.00	12
GPTRABS030R01BKNW	30W	4000K	>0.9	231x85x167	NA	>80	100lm/W	40°	6640.00	12

HELIOS - LED COB Track Light (PDC - Aluminium) - White

GPTRABS020R01WW	20W	3000K	>0.9	231x85x167	NA	>80	100lm/W	40°	5990.00	12
GPTRABS020R01NW	20W	4000K	>0.9	231x85x167	NA	>80	100lm/W	40°	5990.00	12
GPTRABS025R01WW	25W	3000K	>0.9	231x85x167	NA	>80	100lm/W	40°	6320.00	12
GPTRABS025R01NW	25W	4000K	>0.9	231x85x167	NA	>80	100lm/W	40°	6320.00	12
GPTRABS030R01WW	30W	3000K	>0.9	231x85x167	NA	>80	100lm/W	40°	6640.00	12
GPTRABS030R01NW	30W	4000K	>0.9	231x85x167	NA	>80	100lm/W	40°	6640.00	12
GPTRABS036R01WW	36W	3000K	>0.9	231x85x167	NA	>80	100lm/W	40°	7050.00	12
GPTRABS036R01NW	36W	4000K	>0.9	231x85x167	NA	>80	100lm/W	40°	7050.00	12





VERTIGO

An aesthetically designed compact yet robust track-mounted COB LED light, the Vertigo provides focused or ascent lighting. Ideal for retail stores and modern shopping outlets, the Vertigo can be installed on two-wired, single phase power tracks. Its oval-shaped aluminium die cast housing enables passive cooling design which ensures longer life for the light.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

VERTIGO - LED COB Track Light (PDC - Aluminium) - Black

GPTRAAS020R01BKWW	20W	3000K	>0.9	138x85x170	NA	>80	100lm/W	40°	6160.00	12
GPTRAAS020R01BKNW	20W	4000K	>0.9	138x85x170	NA	>80	100lm/W	40°	6160.00	12
GPTRAAS025R01BKWW	25W	3000K	>0.9	138x85x170	NA	>80	100lm/W	40°	6320.00	12
GPTRAAS025R01BKNW	25W	4000K	>0.9	138x85x170	NA	>80	100lm/W	40°	6320.00	12
GPTRAAS030R01BKWW	30W	3000K	>0.9	138x85x170	NA	>80	100lm/W	40°	6800.00	12
GPTRAAS030R01BKNW	30W	4000K	>0.9	138x85x170	NA	>80	100lm/W	40°	6800.00	12
GPTRAAS030R01BKCD	30W	6500K	>0.9	138x85x170	NA	>80	100lm/W	40°	6800.00	12
GPTRAAS036R01BKWW	36W	3000K	>0.9	138x85x170	NA	>80	100lm/W	40°	7050.00	12
GPTRAAS036R01BKNW	36W	4000K	>0.9	138x85x170	NA	>80	100lm/W	40°	7050.00	12

VERTIGO - LED COB Track Light (PDC - Aluminium) - White

GPTRAAS020R01WW	20W	3000K	>0.9	138x85x170	NA	>80	100lm/W	40°	6160.00	12
GPTRAAS020R01NW	20W	4000K	>0.9	138x85x170	NA	>80	100lm/W	40°	6160.00	12



ITEM CODE	WATT	HOUSING	DIMENSION	CUT OUT	MRP ₹	MASTER CARTON
VERTIGO - Track						
GPTAAS01MBKN.A.	1MTR	WHITE	1002x32x10	NA	1360.00	20
GPTAAS01MN.A.	1MTR	BLACK	1002x32x10	NA	1360.00	20
GPTAAS02MBKN.A.	2MTR	WHITE	2004x32x10	NA	2670.00	20
GPTAAS02MN.A.	2MTR	BLACK	2004x32x10	NA	2670.00	20
VERTIGO Track Connector - I						
GPTCAAS01I	NA	WHITE	75x24	NA	410.00	20
GPTCAAS01IBK	NA	BLACK	75x24	NA	410.00	20
VERTIGO Track Connector - L						
GPTCAAS01L	NA	WHITE	71x24	NA	650.00	20
GPTCAAS01LBK	NA	BLACK	71x24	NA	650.00	20
VERTIGO Track Connector - T						
GPTCAAS01T	NA	WHITE	103x24	NA	970.00	20
GPTCAAS01TBK	NA	BLACK	103x24	NA	970.00	20
VERTIGO Track Connector - X						
GPTCAAS01X	NA	WHITE	103x24	NA	1220.00	20
GPTCAAS01XBK	NA	BLACK	103x24	NA	1220.00	20

VISION

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
VISION - 2 x 2 LED Backlit Panel Light- Square (CRCA Powder Coated) - (White)										
GPPLAAR036S01CD	36W	6500K	>0.9	595x595x40	585x585	>80	100lm/W	160°	3080.00	6
GPPLAAR036S01NW	36W	4000K	>0.9	595x595x40	585x585	>80	100lm/W	160°	3080.00	6
GPPLAAR042S01CD	42W	6500K	>0.9	595x595x40	585x585	>80	100lm/W	160°	3400.00	6
VISION - 2 x 2 LED Backlit Panel Light- Square (Motion Sensor)										
GPPLAAR036S01MSCD	36W	6500K	>0.9	595x595x40	585x585	>80	100lm/W	160°	6500.00	6
VISION + - 2 x 2 LED Backlit Panel Light- Square (CRCA Powder Coated) - (White)										
GPPLABR036S01CD	36W	6500K	>0.9	595x595x40	585x585	>80	120lm/W	160°	3400.00	6
VISION Clip On frame 36W 2x2 LED Backlite PL (Efficacy 100lm/W) - (White)										
GPPLACR036S01CD	36W	6500K	>0.9	600x600x35	585x585	>80	100lm/W	160°	4130.00	6



KAPSULE

The Kapsule LED batten is designed for powerful and uniform illumination. Its built-in motion sensor makes it an ideal choice for automated commercial and office spaces. It features durable polycarbonate housing and offers an impressive lifespan of 50,000 burning hours thus ensuring a long-lasting performance. With a lumen efficacy of 130lm/W, this LED provides excellent illumination for offices and commercial spaces. Additionally, its IP66 rating ensures protection against dust and water, making it suitable for various environments.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
KAPSULE - LED BATTEN (PC) - IP66 (White)									
GPBTACS036L01CD	36W	6500K	>0.9	1200x80x73	>80	130lm/W	N/A	5510.00	6
KAPSULE - LED BATTEN (PC) (Motion Sensor) - IP66 (White)									
GPBTACS018L02MSCD	18W	6500K	>0.9	1200x80x73	>80	130lm/W	N/A	8420.00	6
GPBTACS036L02MSCD	36W	6500K	>0.9	1200x80x73	>80	130lm/W	N/A	8590.00	6
AURA - LED Aluminium Batten - (White)									
GPBTAAS020L01ALCD	20W	6500K	>0.9	1135x24x38	>80	100lm/W	120°	890.00	30
AURA+ - LED Aluminium Batten - (White)									
GPBTABS010L01ALCD	10W	6500K	>0.95	595x24x38	>80	120lm/W	120°	620.00	30
GPBTABS020L01ALCD	20W	6500K	>0.95	1135x24x38	>80	120lm/W	120°	850.00	30
AURA+ - LED Aluminium Batten (Ripple < 7%) - (White)									
GPBTABS020L02ALCD	20W	6500K	>0.9	1135x24x38	>80	120lm/W	120°	1015.00	30
AURA XL - LED Aluminium Batten - (White)									
GPBTADS022L01NW	22W	4000K	>0.9	1186x24x38	>80	100lm/W	120°	810.00	20
GPBTADS022L01CD	22W	6500K	>0.9	1186x24x38	>80	100lm/W	120°	810.00	20
AURA XL+ - LED Aluminium Batten - (White)									
GPBTADS022L02NW	22W	4000K	>0.9	1186x24x38	>80	120lm/W	120°	900.00	20
GPBTADS022L02CD	22W	6500K	>0.9	1186x24x38	>80	120lm/W	120°	900.00	20





ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
PHANTOM - LED Flood Light (PDC - Aluminium) - IP66 (5 years Warranty) Black										
GPOFAAS100L01CD	100W	5700K	>0.95	278x237x81	N/A	>70	130lm/W	N/A	9400.00	5
GPOFAAS150L01CD	150W	5700K	>0.95	328x247x81	N/A	>70	130lm/W	N/A	13610.00	4
GPOFAAS200L01CD	200W	5700K	>0.95	278x327x81	N/A	>70	130lm/W	N/A	16120.00	2
GPOFAAS250L01CD	250W	5700K	>0.95	328x345x81	N/A	>70	130lm/W	N/A	23330.00	2

PHANTOM

The Phantom Floodlight is a powerful and durable lighting solution for outdoor spaces. Constructed from robust aluminium die-cast housing, along with IP lens, this ensures excellent durability and performance. With an IP66 rating, it offers protection against dust and water, making it ideal for harsh environments. Delivering a lumen efficacy up to 130lm/W, it provides bright and energy-efficient illumination, available in 100W to 250W, it is reliable choice for various applications.

All dimensions & cut outs are in mm



VISTA

OPAL

Vista and Opal are premium outdoor lights crafted for landscape and pathway illumination. While Vista's post-top design provides broad, uniform illumination for gardens campuses, and commercial spaces, Opal's sleek bollard design is ideal for pathways, driveways, and ambient landscape lighting. Both combine durable aluminium construction, energy-efficient LED technology, and elegant aesthetics for reliable outdoor performance.

ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

VISTA - LED Post Top

GPPTAAS025Z01CD	25W	5700K	>0.95	250x325	N/A	>70	100lm/W	NA	7020.00	1
GPPTAAS040Z01CD	40W	5700K	>0.95	329x400	N/A	>70	100lm/W	NA	8370.00	1
GPPTAAS040Z01WW	40W	5700K	>0.95	329x400	N/A	>70	100lm/W	NA	8370.00	1
GPPTAAS045Z01CD	45W	5700K	>0.95	329x400	N/A	>70	100lm/W	NA	8775.00	1
GPPTAAS070Z01CD	70W	5700K	>0.95	435x487	N/A	>70	100lm/W	NA	15360.00	1

OPAL - LED Bollard Light (PDC - Aluminium)

GPBLAAS010Z04WW	10W	3000K	>0.90	ø140x250	N/A	>80	90lm/W	NA	2900.00	12
GPBLAAS010Z04CD	10W	5700K	>0.90	ø140x250	N/A	>80	90lm/W	NA	2900.00	12
GPBLAAS010Z01WW	10W	3000K	>0.90	ø140x300	N/A	>80	90lm/W	NA	3240.00	4
GPBLAAS010Z01CD	10W	5700K	>0.90	ø140x300	N/A	>80	90lm/W	NA	3240.00	4
GPBLAAS010Z02WW	10W	3000K	>0.90	ø140x500	N/A	>80	90lm/W	NA	4050.00	4
GPBLAAS010Z02NW	10W	4000K	>0.90	ø140x500	N/A	>80	90lm/W	NA	4050.00	4
GPBLAAS010Z02CD	10W	5700K	>0.90	ø140x500	N/A	>80	90lm/W	NA	4050.00	4
GPBLAAS010Z03WW	10W	3000K	>0.90	ø140x750	N/A	>80	90lm/W	NA	5130.00	4
GPBLAAS010Z03CD	10W	5700K	>0.90	ø140x750	N/A	>80	90lm/W	NA	5130.00	4





ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

MAXBAY PRO - LED Highbay Light (PDC Aluminium) - IP66 (5 years Warranty) - (Black)

GPHBAP100R01CD	100W	5700K	>0.95	ø252x150	NA	>70	130lm/W	NA	10820.00	2
GPHBAP150R01CD	150W	5700K	>0.95	ø252x150	NA	>70	130lm/W	NA	14340.00	2
GPHBAP200R01CD	200W	5700K	>0.95	ø315X160	NA	>70	130lm/W	NA	19600.00	2



COSMOS NEO - LED Wellglass (PDC Aluminium) - Grey

GPWGABP040R02CD	40W	6500K	>0.95	ø138x100	NA	>80	100lpW	NA	3100.00	24
GPWGABP070R01CD	70W	6500K	>0.95	ø165x145	NA	>70	100lpW	NA	4725.00	12



MAXBAY PRO & CoSMOS NEO

Designed to deliver high-performance lighting for demanding industrial environments, the Maxbay Pro and Cosmos Neo LED luminaires ensure energy efficiency, durability, and superior heat dissipation with robust die-cast aluminium construction. The Maxbay Pro LED Highbay is perfect for large open spaces such as factories, warehouses, and assembly lines, providing uniform illumination from greater heights. Meanwhile, the Cosmos Neo LED Wellglass is ideal for vertical mounting in enclosed areas like power plants and workshops, offering glare-free, focused lighting with enhanced energy savings.



ITEM CODE	WATT	COLOUR TEMP	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
-----------	------	-------------	----	-----------	---------	-----	----------------	------------	-------	---------------

CITILITE - LED Street Light PDC Aluminium IP66 - (Black) (5 years warranty)

GPSTABS030Z01CD	30W	5700K	>0.95	277x118x80	N/A	70	130lm/W	N/A	4620.00	14
GPSTABS045Z01CD	45W	5700K	>0.95	277x118x80	N/A	70	130lm/W	N/A	4860.00	14
GPSTABS060Z01CD	60W	5700K	>0.95	350x112x87	N/A	70	130lm/W	N/A	6320.00	8
GPSTABS072Z01CD	72W	5700K	>0.95	350x112x87	N/A	70	130lm/W	N/A	6640.00	8
GPSTABS090Z01CD	90W	5700K	>0.95	327x136x92	N/A	70	130lm/W	N/A	7940.00	8
GPSTABS120Z01CD	120W	5700K	>0.95	428x155x94	N/A	70	130lm/W	N/A	10530.00	6
GPSTABS150Z01CD	150W	5700K	>0.95	427x211x123	N/A	70	130lm/W	N/A	13610.00	4
GPSTABS200Z01CD	200W	5700K	>0.95	486x237x116	N/A	70	130lm/W	N/A	18630.00	1
GPSTABS250Z01CD	250W	5700K	>0.95	581x262x162	N/A	70	130lm/W	N/A	24140.00	1

TROZAN - LED Street Light - Aluminium + IP Lense - (Black)

GPSTACS024Z01CD	24W	6500K	>0.95	270x99x62	NA	>70	120lm/W	NA	1940.00	30
GPSTACS036Z01CD	36W	6500K	>0.95	300x133x65	NA	>70	120lm/W	NA	2730.00	18
GPSTACS045Z01CD	45W	6500K	>0.95	332x156x65	NA	>70	120lm/W	NA	3230.00	15
GPSTACS060Z01CD	60W	6500K	>0.95	332x156x65	NA	>70	120lm/W	NA	4030.00	15
GPSTACS072Z01CD	72W	6500K	>0.95	332x156x65	NA	>70	120lm/W	NA	4360.00	15
GPSTACS090Z01CD	90W	6500K	>0.95	405x185x72	NA	>70	120lm/W	NA	5750.00	10
GPSTACS090Z01WW	90W	6500K	>0.95	405x185x72	NA	>70	120lm/W	NA	5750.00	6
GPSTACS120Z01CD	120W	6500K	>0.95	405x185x72	NA	>70	120lm/W	NA	6860.00	8


TROZAN - LED Street Light - Aluminium + IP Lense - (Daylight Sensor)

GPSTACS045Z02DSCD	45W	6500K	>0.95	300x133x65	NA	>70	120lm/W	NA	3390.00	18
GPSTACS060Z02DSCD	60W	6500K	>0.95	332x156x65	NA	>70	120lm/W	NA	5180.00	6



TROZAN & CITILITE

The Citilite and Trozan Streetlights are engineered for powerful outdoor illumination with unmatched reliability. Citilite delivers up to 130lm/W with a die-cast aluminium body along with IP lens ensuring IP66 protection- ideal for highways, street lighting, area lighting parks & pathways. Trozan with its bottom-opening aluminium housing, optical -grade PC lens ensures uniform light distribution for rural local street, area lighting. Both street lights offer a long 50000-hour LED lifespan, surge protection and energy-efficient performance for modern infrastructure.



LUXOR

Introducing the Luxor Suspended Linear Light series which blends ultra-slim design with powerful performance for modern commercial interiors. Crafted from powder-coated die-cast aluminium, it ensures excellent heat dissipation and durability. With a precise 55° beam angle and a low-glare diffuser, this linear light offers uniform, eye-friendly illumination. Available in elegant white and black finishes, the Luxor range adds sophistication and functionality to offices, retail spaces, and premium architectural environments, delivering up to 130 lm/W for energy-efficient performance.

ITEM CODE	WATT	COLOUR	PF	DIMENSION	CUT OUT	CRI	LUMEN EFFICACY	BEAM ANGLE	MRP ₹	MASTER CARTON
LUXOR 01 - LED Suspended Linear Light - (Black)										
GALLADP036L01BKNW	36W	4000K	>0.9	1200x24x80	NA	>80	80lm/W	55°	8460.00	10
LUXOR 01 - LED Suspended Linear Light - (White)										
GALLADP036L01NW	36W	4000K	>0.9	1200x24x80	NA	>80	130lm/W	55°	8460.00	10
LUXOR 02 - LED Suspended Linear Light - (Black)										
GALLAEP036L01BKNW	36W	4000K	>0.9	1200x62x92	NA	>80	120lm/W	55°	13610.00	6
LUXOR 02 - LED Suspended Linear Light - (White)										
GALLAEP036L01NW	36W	4000K	>0.9	1200x62x92	NA	>80	165lm/W	55°	13610.00	6
NUVOLINE - LED Recessed Linear Light - (White)										
GPLLABP025L01CD	25W	5700K	≥ 0.9	1228x66x34	NA	>80	100lm/W	-	8910.00	4
GPLLABP050L01CD	50W	5700K	≥ 0.9	2428x66x34	NA	>80	100lm/W	-	17820.00	4



DRIVERS FOR LED PRO					
ITEM CODE	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	MRP ₹	MASTER CARTON
DRIVER FOR EVO #					
GL9C142007N.A.	7W	15-25VDC	240-320mA	210.00	50
GL9C142010N.A.	10W	30-40VDC	230-310mA	260.00	50
GL9C142015N.A.	15W	50-60VDC	220-320mA	270.00	50
DRIVERS FOR OZEAN					
GL9D901N.A.	6W	18V	330mA	400.00	20
GL9D902N.A.	15W	45V	300mA	440.00	20
GL9D904N.A.	18W	47V	350mA	440.00	20
DRIVERS FOR POLO, QUANTO #					
GL9C140907N.A.	4W-7W	12-23VDC	280-300mA	220.00	50
GL9C140912N.A.	8W-12W	21-40VDC	280-300mA	290.00	50
GL9C140918N.A.	13W-18W	30-60VDC	280-300mA	330.00	50
GL9C140924N.A.	19W-24W	40-60VDC	280-370mA	400.00	50
DRIVERS FOR GIO-6, GIO-9 #					
GL9C141007SDN.A.	4W-7W	24V	0.25A	490.00	20
GL9C141012SDN.A.	8W-12W	24V	0.42A	520.00	20
DRIVERS FOR GIO-9 #					
GL9C141015SDN.A.	13W-18W	24V	0.67A	600.00	20
DRIVERS FOR ZONE, NOVUS & ROVER 1x6 #					
GADWLAA006N.A.	4W-7W	24V	0.25A	410.00	1
DRIVERS FOR ZING & ROVER 2x6 #					
GADWLAA012N.A.	8W-12W	24V	0.42A	960.00	1
DRIVERS FOR NULINE & ROVER 3x6 #					
GADWLAA018N.A.	13W-18W	24V	0.67A	1140.00	1
DRIVERS FOR BRIO #					
GL9C142208N.A.	8W-12W	24V	0.42A	290.00	50
GL9C142215N.A.	13W-18W	24V	0.67A	380.00	50
GL9C142225N.A.	25W-30W	24V	1.16A	530.00	50

DRIVERS FOR LED PRO					
ITEM CODE	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	MRP ₹	MASTER CARTON
DRIVERS FOR ORCHID, FALCON, NEBULA & MYSTIQ #					
GL9C141907N.A.	4W-7W	12-23V	300mA	290.00	300
GL9C141912N.A.	8W-12W	21-40V	300mA	330.00	300
GL9C141918N.A.	13W-18W	30-60V	300mA	340.00	300
DRIVERS FOR LOOFIX					
GL9C141602N.A.	1W-3W	24VDC	0.08A	180.00	50
GL9C141606N.A.	4W-7W	24VDC	0.25A	270.00	50
GL9C141610N.A.	8W-12W	24VDC	0.42A	340.00	50
GL9C141620N.A.	19W-24W	24VDC	0.92A	450.00	50
DRIVERS FOR ZENI #					
GADWLAA003N.A.	1W-3W	24V	0.08A	560.00	1
DRIVERS FOR LINUX					
GL9C142103N.A.	1W-3W	24VDC	0.08A	170.00	50
GL9C142106N.A.	4W-7W	24VDC	0.25A	340.00	50
GL9C142110N.A.	8W-12W	24VDC	0.42A	410.00	50
DRIVERS FOR ODIN #					
GL9C141725N.A.	25W-30W	24VDC	1.16A	450.00	50
GL9C141735N.A.	31W-35W	24VDC	1.42A	590.00	50
DRIVERS FOR IGNIS					
GL9C140603N.A.	3W	3-14V	300mA	180.00	50
DRIVERS FOR TWIX					
GL9C141307N.A.	4W-7W	24V	0.25A	220.00	20
GL9C141312N.A.	8W-12W	24V	0.42A	300.00	20
DRIVER FOR SUPREMO #					
GADSLAD005N.A.	4W-8W	12-24V	0.280A	360.00	-
GADSLAD010N.A.	8W-12W	24-42V	0.280A	460.00	-
GADSLAD015N.A.	13W-18W	30-60V	0.280A	540.00	-

DRIVERS FOR LED PRO					
ITEM CODE	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	MRP ₹	MASTER CARTON

DRIVERS FOR ONIL & ONIZ #					
GADSLAP003N.A.	1W-3W	24V	0.08A	220.00	-
GADSLAP007N.A.	4W-7W	24V	0.25A	400.00	-
GADSLAP012N.A.	8W-12W	24V	0.42A	490.00	-

DRIVERS FOR GALAXIA #					
GADDLAD008N.A.	8W-12W	24V	0.42A	460.00	-

DRIVERS FOR LEXIE & ORIS #					
GADSLAG012N.A.	8W-12W	24-42V	0.280A	220.00	20
GADSLAG015N.A.	12W-18W	30-60V	0.280A	290.00	20
GADSLAG020N.A.	18W-24W	30-45V	0.550A	330.00	20

DRIVERS FOR OXYLUX #					
GADSLAH005N.A.	4W-8W	12-24V	0.280A	220.00	20
GADSLAH010N.A.	8W-12W	24-42V	0.280A	290.00	20
GADSLAH015N.A.	12W-18W	30-60V	0.280A	330.00	20
GADSLAH020N.A.	18W-24W	30-45V	0.550A	400.00	20

DRIVERS FOR PUNTO #					
GADSLAI012N.A.	8W-12W	24V	0.42A	330.00	20

DRIVERS FOR PYLON #					
GADBLAD005N.A.	4W-7W	11-24V	300mA	1080.00	-
GADBLAA007N.A.	7W	28-40V	160mA	1080.00	-
GADBLAD012N.A.	8W-12W	24-40V	300mA	1270.00	-
GADBLAB018N.A.	18W	28-40V	500mA	1410.00	-

DRIVERS FOR OLEO #					
GADWLAP006N.A.	6W	28-40V	150mA	1080.00	-

DRIVERS FOR G-BRIX #					
GL9D880N.A.	3W	24V	0.08A	-	-
GL9D879N.A.	6W	24V	0.25A	-	-
GL9D881N.A.	9W-12W	24V	0.42A	-	-
GL9D882N.A.	15W	24V	0.67A	-	-
GL9D885N.A.	30W	24V	1.16A	-	-

DRIVERS FOR LED PRO					
ITEM CODE	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	MRP ₹	MASTER CARTON

DRIVERS FOR ORZO & OZIVA					
GL9C141212N.A.	8W-12W	24-42V	0.280A	300.00	20
GL9C141218N.A.	12W-18W	30-60V	0.280A	380.00	20
GL9C141224N.A.	18W-24W	30-45V	0.550A	480.00	20
GL9C141236N.A.	36W-48W	25-35V	1.40A	540.00	20

DRIVERS FOR ORBIX+					
GL9C140140N.A.	37W-45W	40-60V	550-600mA	700.00	20

DRIVERS FOR AIRONIX #					
GL9C143815N.A.	13W-18W	24V	0.67A	1010.00	-

DRIVERS FOR YODA 01, 02, 03, 04 & 05 #					
GADMDAG003N.A.	1W-3W	24V	0.08A	180.00	50
GADMDAG006N.A.	4W-7W	24V	0.25A	220.00	50
GADMDAG010N.A.	8W-12W	24V	0.42A	330.00	50
GADMDAG015N.A.	13W-18W	24V	0.67A	400.00	50

DRIVERS FOR G-MODULE #					
GADMDDAA005N.A.	4W-7W	24V	0.25A	220.00	50
GADMDDAA008N.A.	8W-12W	24V	0.42A	330.00	50
GADMDDAA015N.A.	13W-18W	24V	0.67A	400.00	50

DRIVERS FOR ARCO STEP LIGHT					
GL9C140803N.A.	1W-3W	24V	0.08A	180.00	50

DRIVERS FOR ASTRO & ZURA #					
GL9C144507N.A.	4W-7W	24V	0.25A	-	-
GL9C144512N.A.	8W-12W	24V	0.42A	-	-

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

DRIVERS FOR LED PRO					
ITEM CODE	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	MRP ₹	MASTER CARTON
DRIVERS FOR ARION					
GL9C143407N.A.	4W-7W	24V	0.25A	220.00	50
GL9C1434012N.A.	8W-12W	24V	0.42A	330.00	50
GL9C1434018N.A.	13W-18W	24V	0.67A	400.00	50
DRIVERS FOR MORNING STAR & NEXO #					
GADDLAA003N.A.	1W-3W	24V	0.08A	180.00	50
GADDLAA007N.A.	4W-7W	12V-24V	0.280A	220.00	50
GADDLAA012N.A.	8W-12W	24V-42V	0.280A	330.00	50
GADDLAA015N.A.	13W-18W	30V-60V	0.280A	400.00	50
DRIVERS FOR QUADRO					
GL9C142315N.A	15W	90V-120V	120-150mA	-	-
DRIVERS FOR MAGIC					
GL9C143307N.A.	4W-7W	24V	0.25A	220.00	50
GL9C1433012N.A.	8W-12W	24V	0.42A	330.00	50
GL9C1433018N.A.	13W-18W	24V	0.67A	400.00	50
DRIVERS FOR SPARK, SPARK PRO & NANO 01					
GL9C140503N.A.	3W	9V	220mA	-	-
DRIVERS FOR STYLO RECESSED #					
GL9C143507N.A.	3W-12W	72V	300mA	610.00	-
GL9C143512N.A.	12W-24W	74V	300mA	660.00	-
GL9C143518N.A.	12W-24W	74V	300mA	690.00	-
DRIVERS FOR STYLO SURFACE #					
GL9C143907N.A.	7W-12W	62V	600mA	610.00	-
GL9C143912N.A.	7W-12W	62V	600mA	660.00	-
GL9C143918N.A.	18W	72V	250-700mA	690.00	-
DRIVERS FOR AMORA #					
GL9C143115N.A.	13W-18W	24V	0.67A	400.00	50

DRIVERS FOR LED PRO					
ITEM CODE	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	MRP ₹	MASTER CARTON
DRIVERS FOR ICONIC					
GL9C142905N.A.	5W	40V-50V	110mA	-	-
GL9C142910N.A.	10W	60V-70V	130mA	-	-
GL9C142915N.A.	15W	70V-80V	180mA	-	-
GL9C142920N.A.	20W	85V-95V	200mA	-	-
DRIVERS FOR HEXO PANEL					
GL9C141110N.A	8W-12W	24V	0.42A	330.00	50
GL9C1411120N.A	19W-24W	24V	0.92A	450.00	50
DRIVERS FOR SHYNE #					
GADWLAA020N.A.	19W-24W	24V	0.92A	1140.00	1
DRIVERS FOR LINEX 01, 02 & 03 #					
GADLLAA002N.A	1W-3W	24V	0.08A	180.00	50
GADLLAB010N.A	8W-12W	24V	0.42A	330.00	50
DRIVER FOR XENON #					
GL9C143212SMN.A.	12W	40-60V	250mA	-	-
SMART ZIGBEE DRIVER FOR ONIC, ORCHID, QUANTO, GIO-9, POLO & AMORA #					
ZB092081N.A.-\$	7W-12W	36-40V	150mA-280mA	-	-
ZB092082N.A.-\$	15W-24W	36-40V	380mA-590mA	-	-
SMART ZIGBEE GATEWAY 5V DC #					
ZB092039N.A.-\$	-	-	-	-	-

Powered via Type-C with DC 5V <1A
Protocol Support : IEE 802.11 b/g/n (2.4 GHz Wi-Fi) & 802.15.4 (2.4 GHz Zigbee) Network Capacity : Upto 100 devices with indoor range of 35 meters

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

DRIVERS FOR LED NX					
ITEM CODE	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	MRP ₹	MASTER CARTON
DRIVERS FOR LED ARIO+					
GL9C142507N.A.	4W-7W	24VDC	0.25A	210.00	50
GL9C142512N.A.	8W-12W	24VDC	0.42A	290.00	50
GL9C142518N.A.	13W-18W	24VDC	0.67A	380.00	50
DRIVERS FOR LED QUORO					
GL9C141812N.A.	3W-12W	42-96V	0.060A	190.00	50
GL9C141818N.A.	15W-18W	70-96V	0.180A	210.00	50
DRIVERS FOR LED JEWEL					
GL9C140406N.A.	4W-7W	12-24V	0.280A	230.00	50
GL9C140412N.A.	8W-12W	24-42V	0.280A	270.00	50
GL9C140418N.A.	13W-18W	30-60V	0.280A	320.00	50
DRIVERS FOR ORBIX, ARIO, DIVINE & COMET					
GL9C140103N.A.	1W-3W	9-12V	290mA	190.00	1
GL9C140107N.A.	4W-7W	12-23V	300mA	410.00	300
GL9C140112N.A.	8W-12W	21-40V	300mA	460.00	300
GL9C140118N.A.	13W-18W	30-60V	300mA	590.00	20
GL9C140125N.A.	19W-25W	40-60V	370mA	610.00	1
GL9C140135N.A.	30W-35W	40-60V	550mA	690.00	1
DRIVERS FOR TODOS					
GL9D283N.A.	3W+3W			260.00	10
GL9D284N.A.	6W+6W			460.00	20
GL9D285N.A.	12W+12W			590.00	20
DRIVERS FOR G-SKY					
GL9D825N.A.	12W+4W			340.00	1

DRIVERS FOR LED NX					
ITEM CODE	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	MRP ₹	MASTER CARTON
DRIVERS FOR SKYGLOW					
GL9D824N.A.	36W			380.00	1
DRIVERS FOR TANGO+					
GL9C142412N.A.	12W	80-100V	130mA	170.00	50
DRIVERS FOR PLANO					
GL9C142806N.A.	6W	40V-50V	120mA	-	-
GL9C142809N.A.	9W	40V-50V	190mA	-	-
GL9C142812N.A.	12W	50V-60V	200mA	-	-
GL9C142818N.A.	18W	75V-85V	220mA	-	-
GL9C142824N.A.	24W	90V-110V	200mA	-	-
DRIVERS FOR GLAZZ SMART #					
GL9C144315N.A.	15W	55V-72V	190mA		
DRIVERS FOR ENZO SMART #					
GL9C144415N.A.	15W	30V-40V	360mA		

Available at Central Warehouse
\$ Featured in G-world Smart Home or KNX Smart Home Catalogue
* On order basis

DRIVERS FOR LED PROLUX					
ITEM CODE	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	MRP ₹	MASTER CARTON

DRIVERS FOR GRACE, GRACE+, DAZZLE, ZOOM+					
GPDDLAB015N.A.	15W	30-50V	0.37A	1220.00	20
GPDDLAB020N.A.	20W	30-50V	0.50A	1220.00	20
GPDDLAB025N.A.	25W	30-50V	0.60A	1220.00	20
GPDDLAB030N.A.	30W	30-50V	0.80A	1220.00	20
GPDDLAB036N.A.	36W	30-50V	0.90A	1220.00	20

DRIVERS FOR HELIOS, HELIOS SURFACE, VERTIGO					
GPDDLAC020N.A.	20W	30-50V	0.50A	1380.00	20
GPDDLAC025N.A.	25W	30-50V	0.60A	1380.00	20
GPDDLAC030N.A.	30W	30-50V	0.80A	1380.00	20
GPDDLAC036N.A.	36W	30-50V	0.90A	1380.00	20

DRIVERS FOR AMAZE, AMAZE SURFACE					
GPDDLAA010N.A.	10W	60-90V	0.17A	650.00	20
GPDDLAA015N.A.	15W	60-90V	0.22A	650.00	20
GPDDLAA018N.A.	18W	60-90V	0.26A	650.00	20
GPDDLAA024N.A.	24W	60-90V	0.27A	650.00	20

DRIVERS FOR MAXBAY PRO, MAXBAY PRO PLUS					
GPDHBAB100N.A.	100W	90-160V	0.85A	4050.00	10
GPDHBAB150N.A.	150W	144-220VDC	0.85A	6160.00	10
GPDHBAB200N.A.	200W	180-288VDC	0.85A	6800.00	10

DRIVERS FOR LED CITILITE					
GPDSTAB030N.A.	30W	30-80VDC	550-1000mA	1300.00	20
GPDSTAB045N.A.	45W	30-110VDC	500-1200mA	1380.00	20
GPDSTAB060N.A.	60W	30-110VDC	500-1200mA	1460.00	20
GPDSTAB072N.A.	72W	55-295VDC	500-1200mA	2840.00	20
GPDSTAB090N.A.	90W	55-295VDC	500-1200mA	2920.00	20
GPDSTAB120N.A.	120W	500-1200mA	500-1200mA	3240.00	20

DRIVERS FOR LED PHANTOM					
GPDOFAA100N.A.	100W	140-380 VDC	850mA	4050.00	5
GPDOFAA150N.A.	150W	140-380 VDC	850mA	6480.00	5
GPDOFAA200N.A.	200W	140-380 VDC	850mA	7130.00	5

DRIVERS FOR LED PROLUX					
ITEM CODE	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	MRP ₹	MASTER CARTON

SPD FOR CITILITE -10KV					
GPSPDST250N.A.	30-250W	NA	NA	490.00	48

SPD FOR PHANTOM -10KV					
GPSPDFL100N.A.	100W	NA	NA	730.00	20
GPSPDFL200N.A.	150W-200W	NA	NA	730.00	20

SPD FOR TROZAN -10KV					
GPSPDSTAC120N.A.	24-120W	-	-	370.00	-

DRIVER FOR LED KAPSULE & KAPSULE with Motion Sensor					
GPLAD036N.A.	36W	24V	1.58A	1500.00	20
GPLAE018N.A.	18W	24V	0.67A	1500.00	20
GPLAE036N.A.	36W	24V	1.58A	1500.00	20

DRIVER FOR COSMOS NEO					
GPDWGABP040N.A.	40W	45-55V	0.7-1.0A	810.00	20
GPDWGABP070N.A.	70W	60-90V	0.5 - 1.50A	1250.00	50

DRIVERS FOR VISTA LED Postop					
GPDPТАAS025N.A.	25W	30-49V	0.60A	1000.00	20
GPDPТАAS040N.A.	40W - 45W	27-61V	1.07A	1200.00	20
GPDPТАAS070N.A.	70W	45-83V	1.50A	2150.00	20

DRIVERS FOR OPAL LED Bollard					
GPBLAAS010N.A.	10W (250mm)	36V	0.25A	600.00	100
GPDBLAAS110N.A.	10W (300/500/750mm)	36V	0.25A	870.00	100

DRIVERS FOR VISION					
GL9D824N.A.	36W	68-92V	440mA	400.00	100
GPPLAAR042N.A.	42W	62-114V	250-650mA	600.00	100

DRIVERS FOR VISION +					
GPPLABR036N.A.	36W	62-114V	200mA-500mA	580.00	100

DRIVERS FOR CLIP- ON					
GPDPLAC036N.A.	36w	30-40V	900mA		100



The LED lights by Goldmedal are designed to set new benchmarks in performance and aesthetics. Engineered for quick, cost-effective installation and easy retrofitting, these LED lights and panels are packed with features and benefits. All LED lights are also available in three basic colours: warm white, natural white and cool white. Select the colour that best suits your preference. Stylish in appearance, each of these lighting devices are durable enough to last years of use.

LEDs
Lighting



50%
Energy saving
over CFLs



Zero
Maintenance





4 times
more life
over CFLs



Zero
Mercury





WEST

MUMBAI

E-1, Laxmi Industrial Estate,
New Link Road,
Andheri West, Mumbai - 400053
Tel :+91-22-40031075
Email: info@goldmedalindia.com

AHMEDABAD

1106, Arista, 1st Floor, Opp Stellar,
Sindhu Bhavan Road,
Ahmedabad-380058
Tel :+91-8104965389
info@goldmedalindia.com

EAST

KOLKATA

Merlin Homeland Mall,
Shop No. 123, 1st Floor, 18B, Ashutosh
Mukherjee Road,
Bhawaniapore, Kolkata - 700 020.
Tel :+91- 8336956017
showroom.kolkata@goldmedalindia.co.in

SILIGURI

International Market, 2nd Floor, Shop No.3
& 4, Sevoke Road, Near Panitanki More,
Beside Sky Star Building,
Siliguri - 734001, WB
Tel :+91-8336084284
ritesh.g@goldmedalindia.co.in

GUWAHATI

1st Floor Patwari Enclave, Kachari Basti,
Near Dispur Collage,
Ganeshguri, Guwahati - 781005.
Tel :+91- 9718077070.
guwahati@goldmedalindia.com

RANCHI

B Square, Plot no.18g, Beside Girdhar
Plaza, Harmu Road, Ranchi-834001.
Tel :+91- 9431170402
ranchi@goldmedalindia.com

NORTH

NOIDA

H-204, Sec-63 Noida,
Uttar Pradesh - 201307.
Tel :+91-120-4135901
noida@goldmedalindia.com

JAIPUR

Goldmedal Electricals Private Limited
55, New Aatish Market,
Mansarovar, Jaipur - Rajasthan.
Tel :+91-291-3261955
rajasthan@goldmedalindia.com

JALORE

Head Post Office Road,
Jalore - 343001, Rajasthan.
Tel :+91-2973222568
rajasthan@goldmedalindia.com

JODHPUR

Plot no. E-99A, M. I. A.
Basni 2nd Phase, Jodhpur,
Rajasthan - 342005.
Tel :+91-9772210543
rajasthan@goldmedalindia.com

SOUTH

BENGALURU

No 6/2 & 6/3 Mysore Road,
Near Satellite Bus Station,
Bengaluru- 560026.
Tel: +91-80-41687799/41759977
bangalore@goldmedalindia.com

HUBBALLI

Umachagi Complex,
Koppikar Road, Hubballi,
Karnataka - 580020
Tel :+91-0836-4258466
bangalore@goldmedalindia.com

HYDERABAD

4-1-690, Kothari Landmark, Old
Vikranti Theatre, Mozamjahi Market,
Hyderabad-500095,
Telangana.
Tel :+91-040-26706099
hyderabad@goldmedalindia.com

KADAPA

21/96, Reddy Complex, Near 7 Road
Circle, Opp. Reddy Express,
Kadapa - 516001, Andhra Pradesh.
Tel :+91-9885676400
vijayawada@goldmedalindia.com

COIMBATORE

D. No. 897, Avinashi Road,
Below Flyover,
Coimbatore-641018
Tel :+91-9324514945
chennai@goldmedalindia.com

CALICUT

Shaherzad Shopping Complex, CH
Flyover Junction, Cherrooty Road,
Calicut - 673001, Kerala.
Tel :+91-9048743111
calicut@goldmedalindia.com

COCHIN

3rd Floor, G K Arcade, Palarivattom
Bye Pass Junction,
Ernakulam - 682028, Kerala.
Tel :+91-9324936290
calicut@goldmedalindia.com

SHOWROOMS

VIJAYAWADA

2nd Floor, PVP Mall,
Mahatma Gandhi Rd, Labbipet,
Vijayawada - 520010, Andhra Pradesh. Tel
:+91-9885676400
vijayawada@goldmedalindia.com

VIJAYAWADA

D. NO. 11-33-15, Tatakulavari Street,
Vijayawada-520 001, Andhra Pradesh.
Tel : +91-866-6542000/8977574737
vijayawada@goldmedalindia.com

BRANCHES

20-127/2, By Pass Road, Gollapudi,
Krishna District, Vijayawada - 521225,
Andhra Pradesh.
Tel: +91-866-6542333 / 6542888
Email: vijayawada@goldmedalindia.com

OUR CLIENTELE





Regd. office:
Goldmedal Electricals Pvt. Ltd.
A/303, Kemp Plaza, Off Link Road,
Mindspace, Chincholi Bunder, Malad (W),
Mumbai-400064, Maharashtra, India

Web: www.goldmedalindia.com
Email: info@goldmedalindia.com

Goldmedal, Curve, Nixon, Air, Ringo,
Gifa & Cloud9 are registered trademarks
of Goldmedal Electricals Pvt. Ltd.
Copyright protected by Goldmedal. No part of this
pricelist & catalogue may be printed or duplicated
without consent of Goldmedal Electricals Pvt. Ltd.
Patent, Trademark & Designs protected.
Infringement is liable for prosecution. Imitation
of graphics is a punishable offence.
Brand identity, concept & design of
Goldmedal Electricals Pvt. Ltd.



SCAN FOR THE
AMAZING

Commercial Terms & Conditions

• Prices are in Indian Rupees (Inclusive of GST) • Prices of all LED products in this price list are of our standard products. • Warranty applicable on the products are as per Goldmedal Electrical Pvt Ltd warranty policy. • Prices are subject to change without prior notice. • This Price list supersedes all previous price lists. • Order should be placed in multiples of Master carton. • Continuous design and product development is a routine practice at Goldmedal Electrical so data provided may change without any prior information; customers are advised to check the current data and before purchase from the local offices.

www.goldmedalindia.com



1st EDITION AUGUST 2K26
PLCLA508261N/A

