

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	-----------	---------	-----	------------



G-TWIST T1 - 5W COB with Substitutable Head & Driver - Round

GL91664WW	5W	3000K	>0.5	Ø70X50	Ø60	>80	24°
GL91664NW	5W	4000K	>0.5	Ø70X50	Ø60	>80	24°
GL91664CD	5W	6000K	>0.5	Ø70X50	Ø60	>80	24°



G-TWIST T2 - 10W COB with Substitutable Head & Driver - Round

GL91668WW	10W	3000K	>0.5	Ø98X50	Ø80	>80	24°
GL91668NW	10W	4000K	>0.5	Ø98X50	Ø80	>80	24°
GL91668CD	10W	6000K	>0.5	Ø98X50	Ø80	>80	24°



G-TWIST T2 - 15W COB with Substitutable Head & Driver - Round

GL91669WW	15W	3000K	>0.5	Ø128X75	Ø110	>80	24°
GL91669NW	15W	4000K	>0.5	Ø128X75	Ø110	>80	24°
GL91669CD	15W	6000K	>0.5	Ø128X75	Ø110	>80	24°



G-TWIST T2 - 10W COB with Substitutable Head & Driver - Square

GL92668WW	10W	3000K	>0.5	98X98X50	Ø80	>80	24°
GL92668NW	10W	4000K	>0.5	98X98X50	Ø80	>80	24°
GL92668CD	10W	6000K	>0.5	98X98X50	Ø80	>80	24°

All dimensions are in mm

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	-----------	---------	-----	------------

G-TWIST T2 - 15W COB with Substitutable Head & Driver - Square

GL92669WW	15W	3000K	>0.5	128x128x75	∅110	>80	24°
GL92669NW	15W	4000K	>0.5	128x128x75	∅110	>80	24°
GL92669CD	15W	6000K	>0.5	128x128x75	∅110	>80	24°



G-TWIST T3 - 10W Tiltable COB with Substitutable Head & Driver - Round

GL91673WW	10W	3000K	>0.5	∅98x75	∅80	>80	24°
GL91673NW	10W	4000K	>0.5	∅98x75	∅80	>80	24°
GL91673CD	10W	6000K	>0.5	∅98x75	∅80	>80	24°



G-TWIST T3 - 10W Tiltable COB with Substitutable Head & Driver - Square

GL92673WW	10W	3000K	>0.5	98x98x75	∅80	>80	24°
GL92673NW	10W	4000K	>0.5	98x98x75	∅80	>80	24°
GL92673CD	10W	6000K	>0.5	98x98x75	∅80	>80	24°



G-TWIST T4 - 10W Tiltable COB with Substitutable Head & Driver - Round

GL91677WW	10W	3000K	>0.5	∅90x75	∅80	>80	24°
GL91677NW	10W	4000K	>0.5	∅90x75	∅80	>80	24°
GL91677CD	10W	6000K	>0.5	∅90x75	∅80	>80	24°



All dimensions are in mm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	-----------	---------	-----	------------



G-TWIST T6 - 5W LED Down Light with Substitutable Head & Driver - Round

GL91683WW	5W	3000K	>0.5	ø98x50	ø80	>80	60°
GL91683NW	5W	4000K	>0.5	ø98x50	ø80	>80	60°
GL91683CD	5W	6000K	>0.5	ø98x50	ø80	>80	60°



G-TWIST T6 - 10W LED Down Light with Substitutable Head & Driver - Round

GL91685WW	10W	3000K	>0.5	ø98x50	ø80	>80	60°
GL91685NW	10W	4000K	>0.5	ø98x50	ø80	>80	60°
GL91685CD	10W	6000K	>0.5	ø98x50	ø80	>80	60°



G-TWIST T6 - 15W LED Down Light with Substitutable Head & Driver - Round

GL91687WW	15W	3000K	>0.5	ø128x75	ø110	>80	60°
GL91687NW	15W	4000K	>0.5	ø128x75	ø110	>80	60°
GL91687CD	15W	6000K	>0.5	ø128x75	ø110	>80	60°



G-TWIST T6 - 24W LED Down Light with Substitutable Head & Driver - Round

GL91688WW	24W	3000K	>0.5	ø185x76	ø150	>80	60°
GL91688NW	24W	4000K	>0.5	ø185x76	ø150	>80	60°
GL91688CD	24W	6000K	>0.5	ø185x76	ø150	>80	60°



G-TWIST T6 - 5W LED Down Light with Substitutable Head & Driver - Square

GL92683WW	5W	3000K	>0.5	98x98x50	ø80	>80	60°
GL92683NW	5W	4000K	>0.5	98x98x50	ø80	>80	60°
GL92683CD	5W	6000K	>0.5	98x98x50	ø80	>80	60°

All dimensions are in mm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	-----------	---------	-----	------------

G-TWIST T6 - 10W LED Down Light with Substitutable Head & Driver - Square

GL92685WW	10W	3000K	>0.5	98x98x50	ø80	>80	60°
GL92685NW	10W	4000K	>0.5	98x98x50	ø80	>80	60°
GL92685CD	10W	6000K	>0.5	98x98x50	ø80	>80	60°



G-TWIST T6 - 15W LED Down Light with Substitutable Head & Driver - Square

GL92687WW	15W	3000K	>0.5	128x128x75	ø110	>80	60°
GL92687NW	15W	4000K	>0.5	128x128x75	ø110	>80	60°
GL92687CD	15W	6000K	>0.5	128x128x75	ø110	>80	60°



G-TWIST T6 - 24W LED Down Light with Substitutable Head & Driver - Square

GL92688WW	24W	3000K	>0.5	185x185x76	ø150	>80	60°
GL92688NW	24W	4000K	>0.5	185x185x76	ø150	>80	60°
GL92688CD	24W	6000K	>0.5	185x185x76	ø150	>80	60°



G-TWIST T6 - LED Down Light with Substitutable Head & Driver (Colour Changing) - Round

GL91684CT	7W	CCT	>0.5	ø98x75	ø80	>80	60°
GL91686CT	12W	CCT	>0.5	ø128x75	ø110	>80	60°



G-TWIST T6 - LED Down Light with Substitutable Head & Driver (Colour Changing) - Square

GL92684CT	7W	CCT	>0.5	98x98x75	ø80	>80	60°
GL92686CT	12W	CCT	>0.5	128x128x75	ø110	>80	60°



All dimensions are in mm

